


Central & Northeastern  
Pennsylvania




# Hospital Performance Report

**30 Common Medical Procedures and Treatments**

Federal Fiscal Year 2004 (October 1, 2003 - September 30, 2004)



Pennsylvania Health Care Cost Containment Council  
September 2005



**Counties included  
in this Report**

- Adams
- Bradford
- Centre
- Clinton
- Columbia
- Cumberland
- Dauphin
- Franklin
- Fulton
- Huntingdon
- Juniata
- Lackawanna
- Lancaster
- Lebanon
- Luzerne
- Lycoming
- Mifflin
- Monroe
- Montour
- Northumberland
- Perry
- Pike
- Snyder
- Sullivan
- Susquehanna
- Tioga
- Union
- Wayne
- Wyoming
- York

**Table of Contents**

**Key Findings** ..... 1

**Understanding this Report**..... 2

**Descriptions** ..... 6

**Diagnoses**

- Abnormal Heartbeat ..... 8
- Blood Clot in Extremities ..... 10
- Blood Clot in Lung ..... 12
- Chronic Obstructive Pulmonary Disease (COPD) ..... 14
- Congestive Heart Failure (CHF)..... 16
- Diabetes with Amputation..... 18
- Diabetes – Medical Management..... 20
- Heart Attack – Medical Management ..... 22
- Intestinal Obstruction ..... 24
- Kidney Failure..... 26
- Kidney and Urinary Tract Infections ..... 28
- Pneumonia – Aspiration..... 30
- Pneumonia – Infectious ..... 32
- Respiratory Failure with Mechanical Ventilation..... 34
- Respiratory Failure without Mechanical Ventilation ..... 36
- Septicemia..... 38
- Stomach and Intestinal Bleeding ..... 40
- Stroke – Hemorrhagic..... 42
- Stroke – Non-Hemorrhagic..... 44

**Procedures**

- Abdominal Aortic Aneurysm Repair..... 46
- Colorectal Procedures..... 48
- Gallbladder Removal – Laparoscopic..... 50
- Gallbladder Removal – Open..... 52
- Heart Attack – Angioplasty/Stent ..... 54
- Hip Fracture – Surgical Repair..... 56
- Hysterectomy – Abdominal..... 58
- Hysterectomy – Vaginal..... 60
- Prostatectomy – Radical..... 62
- Prostatectomy – Transurethral..... 64
- Removal of Blockage of Neck Vessels..... 66



# Key Findings

- Patient mortality decreased significantly in nine of the 24 treatment categories between 2002 and 2004 (in categories where three years of mortality data were available). The largest decline was in Aspiration Pneumonia, where the mortality decreased from 15.5% in 2002 to 12.9% in 2004. No procedure or treatment group showed a significant increase in mortality.
- The overall mortality rate for conditions reported for both 2002 and 2004 decreased significantly, from 4.5% in 2002 to 4.2% in 2004.
- The overall readmission rate for conditions reported for both 2002 and 2004 increased significantly, rising from 18.1% in 2002 to 18.8% in 2004.
- The overall readmission rate for complication or infection for conditions reported for both 2002 and 2004 also increased significantly, rising from 4.3% in 2002 to 4.4% in 2004.
- Among the conditions reported, Respiratory Failure with Mechanical Ventilation had the highest readmission rate for complication or infection at 12.3%, and Hysterectomy - Vaginal had the lowest rate at 2.0%.

- There were 57,822 readmissions for any reason in 2004 (for the categories covered in the report). These readmissions amounted to approximately \$1.9 billion in charges and 357,000 hospital days.
- There were 14,075 readmissions for a complication or infection in 2004 (for the categories covered in the report). These readmissions amounted to approximately \$601 million in charges and 107,000 hospital days. If readmissions for complication or infection were decreased by just 15%, then over \$90 million in charges would have been saved.
- The following conditions had significant increases in their rates of readmission from 2002 to 2004:

For these conditions, a longer length of stay in the initial hospitalization was more likely to result in a readmission within 30 days.

In addition, statewide readmission rates for complication or infection for Pneumonia - Infectious decreased significantly, declining from 6.0% in 2002 to 5.6% in 2004.

- There was wide variation in length of stay among hospitals. The condition with the most variation was Diabetes with Amputation, where hospitals' average length of stay ranged from 5.4 to 23.7 days after taking patient risk factors into account.

Condition	Readmission Rate for Any Reason			Readmission Rate for Complication or Infection		
	2002	2003	2004	2002	2003	2004
Stroke - Non-Hemorrhagic	13.9	14.8	15.1	4.8	5.4	5.3
Gallbladder Removal - Laparoscopic	6.6	7.0	7.5	1.9	2.0	2.3
Kidney and Urinary Tract Infections	16.7	17.4	18.2	3.9	4.1	4.3
Congestive Heart Failure	25.5	26.0	26.9	4.2	4.2	4.5



# Understanding this Report

## Foreword

The Pennsylvania Health Care Cost Containment Council (PHC4) was established as an independent state agency by the General Assembly and the Governor of the Commonwealth of Pennsylvania in 1986. To help improve the quality and restrain the cost of health care, PHC4 promotes health care competition through the collection, analysis and public dissemination of uniform cost and quality-related information. Thanks to the vision of its General Assembly, Pennsylvania has begun to build a new health care marketplace where purchasers, consumers, providers, payors, and policy makers can make more informed decisions about the delivery of health care. This *Hospital Performance Report* is one of a series of public reports designed to achieve this goal. Information about additional treatment and surgical categories is posted on the PHC4 Web site at [www.phc4.org](http://www.phc4.org).

## What is the purpose of the report?

Before we make a major purchase, we normally familiarize ourselves with as much information as we can gather about the available products or services. By comparing what we can learn about the quality of the product, as well as what will be charged for it, we decide on what we believe is the best quality product for the best possible price. It should be the same with health care services. Unfortunately,

the information available to consumers and purchasers to make such decisions is limited and often not widely accessible. PHC4's *Hospital Performance Report* can help to fill that vacuum of information and assist consumers and purchasers in making more informed health care decisions. This report can also serve as an aid to providers in highlighting additional opportunities for quality improvement and cost containment. It should not be used in emergency situations.

## What is new in this report?

**Clinical Conditions** – This report now includes 30 conditions based on ICD-9-CM (International Classification of Diseases, Ninth Revision, Clinical Modification) codes, which specify the clinical reason(s) for a patient's hospitalization. Of the 30 code-based conditions, there are 19 diagnoses and 11 procedures. Descriptions of these conditions are on pages 6 and 7.

## About this report

- This report covers inpatient hospital discharges during Federal Fiscal Year (FFY) 2004, which includes data from October 1, 2003 through September 30, 2004.
- This report is divided into three regional versions and is hospital-specific.
- All Pennsylvania general and most specialty general acute care hospitals, regardless of bed size, are included.


- The hospital names have been shortened in many cases for formatting purposes. Hospital names may be different today than during the time period covered in this report due to mergers and name changes. A list of changes can be found on the PHC4 Web site at [www.phc4.org](http://www.phc4.org).

## Where does the data come from?

Pennsylvania hospitals are required by law to submit certain information to PHC4. The data compiled for the purpose of this publication is reported as it was submitted to PHC4 by Pennsylvania hospitals. The data was subject to standard verification processes by PHC4. In addition, hospitals are required to submit data indicating, in simple terms, "how sick the patient was" or, in technical jargon, a "severity score." The data is then risk-adjusted.

## Accounting for high-risk patients

Even though two patients may be admitted to the hospital with the same illness, there may be differences in the seriousness of their conditions. In order to report fair comparisons among hospitals, PHC4 uses a complex mathematical formula to "risk-adjust" the mortality, length of stay and readmission data, meaning that hospitals receive "extra credit" for treating patients that are more seriously ill or at a greater risk than others. Risk-adjusting the



data is important because sicker patients may be more likely to die, stay in the hospital longer, or be readmitted.

A sophisticated patient risk classification system called Atlas Outcomes™ is used to collect clinical information about hospital patients and to predict each patient’s chance of mortality and expected length of stay. Atlas Outcomes™ is a clinical information system developed by MediQual Systems, Inc.®, a business of Cardinal Health. This system is based on electronically available admit/discharge/transfer and laboratory data, as well as selected clinical data abstracted from the patient record, including EKG readings, vital signs, medical history, imaging, pathology and operative results. PHC4 also independently adjusts for other risk factors, such as poverty rate or the presence of cancer in the patient population included in this report.

A comprehensive description of the risk-adjustment techniques used for this report can be found in the *Technical Notes* on PHC4’s Web site at [www.phc4.org](http://www.phc4.org).

### What is measured in the report and why is it important?

PHC4’s mission is to provide the public with information that will help to improve the quality of health care services while also providing opportunities to restrain costs. The measurement of quality in health care is not

an exact science. There may be a number of ways to define quality; however, for the purposes of this report, six measures are suggested. With the exception of volume of cases, each of these measures has been adjusted for patient risk. (For more information, see the previous section entitled, Accounting for high-risk patients.)

- **Volume of Cases** – For each hospital, the number of cases for each condition, after exclusions, is reported. This can give a patient or a purchaser an idea of the experience each facility has in treating such patients. Studies have suggested that, in at least some areas, the volume of cases treated by a physician or hospital can be a factor in the success of the treatment.

The number of cases represents separate hospital admissions, not individual patients. A patient readmitted several times would be included each time in the number of cases. Outcome data are not reported for hospitals that had

fewer than five cases evaluated for a measure; such low volume cannot be considered meaningful and, as such, the outcome data are not displayed. Not Reported appears in the table when this occurs.


Note: Small or specialty hospitals may report low volume due to the unique patient population they serve or geographic location.

- **Risk-Adjusted Mortality** – PHC4 has used risk-adjusted mortality statistics as a measure of quality since it began publishing reports in 1989. To determine the mortality rating, PHC4 compares the number of patients one could reasonably expect to die in a given hospital in a given condition with the actual number of deaths.
- **Risk-Adjusted Length of Stay** – The length of time a patient stays in the hospital can reflect how successful the hospital is in providing treatment and has an impact on the resources used in delivering treatment.
- **Risk-Adjusted Length of Stay Outliers** – Length of stay “outliers” are abnormally short or long hospitalizations – those individual hospitalizations where the difference between the actual and expected length of stay was in the top (long length of stay outliers) or bottom (short length of stay outliers) 5% of all state-wide hospitalizations. They are the hospitalizations where the difference between the actual and expected length of stay was above or below the normal range for all

### Understanding the Symbols

Symbols representing ratings for risk-adjusted mortality, readmissions, and length of stay outliers are displayed in the report. These symbols reflect a comparison of a hospital’s actual rate and what is expected.

- Significantly higher than expected.
- ◉ Not significantly different than expected.
- Significantly lower than expected.



hospitalizations in the state. For any one hospital, the outlier rate is the number of outliers divided by the total number of hospitalizations. Length of stay may be an important quality of care indicator; however, many factors affect length of stay, some of which are beyond the hospital's control. Abnormally short or long hospital stays may result from factors, such as payor expectations, complications, clinical treatment advancements, or avoidable admissions due to inadequate health and social support in the community. Reported ratings should be interpreted cautiously and do not necessarily indicate high or low quality care.

- **Risk-Adjusted Readmissions** – A readmission is defined as a subsequent acute care hospitalization, for any reason in any Pennsylvania hospital, where the admit date is within 30 days of the discharge date of the original hospitalization. To determine the risk-adjusted readmission rating, PHC4 compares the number of patients one could reasonably expect to be readmitted in a given hospital in a given condition with the actual number of readmissions. The methodology was designed to limit planned readmissions; however, some may still be included. While some re-hospitalizations can be

expected, high quality care may lessen the need for subsequent hospitalizations.

- **Risk-Adjusted Readmissions for Complication/Infection** – The risk-adjusted readmission rating (discussed above) takes into consideration all subsequent hospitalizations within 30 days of the discharge date of the original hospitalization. However, this measure includes only readmissions with a principal diagnosis of a complication/infection (see the *Technical Notes* on the PHC4 Web site, [www.phc4.org](http://www.phc4.org), for a detailed description).

#### Other data issues

- **Do Not Resuscitate Cases** – The mortality analysis includes Do Not Resuscitate (DNR) cases. Since DNR is defined and utilized differently across PA hospitals, such records are retained in the analysis to avoid potential biases in mortality ratings.
- Not all data is reported for all measures. For example, readmission rates are not reported for Heart Attack – Medical Management because subsequent admissions are often planned.

#### Hospital charges

This report also includes the average hospital charge for each of the 30 code-based conditions. While charges are what the hospital

reports on the billing form, they may not accurately represent the amount a hospital receives in payment for the services it delivers. Hospitals usually receive less in actual payments than the listed charge. However, charges are the only data compiled that reflect the relative cost of all services provided by hospitals. Consequently, hospital charges are used almost universally by those attempting to assess the costs of health care.

A look at the financial data submitted by hospitals to PHC4 can shed some light on the relationship between the amount hospitals charge or bill for services, and the amount they receive in Net Patient Revenue (NPR). According to PHC4's *Hospital Financial Analysis 2004, Volume One*, Pennsylvania hospitals received, on average statewide, \$.29 in NPR for every dollar that they charged in Fiscal Year 2004 (ending 7/1/03 through 6/30/04).

Within the geographic area covered in this report, hospitals received, on average, \$.43 in NPR for every dollar charged. Broken down even further, hospitals within Northcentral Pennsylvania received, on average, \$.39 in NPR for every dollar charged, Southcentral Pennsylvania hospitals received an average of \$.49 on the dollar, and hospitals in Northeastern Pennsylvania received an average of \$.37 on the dollar.



These regional figures are aggregate only and cannot be applied to individual hospitals or individual average charges for conditions to calculate actual payment figures. This is due to substantial variation in hospital charges from hospital to hospital and from insurance product line to product line. There is also substantial variation in actual payments that hospitals receive for specific services. Actual payments to hospitals are imposed by Medicare and Medicaid, or result from negotiations with insurance companies, other third-party payors, and even individual patients.

### How to use the report

- **Patients/Consumers** can use this report as an aid in making decisions about where to seek treatment for the conditions detailed in this report. As with any health care decision, PHC4 urges the reader to use this report in conjunction with a physician or other health care provider when making a health care decision.
- **Group Benefits Purchasers/Insurers** can use this report as part of a process in determining where employees, subscribers, members, or participants should go for their health care.

- **Health Care Providers** can use this report as an aid in identifying opportunities for quality improvement and cost containment.
- **Policy Makers/Public Officials** can use this report to enhance their understanding of health care issues, to ask provocative questions, to raise public awareness of important issues and to help constituents identify quality health care options.
- **All of the previously mentioned groups** can use this information to raise important questions about why differences exist in the quality and efficiency of care.

This report can be used as a tool. It should not be used to generalize about the overall quality of care at a hospital, but instead to examine hospital performance in specific treatment categories. The measurement of quality is highly complex, and the information used to capture such measures is limited. A hospital death is frequently an unavoidable consequence of a patient's medical condition. Hospitals and physicians may do everything right, and the patient can still die. However, the statistical methods used eliminate many of the clinical and medical differences among the patients in

different hospitals, thereby allowing us to explore the real differences in the measures presented in this report. The pursuit of these issues can play an important and constructive role in raising the quality while restraining the cost of health care in the Commonwealth of Pennsylvania.

### Non-compliant hospitals

Hospitals are required under Pennsylvania law (Act 14) to submit timely, accurate health care data to PHC4. PHC4, acting upon the advice of its Technical Advisory Group, a panel of physicians and other health care experts, has determined that hospitals missing the required UB-92 data or patient severity scores in excess of or equal to 10% overall are non-compliant with state law and are excluded from this report. These hospitals are listed below. Although hospitalization data specific to non-compliant hospitals is not shown in this report, these records have been included in the overall analysis for the measures included in this report, and thus are reflected in the statewide and regional totals.

### Hospitals excluded from this report due to non-compliance

- Ashland Regional
- Mercy Scranton



## Code-Based Diagnosis Descriptions

**Abnormal Heartbeat:** Abnormal heart rate or rhythm including tachycardia, bradycardia, fibrillation, flutter and heart block. Does not include heart attack, congenital heart defects, or heart valve disorders.

**Blood Clot in Extremities:** Inflammation of a blood vessel with the formation of a thrombus (blood clot) in a deep or superficial vein involving the legs, arms, and other parts of the body. Includes deep vein thrombosis (DVT).

**Blood Clot in Lung:** The formation of a thrombus (blood clot) and/or infarction (damage or death) of the lung tissue. Often called pulmonary embolism or pulmonary infarct.

**Chronic Obstructive Pulmonary Disease (COPD):** Chronic lung disease where breathing is difficult due to airway narrowing, excess mucus production or inflammation. It is caused most frequently by bronchitis, asthma, or emphysema.

**Congestive Heart Failure (CHF):** Heart failure occurs when the heart loses its ability to pump enough blood through the body. Heart failure usually worsens over time as the heart gradually loses its pumping ability and works less efficiently, resulting in high blood pressure and fluid collection in the lungs.

**Diabetes with Amputation:** Includes patients who have diabetes and undergo an amputation of the arm, leg, or toe.

**Diabetes – Medical Management:** Includes patients hospitalized for control of blood sugar. Conditions include coma, high blood sugar crisis, and fluid imbalances. Kidney, eye,

nerve, or blood vessel damage related to diabetes are included.

**Heart Attack – Medical Management:** A heart attack (myocardial infarction) occurs when there is blockage or obstruction in the blood vessels that supply oxygen to the heart muscle causing an infarction (damage or death) to an area of the heart. Included are heart attack patients who were treated without a balloon (angioplasty) procedure or open heart surgery.

**Intestinal Obstruction:** Partial or complete blockage of the intestine often caused by scar tissue, tumors, twisting and kinking, or decreased blood supply that prevents the contents in the intestine from passing beyond the blockage.

**Kidney Failure:** Short and long-term kidney (renal) failure due to high blood pressure, heart disease, or damage to kidney tissue. Does not include dialysis or transplants.

**Kidney and Urinary Tract Infections:** Acute and chronic infections of the kidney and urinary tract. Does not include urinary stone or urinary symptoms, such as frequency, bleeding, or pain.

**Pneumonia – Aspiration:** Inflammation of the lungs and bronchial tubes caused by inhaling foreign material, such as food, drink, vomit, or secretions from the mouth into the lungs. Does not include infectious pneumonia.

**Pneumonia – Infectious:** Simple pneumonia (inflammation of the lung) includes viral and bacterial pneumonia, as well as pleurisy, an inflammation of the membrane surrounding the lungs.

**Respiratory Failure with Mechanical Ventilation:** Failure of the lungs to support the exchange of essential gases (oxygen and carbon dioxide), making the use of mechanical ventilation necessary. A mechanical ventilator (“breathing machine”) delivers oxygen through a tube placed in the mouth or nose into the trachea (windpipe). The breathing machine can be set to help or completely control breathing.

**Respiratory Failure without Mechanical Ventilation:** Inability of the lungs to support the exchange of essential gases (oxygen and carbon dioxide) without the need for mechanical ventilation.

**Stomach and Intestinal Bleeding:** Bleeding from ulcers or areas of inflammation in the stomach, small or large intestine, rectum, or esophagus (muscular tube that connects the mouth to the stomach).

**Septicemia:** Also known as blood poisoning, is a system-wide infection of the patient’s blood. Does not include post-operative or post-injury infections.

**Stroke – Hemorrhagic:** Stroke is a cardiovascular disease that affects the blood vessels supplying blood to the brain. In hemorrhagic strokes, a blood vessel in the brain breaks or ruptures and causes bleeding (hemorrhage) within or around the brain.

**Stroke – Non-hemorrhagic:** In ischemic (non-hemorrhagic) strokes, a blood clot blocks a blood vessel in the brain or an artery leading to the brain. This is the most common type of stroke. Transient ischemic attack (temporary stroke symptoms) is not included.





## Code-Based Procedure Descriptions

### **Abdominal Aortic Aneurysm**

**Repair:** An abdominal aortic aneurysm (AAA) is a bulge in the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. Does not include endovascular (minimally invasive graft technique) repairs or ruptured aneurysm repairs.

**Colorectal Procedures:** The majority of colorectal procedures are performed in relation to the presence of cancer or diverticulitis (inflammation of part of the lower digestive tract). Does not include patients with abdominal trauma.

### **Gallbladder Removal –**

**Laparoscopic:** Cholecystectomy is the operation for removal of the gallbladder. Included are patients who underwent this type of surgery carried out with a laparoscope (microscopic camera) through 3 or 4 small incisions.

### **Gallbladder Removal – Open:**

Traditional gallbladder removal surgery that is carried out through an incision in the right side of the upper abdomen.

### **Heart Attack – Angioplasty/Stent:**

Treatment (called percutaneous transluminal coronary angioplasty or PTCA) of a heart attack using special balloons to open up obstructed arteries and increase blood flow to the heart. Often, a stent (a mesh tube) is inserted in the blocked or narrowed artery to open it wider and prevent re-narrowing or recurring blockage. Does not include coronary artery bypass graft surgery (CABG).

### **Hip Fracture – Surgical Repair:**

Fracture (“broken bone”) of the hip involves the top portion of the femur (thigh bone). Surgical repair includes inserting a pin, rod or screw into the bone to hold the fracture together for healing or may also include a partial or total hip joint replacement.

**Hysterectomy – Abdominal:** An operation, performed through an abdominal incision, to remove the uterus (womb) and sometimes the ovaries and fallopian tubes. This type of surgery is performed when vaginal or laparoscopic approaches are deemed inappropriate for a variety of conditions, including female cancers, uterine fibroids, endometriosis, pelvic trauma, and uterine or vaginal prolapse.

**Hysterectomy – Vaginal:** Includes hysterectomy through a vaginal approach and those laparoscopically (use of microscopic camera) assisted. Includes hysterectomy performed for a variety of conditions, such as female cancers, pelvic trauma, uterine fibroids, and endometriosis.

**Prostatectomy – Radical:** Radical prostatectomy is the surgical removal of the entire prostate. This type of surgery is usually performed when localized cancer is present.

### **Prostatectomy – Transurethral:**

This type of surgery involves the surgical removal of part of the prostate gland and is usually done to relieve urinary symptoms caused by benign (non-cancerous) enlargement of the prostate.

### **Removal of Blockage of Neck**

**Vessels:** This procedure, also known as a carotid endarterectomy, is performed to prevent strokes. It involves removal of blockages, complete or partial, in the two arteries (carotid arteries) that supply the brain with blood and oxygen.

Information about  
additional treatment and  
surgical categories is  
posted on the Web site at  
[www.phc4.org](http://www.phc4.org)

# Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	34	○	2.8	0.0	○	0.0	○	○	\$9,010	
Berwick	94	○	2.5	9.6	○	1.1	○	○	\$15,531	
Bloomsburg	44	○	2.4	2.3	○	0.0	○	○	\$12,854	
Bucktail	2	NR	NR	NR	NR	NR	NR	NR	NR	
Carlisle Regional	188	○	3.3	5.4	○	3.8	○	○	\$22,984	
Chambersburg	290	○	3.7	3.5	○	5.6	○	○	\$17,803	
Community/Scranton	254	○	3.8	4.7	○	8.7	●	○	\$17,634	
Ephrata Community	206	○	3.3	3.4	○	1.5	○	○	\$14,202	
Evangelical Community	195	○	3.3	9.8	●	3.6	○	○	\$9,726	
Fulton County	23	○	3.4	0.0	○	0.0	○	●	\$13,251	
Geisinger Wyoming Valley	153	○	3.4	7.3	○	7.3	○	○	\$17,899	
Geisinger/Danville	335	○	2.5	16.3	●	1.8	○	○	\$17,809	
Gettysburg	99	○	3.0	8.2	○	1.0	○	○	\$12,817	
Good Samaritan/Lebanon	299	○	3.4	4.4	○	3.7	○	○	\$14,431	
Hanover	138	○	3.0	5.8	○	2.9	○	○	\$10,633	
Hazleton General	133	○	3.5	7.8	○	5.4	○	○	\$19,133	
Hazleton St Joseph	101	○	3.3	8.0	○	1.0	○	○	\$16,081	
Heart of Lancaster	51	○	3.5	7.8	○	2.0	○	○	\$23,829	
Holy Spirit	458	○	3.8	4.4	○	7.8	●	○	\$14,676	
J C Blair Memorial	48	○	3.3	10.6	○	4.3	○	○	\$9,186	
Jersey Shore	28	○	2.9	3.6	○	0.0	○	○	\$10,627	
Lancaster General	991	○	4.1	4.8	○	8.5	●	○	\$18,232	
Lancaster Regional	218	○	3.9	3.7	○	6.9	○	○	\$26,193	
Lewistown	168	○	3.0	7.2	○	1.2	○	○	\$10,934	
Lock Haven	61	○	2.5	9.8	○	1.6	○	○	\$14,414	
Marian Community	86	○	3.6	4.8	○	2.4	○	○	\$12,282	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	153	⊙	3.4	7.3	⊙	2.7	⊙	⊙	⊙	\$15,596
Memorial/Towanda	34	●	3.4	3.1	⊙	3.1	⊙	⊙	⊙	\$13,368
Mercy/Wilkes-Barre	207	⊙	4.0	2.4	⊙	5.3	⊙	⊙	⊙	\$20,672
Mid-Valley	54	⊙	3.3	3.8	⊙	3.8	⊙	⊙	⊙	\$10,122
Milton S Hershey	291	⊙	2.7	13.7	●	2.1	○	⊙	⊙	\$12,803
Montrose General	15	⊙	2.9	13.3	⊙	6.7	⊙	⊙	⊙	\$5,711
Moses Taylor	174	⊙	3.9	2.9	⊙	4.6	⊙	⊙	⊙	\$15,329
Mount Nittany	238	⊙	2.8	5.1	⊙	2.6	⊙	⊙	○	\$12,749
Muncy Valley	20	⊙	2.5	15.0	⊙	0.0	⊙	⊙	⊙	\$10,120
Philipsburg Area	36	⊙	3.0	11.1	⊙	0.0	⊙	⊙	⊙	\$12,405
Pinnacle Health	662	⊙	3.8	4.7	⊙	7.8	●	○	⊙	\$19,383
Pocono	278	⊙	3.2	4.3	⊙	4.0	⊙	⊙	⊙	\$15,976
Robert Packer	525	⊙	2.8	7.5	●	2.3	○	⊙	⊙	\$10,715
Shamokin Area Community	83	⊙	3.4	6.0	⊙	0.0	○	⊙	⊙	\$7,807
Soldiers & Sailors	68	⊙	2.6	7.4	⊙	0.0	⊙	⊙	⊙	\$12,659
Sunbury Community	101	⊙	2.8	8.0	⊙	1.0	⊙	⊙	⊙	\$8,964
Troy Community	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	63	⊙	3.5	4.8	⊙	4.8	⊙	⊙	●	\$15,175
Wayne Memorial	105	⊙	3.5	6.7	⊙	1.9	⊙	⊙	⊙	\$13,038
Waynesboro	72	⊙	2.8	17.1	●	1.4	⊙	⊙	⊙	\$14,322
Williamsport	258	⊙	2.8	4.7	⊙	1.9	○	⊙	⊙	\$15,867
WVHCS	466	⊙	4.1	5.2	⊙	7.4	●	⊙	⊙	\$14,677
York	489	⊙	3.0	7.0	⊙	2.7	○	⊙	⊙	\$12,442
Central & Northeastern	9,371		3.4	6.3		4.5				\$15,946
TOTAL: Statewide	41,030		3.5	5.0		5.0				\$25,211

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Barnes Kasson County	7	⊖	4.7	0.0	⊖	0.0	⊖	\$5,258
Berwick	20	⊖	5.1	0.0	⊖	5.0	⊖	\$12,033
Bloomsburg	15	⊖	3.4	0.0	⊖	0.0	⊖	\$7,967
Bucktail	1	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	38	⊖	4.1	2.6	⊖	2.6	⊖	\$8,649
Chambersburg	71	⊖	5.4	0.0	⊖	5.6	⊖	\$8,555
Community/Scranton	46	⊖	4.4	4.3	⊖	10.9	⊖	\$9,647
Ephrata Community	30	⊖	3.4	10.0	⊖	0.0	⊖	\$6,737
Evangelical Community	24	⊖	4.3	0.0	⊖	0.0	⊖	\$5,217
Fulton County	9	⊖	4.3	0.0	⊖	0.0	⊖	\$4,773
Geisinger Wyoming Valley	29	⊖	4.4	0.0	⊖	10.3	⊖	\$10,025
Geisinger/Danville	28	⊖	3.6	21.4	●	0.0	⊖	\$13,480
Gettysburg	34	⊖	4.9	5.9	⊖	5.9	⊖	\$7,323
Good Samaritan/Lebanon	54	⊖	4.4	5.6	⊖	3.7	⊖	\$7,871
Hanover	55	⊖	4.2	1.8	⊖	0.0	⊖	\$5,442
Hazleton General	19	⊖	3.3	5.3	⊖	0.0	⊖	\$7,592
Hazleton St Joseph	40	⊖	4.1	7.7	⊖	5.1	⊖	\$9,843
Heart of Lancaster	10	⊖	4.2	0.0	⊖	10.0	⊖	\$9,798
Holy Spirit	86	⊖	5.1	1.2	⊖	3.5	⊖	\$8,395
J C Blair Memorial	12	⊖	5.5	0.0	⊖	8.3	⊖	\$4,460
Jersey Shore	7	⊖	3.6	0.0	⊖	0.0	⊖	\$4,947
Lancaster General	97	⊖	4.5	3.1	⊖	4.2	⊖	\$8,273
Lancaster Regional	45	⊖	4.3	0.0	⊖	8.9	⊖	\$8,442
Lewistown	30	⊖	4.0	3.4	⊖	0.0	⊖	\$6,387
Lock Haven	10	⊖	4.4	0.0	⊖	0.0	⊖	\$9,637
Marian Community	24	⊖	4.2	13.0	⊖	8.7	⊖	\$5,808

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Memorial York	51	⊙	4.5	0.0	⊙	6.1	⊙	\$5,312
Memorial/Towanda	8	⊙	5.5	0.0	⊙	12.5	⊙	\$7,782
Mercy/Wilkes-Barre	45	⊙	4.7	2.2	⊙	2.2	⊙	\$10,847
Mid-Valley	13	⊙	4.8	0.0	⊙	0.0	⊙	\$6,528
Milton S Hershey	57	⊙	3.3	22.8	●	3.5	⊙	\$6,367
Montrose General	9	⊙	5.1	0.0	⊙	11.1	⊙	\$4,119
Moses Taylor	47	⊙	6.0	0.0	⊙	6.4	⊙	\$12,680
Mount Nittany	69	⊙	5.3	2.9	⊙	13.2	●	\$8,074
Muncy Valley	8	⊙	6.2	0.0	⊙	12.5	⊙	\$7,598
Philipsburg Area	12	⊙	3.1	33.3	●	0.0	⊙	\$6,436
Pinnacle Health	107	⊙	4.8	9.4	⊙	6.6	⊙	\$11,587
Pocono	61	⊙	3.5	14.8	●	3.3	⊙	\$9,830
Robert Packer	11	⊙	3.8	0.0	⊙	0.0	⊙	\$6,090
Shamokin Area Community	37	⊙	4.3	0.0	⊙	2.7	⊙	\$4,791
Soldiers & Sailors	19	⊙	4.3	0.0	⊙	0.0	⊙	\$6,436
Sunbury Community	18	⊙	4.0	5.6	⊙	11.1	⊙	\$6,390
Troy Community	2	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	12	⊙	5.0	0.0	⊙	8.3	⊙	\$8,405
Wayne Memorial	22	⊙	4.8	0.0	⊙	4.5	⊙	\$6,963
Waynesboro	25	⊙	4.2	0.0	⊙	0.0	⊙	\$8,010
Williamsport	47	⊙	3.5	6.4	⊙	0.0	⊙	\$7,862
WVHCS	87	⊙	5.3	3.5	⊙	7.0	⊙	\$8,484
York	111	⊙	4.3	7.3	⊙	4.5	⊙	\$5,000
Central & Northeastern	1,767		4.5	5.0		4.7		\$8,200
TOTAL: Statewide	7,839		4.4	5.0		5.0		\$13,829

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Barnes Kasson County	1	NR	NR	NR	NR	NR	NR	NR
Berwick	10	⊖	6.8	0.0	⊖	10.0	⊖	\$23,017
Bloomsburg	6	⊖	5.0	0.0	⊖	0.0	⊖	\$17,843
Bucktail	0	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	37	⊖	5.2	5.9	⊖	0.0	⊖	\$14,272
Chambersburg	38	⊖	7.2	0.0	⊖	13.2	●	\$16,176
Community/Scranton	31	⊖	6.8	3.2	⊖	3.2	⊖	\$22,872
Ephrata Community	43	⊖	5.5	4.7	⊖	0.0	⊖	\$15,838
Evangelical Community	40	⊖	4.6	2.6	⊖	0.0	⊖	\$7,564
Fulton County	10	⊖	5.0	0.0	⊖	0.0	⊖	\$9,259
Geisinger Wyoming Valley	16	⊖	4.8	12.5	⊖	0.0	⊖	\$20,564
Geisinger/Danville	95	⊖	3.3	21.7	●	0.0	○	\$17,511
Gettysburg	22	⊖	6.7	0.0	⊖	4.5	⊖	\$13,950
Good Samaritan/Lebanon	47	⊖	5.9	2.1	⊖	6.4	⊖	\$15,317
Hanover	27	⊖	5.9	3.7	⊖	0.0	⊖	\$9,424
Hazleton General	18	⊖	5.2	5.6	⊖	0.0	⊖	\$15,112
Hazleton St Joseph	22	⊖	6.2	0.0	⊖	9.5	⊖	\$18,710
Heart of Lancaster	9	⊖	5.8	0.0	⊖	0.0	⊖	\$19,551
Holy Spirit	150	⊖	6.1	4.1	⊖	4.1	⊖	\$15,747
J C Blair Memorial	18	⊖	5.2	0.0	⊖	0.0	⊖	\$6,929
Jersey Shore	13	⊖	5.1	0.0	⊖	7.7	⊖	\$9,260
Lancaster General	112	⊖	6.4	1.8	⊖	4.5	⊖	\$14,519
Lancaster Regional	30	⊖	5.6	7.1	⊖	3.6	⊖	\$16,403
Lewistown	23	⊖	4.8	4.5	⊖	4.5	⊖	\$9,440
Lock Haven	9	⊖	4.1	25.0	⊖	0.0	⊖	\$12,446
Marian Community	6	⊖	6.2	0.0	⊖	0.0	⊖	\$11,466

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Memorial York	18	⊖	4.9	11.8	⊖	5.9	⊖	\$10,824
Memorial/Towanda	6	⊖	5.8	0.0	⊖	0.0	⊖	\$11,651
Mercy/Wilkes-Barre	17	⊖	6.9	5.9	⊖	0.0	⊖	\$26,237
Mid-Valley	5	⊖	8.3	0.0	⊖	0.0	⊖	\$22,004
Milton S Hershey	87	⊖	4.4	15.7	●	4.8	⊖	\$12,846
Montrose General	1	NR	NR	NR	NR	NR	NR	NR
Moses Taylor	22	⊖	7.4	4.5	⊖	4.5	⊖	\$16,361
Mount Nittany	58	⊖	6.4	5.3	⊖	8.8	⊖	\$12,782
Muncy Valley	1	NR	NR	NR	NR	NR	NR	NR
Philipsburg Area	5	⊖	NR	NR	NR	NR	NR	\$14,475
Pinnacle Health	98	⊖	6.8	4.2	⊖	10.5	●	\$21,949
Pocono	37	⊖	5.5	2.7	⊖	8.1	⊖	\$17,927
Robert Packer	49	⊖	5.2	12.5	●	2.1	⊖	\$13,461
Shamokin Area Community	37	⊖	4.8	8.1	⊖	2.7	⊖	\$8,490
Soldiers & Sailors	24	⊖	4.8	4.2	⊖	0.0	⊖	\$10,018
Sunbury Community	21	⊖	4.9	5.0	⊖	0.0	⊖	\$11,320
Troy Community	2	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	3	NR	NR	NR	NR	NR	NR	NR
Wayne Memorial	25	⊖	5.7	4.0	⊖	4.0	⊖	\$13,771
Waynesboro	10	⊖	5.2	10.0	⊖	0.0	⊖	\$14,745
Williamsport	53	⊖	4.8	4.1	⊖	2.0	⊖	\$12,898
WVHCS	27	⊖	6.3	0.0	⊖	0.0	⊖	\$12,993
York	107	⊖	6.6	7.7	⊖	10.6	●	\$11,185
Central & Northeastern	1,561		5.7	6.1		4.3		\$14,773
TOTAL: Statewide	5,527		5.8	5.0		5.0		\$23,953

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	82	⊖	5.6	0.0	⊖	6.3	⊖	⊖	\$6,969	
Berwick	125	⊖	4.8	2.5	⊖	4.9	⊖	⊖	\$14,768	
Bloomsburg	62	⊖	3.9	5.0	⊖	1.7	⊖	⊖	\$10,206	
Bucktail	10	⊖	4.2	20.0	⊖	0.0	⊖	⊖	\$13,383	
Carlisle Regional	145	⊖	4.5	5.0	⊖	10.1	●	⊖	\$13,110	
Chambersburg	270	⊖	4.8	1.9	⊖	5.2	⊖	⊖	\$10,816	
Community/Scranton	179	⊖	5.5	3.4	⊖	10.1	●	⊖	\$13,779	
Ephrata Community	174	⊖	4.2	4.6	⊖	3.5	⊖	⊖	\$10,371	
Evangelical Community	74	⊖	3.5	8.1	⊖	0.0	⊖	⊖	\$6,178	
Fulton County	86	⊖	3.9	2.4	⊖	0.0	⊖	⊖	\$8,232	
Geisinger Wyoming Valley	205	⊖	4.5	4.0	⊖	2.0	⊖	⊖	\$13,702	
Geisinger/Danville	101	⊖	2.6	33.3	●	0.0	⊖	⊖	\$13,663	
Gettysburg	51	⊖	5.2	2.0	⊖	10.2	⊖	⊖	\$10,597	
Good Samaritan/Lebanon	200	⊖	4.2	5.5	⊖	3.5	⊖	⊖	\$10,948	
Hanover	148	⊖	4.7	4.2	⊖	4.2	⊖	⊖	\$8,333	
Hazleton General	75	⊖	4.6	1.4	⊖	2.7	⊖	⊖	\$9,936	
Hazleton St Joseph	130	⊖	4.6	6.2	⊖	4.7	⊖	⊖	\$10,668	
Heart of Lancaster	68	⊖	4.5	5.9	⊖	2.9	⊖	⊖	\$15,245	
Holy Spirit	248	⊖	5.0	2.5	⊖	7.0	⊖	⊖	\$15,123	
J C Blair Memorial	63	⊖	4.5	4.8	⊖	1.6	⊖	⊖	\$5,947	
Jersey Shore	65	⊖	4.7	1.6	⊖	1.6	⊖	⊖	\$7,152	
Lancaster General	302	⊖	5.1	5.0	⊖	10.4	●	⊖	\$13,486	
Lancaster Regional	146	⊖	4.7	2.8	⊖	6.9	⊖	⊖	\$14,477	
Lewistown	292	⊖	4.2	4.9	⊖	6.6	⊖	⊖	\$7,548	
Lock Haven	73	⊖	3.7	8.5	⊖	0.0	⊖	⊖	\$10,209	
Marian Community	106	⊖	5.6	3.8	⊖	12.3	●	⊖	\$8,188	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.



# Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	157	⊙	4.3	3.9	⊙	4.5	⊙	⊙	⊙	\$8,482
Memorial/Towanda	78	⊙	4.6	4.0	⊙	4.0	⊙	⊙	○	\$10,503
Mercy/Wilkes-Barre	183	⊙	4.5	2.2	⊙	2.2	⊙	⊙	⊙	\$13,211
Mid-Valley	35	⊙	5.0	0.0	⊙	2.9	⊙	⊙	⊙	\$9,747
Milton S Hershey	103	⊙	3.0	25.5	●	2.0	⊙	⊙	⊙	\$9,560
Montrose General	97	⊙	4.5	4.1	⊙	1.0	⊙	⊙	⊙	\$5,437
Moses Taylor	159	⊙	5.2	1.3	○	3.2	⊙	⊙	⊙	\$8,986
Mount Nittany	163	⊙	4.8	4.4	⊙	3.8	⊙	⊙	⊙	\$10,079
Muncy Valley	28	⊙	3.3	7.1	⊙	0.0	⊙	⊙	⊙	\$6,048
Philipsburg Area	78	⊙	3.8	7.9	⊙	2.6	⊙	⊙	⊙	\$8,016
Pinnacle Health	237	⊙	4.8	7.0	⊙	8.3	●	⊙	⊙	\$15,982
Pocono	316	⊙	4.0	8.3	●	3.5	⊙	⊙	⊙	\$12,003
Robert Packer	134	⊙	3.9	18.0	●	2.3	⊙	⊙	⊙	\$9,596
Shamokin Area Community	100	⊙	4.6	1.0	⊙	2.0	⊙	⊙	⊙	\$6,789
Soldiers & Sailors	99	⊙	3.9	6.2	⊙	4.1	⊙	⊙	⊙	\$8,256
Sunbury Community	109	⊙	4.6	2.8	⊙	2.8	⊙	⊙	⊙	\$7,124
Troy Community	22	⊙	2.9	23.8	●	0.0	⊙	⊙	⊙	\$5,108
Tyler Memorial	86	●	4.9	6.1	⊙	6.1	⊙	⊙	⊙	\$8,641
Wayne Memorial	72	⊙	5.1	1.4	⊙	4.2	⊙	⊙	⊙	\$10,539
Waynesboro	95	⊙	4.0	12.9	●	1.1	⊙	○	⊙	\$9,765
Williamsport	155	⊙	3.9	11.7	●	3.9	⊙	○	⊙	\$10,091
WVHCS	325	⊙	5.3	2.5	○	7.8	●	⊙	⊙	\$11,005
York	313	⊙	4.2	7.9	●	3.9	⊙	○	⊙	\$7,773
Central & Northeastern	6,745		4.5	5.8		4.8				\$10,721
TOTAL: Statewide	28,970		4.6	5.0		5.0				\$16,891

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	68	⊖	5.3	0.0	⊖	1.5	⊖	⊖	⊖	\$6,966
Berwick	148	⊖	3.9	3.5	⊖	0.7	○	●	⊖	\$13,732
Bloomsburg	76	⊖	3.9	11.4	●	0.0	⊖	⊖	⊖	\$12,653
Bucktail	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	312	●	4.4	6.3	⊖	2.8	⊖	⊖	⊖	\$15,162
Chambersburg	431	⊖	5.4	5.1	⊖	6.3	⊖	○	⊖	\$15,157
Community/Scranton	295	⊖	5.4	3.2	⊖	6.7	⊖	⊖	⊖	\$14,320
Ephrata Community	220	⊖	4.5	6.0	⊖	2.8	⊖	⊖	⊖	\$13,598
Evangelical Community	218	⊖	3.9	8.6	●	1.0	○	○	⊖	\$7,475
Fulton County	54	⊖	4.9	1.9	⊖	0.0	⊖	⊖	⊖	\$8,846
Geisinger Wyoming Valley	258	⊖	4.9	8.9	●	5.3	⊖	⊖	⊖	\$15,978
Geisinger/Danville	348	○	3.4	20.3	●	2.7	○	⊖	⊖	\$15,187
Gettysburg	161	⊖	4.6	5.8	⊖	3.2	⊖	⊖	⊖	\$10,158
Good Samaritan/Lebanon	401	⊖	5.0	5.7	⊖	5.2	⊖	○	○	\$12,370
Hanover	234	⊖	5.0	3.1	⊖	3.6	⊖	○	⊖	\$9,004
Hazleton General	227	⊖	5.0	5.2	⊖	2.3	⊖	⊖	●	\$12,470
Hazleton St Joseph	166	⊖	4.1	6.1	⊖	1.2	○	⊖	⊖	\$10,578
Heart of Lancaster	112	⊖	5.5	3.7	⊖	8.3	⊖	○	⊖	\$17,965
Holy Spirit	583	●	5.9	3.4	⊖	9.5	●	○	⊖	\$16,347
J C Blair Memorial	135	⊖	4.6	5.6	⊖	2.4	⊖	⊖	⊖	\$5,923
Jersey Shore	68	⊖	3.7	6.1	⊖	1.5	⊖	⊖	⊖	\$6,092
Lancaster General	505	⊖	5.8	7.0	⊖	9.9	●	○	○	\$16,222
Lancaster Regional	239	⊖	5.6	3.4	⊖	6.0	⊖	○	⊖	\$17,477
Lewistown	385	⊖	4.2	6.7	⊖	3.5	⊖	⊖	⊖	\$8,483
Lock Haven	99	⊖	3.6	2.1	⊖	1.1	⊖	⊖	⊖	\$11,136
Marian Community	141	●	5.4	0.8	○	7.1	⊖	⊖	⊖	\$10,138

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	226	⊙	4.9	4.3	⊙	3.8	⊙	⊙	⊙	\$12,235
Memorial/Towanda	85	⊙	4.7	1.2	⊙	3.6	⊙	⊙	⊙	\$9,705
Mercy/Wilkes-Barre	402	⊙	5.4	5.1	⊙	4.1	⊙	⊙	⊙	\$18,418
Mid-Valley	85	⊙	4.5	0.0	○	2.4	⊙	⊙	⊙	\$8,719
Milton S Hershey	396	⊙	4.0	14.9	●	5.0	⊙	⊙	⊙	\$10,919
Montrose General	71	●	5.1	1.5	⊙	1.5	⊙	●	⊙	\$5,522
Moses Taylor	397	⊙	5.6	3.2	⊙	6.6	⊙	○	⊙	\$12,209
Mount Nittany	370	●	5.6	4.4	⊙	7.6	●	⊙	⊙	\$11,023
Muncy Valley	50	⊙	4.2	4.1	⊙	0.0	⊙	○	⊙	\$8,418
Philipsburg Area	86	⊙	4.3	3.6	⊙	1.2	⊙	⊙	●	\$10,674
Pinnacle Health	764	⊙	5.1	6.2	⊙	6.0	⊙	⊙	⊙	\$16,241
Pocono	365	⊙	4.1	4.0	⊙	2.3	○	⊙	⊙	\$13,190
Robert Packer	330	○	3.8	18.5	●	2.8	⊙	●	⊙	\$9,769
Shamokin Area Community	177	⊙	4.8	1.8	⊙	0.0	○	⊙	⊙	\$6,651
Soldiers & Sailors	144	⊙	4.4	5.1	⊙	2.9	⊙	⊙	⊙	\$9,972
Sunbury Community	167	⊙	4.2	7.4	⊙	2.5	⊙	⊙	⊙	\$7,873
Troy Community	14	⊙	4.2	7.1	⊙	0.0	⊙	⊙	⊙	\$5,966
Tyler Memorial	111	⊙	4.7	6.4	⊙	4.6	⊙	⊙	●	\$9,804
Wayne Memorial	155	⊙	4.7	5.3	⊙	3.3	⊙	⊙	⊙	\$9,533
Waynesboro	135	⊙	4.4	7.7	⊙	2.3	⊙	⊙	⊙	\$13,508
Williamsport	355	⊙	4.0	10.2	●	2.1	○	○	⊙	\$11,106
WVHCS	680	⊙	5.9	2.9	○	7.8	●	○	○	\$12,188
York	743	⊙	4.6	7.0	●	4.9	⊙	⊙	⊙	\$9,349
Central & Northeastern	12,611		4.9	6.3		4.7				\$12,645
TOTAL: Statewide	57,090		5.0	5.0		5.0				\$21,603

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	2	NR	NR	NR	NR	NR
Berwick	3	NR	NR	NR	NR	NR
Bloomsburg	1	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	13	⊙	7.1	⊙	⊙	\$28,904
Chambersburg	29	⊙	15.7	⊙	⊙	\$27,961
Community/Scranton	14	⊙	11.5	⊙	⊙	\$32,768
Ephrata Community	10	⊙	8.1	⊙	⊙	\$20,206
Evangelical Community	15	⊙	8.2	⊙	⊙	\$14,741
Fulton County	0	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	14	⊙	10.9	⊙	●	\$32,874
Geisinger/Danville	15	⊙	5.4	⊙	⊙	\$29,081
Gettysburg	10	⊙	6.9	⊙	⊙	\$14,706
Good Samaritan/Lebanon	13	⊙	11.2	⊙	⊙	\$37,863
Hanover	0	NR	NR	NR	NR	NR
Hazleton General	1	NR	NR	NR	NR	NR
Hazleton St Joseph	5	⊙	10.2	⊙	⊙	\$27,501
Heart of Lancaster	5	⊙	5.8	⊙	⊙	\$27,985
Holy Spirit	9	⊙	12.1	⊙	⊙	\$27,105
J C Blair Memorial	6	⊙	6.7	⊙	⊙	\$9,309
Jersey Shore	2	NR	NR	NR	NR	NR
Lancaster General	38	⊙	10.6	⊙	⊙	\$32,032
Lancaster Regional	16	⊙	10.4	⊙	⊙	\$42,612
Lewistown	4	NR	NR	NR	NR	NR
Lock Haven	1	NR	NR	NR	NR	NR
Marian Community	7	⊙	8.3	⊙	⊙	\$18,255

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	18	⊙	9.0	⊙	⊙	\$16,412
Memorial/Towanda	2	NR	NR	NR	NR	NR
Mercy/Wilkes-Barre	19	⊙	10.0	●	⊙	\$27,098
Mid-Valley	3	NR	NR	NR	NR	NR
Milton S Hershey	21	⊙	7.9	⊙	⊙	\$18,012
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	12	⊙	9.8	⊙	⊙	\$22,675
Mount Nittany	10	⊙	11.7	⊙	⊙	\$25,060
Muncy Valley	0	NR	NR	NR	NR	NR
Philipsburg Area	2	NR	NR	NR	NR	NR
Pinnacle Health	37	⊙	9.4	⊙	⊙	\$31,009
Pocono	11	⊙	12.1	⊙	⊙	\$31,686
Robert Packer	39	⊙	7.9	●	⊙	\$21,637
Shamokin Area Community	1	NR	NR	NR	NR	NR
Soldiers & Sailors	2	NR	NR	NR	NR	NR
Sunbury Community	6	⊙	8.0	⊙	⊙	\$14,468
Troy Community	0	NR	NR	NR	NR	NR
Tyler Memorial	0	NR	NR	NR	NR	NR
Wayne Memorial	9	⊙	7.7	⊙	⊙	\$13,886
Waynesboro	6	⊙	6.0	⊙	⊙	\$13,802
Williamsport	14	⊙	10.1	⊙	⊙	\$20,231
WVHCS	32	⊙	10.2	⊙	⊙	\$24,257
York	44	⊙	10.7	⊙	⊙	\$19,291
Central & Northeastern	523		9.8			\$25,196
TOTAL: Statewide	2,062		10.1			\$57,118

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	26	⊙	3.8	⊙	⊙	\$6,952
Berwick	50	⊙	4.1	⊙	⊙	\$11,819
Bloomsburg	23	⊙	3.1	⊙	⊙	\$8,509
Bucktail	1	NR	NR	NR	NR	NR
Carlisle Regional	73	⊙	4.4	⊙	⊙	\$13,360
Chambersburg	134	⊙	4.9	⊙	⊙	\$9,947
Community/Scranton	73	⊙	4.0	⊙	⊙	\$10,003
Ephrata Community	127	⊙	3.2	●	⊙	\$9,060
Evangelical Community	47	⊙	3.1	⊙	⊙	\$5,148
Fulton County	17	⊙	3.8	⊙	⊙	\$4,434
Geisinger Wyoming Valley	73	⊙	4.0	⊙	⊙	\$12,623
Geisinger/Danville	90	⊙	3.0	⊙	⊙	\$12,644
Gettysburg	34	⊙	3.6	⊙	⊙	\$6,906
Good Samaritan/Lebanon	80	⊙	3.3	⊙	⊙	\$7,226
Hanover	52	⊙	4.3	⊙	⊙	\$6,874
Hazleton General	45	⊙	3.6	⊙	⊙	\$8,598
Hazleton St Joseph	46	⊙	3.4	⊙	⊙	\$7,724
Heart of Lancaster	37	⊙	3.7	⊙	⊙	\$9,329
Holy Spirit	121	⊙	4.2	⊙	⊙	\$11,058
J C Blair Memorial	49	⊙	3.5	⊙	⊙	\$3,875
Jersey Shore	11	●	3.4	⊙	⊙	\$5,283
Lancaster General	190	⊙	4.4	⊙	⊙	\$11,287
Lancaster Regional	76	⊙	3.9	○	⊙	\$11,248
Lewistown	81	⊙	3.3	⊙	⊙	\$6,902
Lock Haven	27	●	2.7	⊙	⊙	\$8,082
Marian Community	44	⊙	4.3	⊙	⊙	\$6,801

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	78	⊙	4.1	⊙	⊙	\$7,278
Memorial/Towanda	30	⊙	3.9	⊙	⊙	\$7,992
Mercy/Wilkes-Barre	91	⊙	4.4	⊙	⊙	\$11,633
Mid-Valley	17	⊙	5.1	⊙	⊙	\$7,085
Milton S Hershey	95	⊙	3.4	⊙	⊙	\$9,758
Montrose General	20	⊙	2.8	⊙	⊙	\$2,733
Moses Taylor	89	⊙	3.9	⊙	⊙	\$8,297
Mount Nittany	82	⊙	3.6	⊙	⊙	\$6,870
Muncy Valley	7	●	3.5	⊙	⊙	\$5,720
Philipsburg Area	30	⊙	3.5	⊙	⊙	\$7,687
Pinnacle Health	196	⊙	4.4	⊙	⊙	\$12,753
Pocono	112	⊙	4.0	⊙	⊙	\$12,708
Robert Packer	105	⊙	2.8	⊙	⊙	\$6,964
Shamokin Area Community	25	⊙	3.8	⊙	⊙	\$4,777
Soldiers & Sailors	29	⊙	3.2	⊙	⊙	\$6,787
Sunbury Community	30	⊙	3.6	⊙	⊙	\$7,294
Troy Community	4	NR	NR	NR	NR	NR
Tyler Memorial	37	⊙	3.3	⊙	⊙	\$8,209
Wayne Memorial	60	⊙	4.4	⊙	⊙	\$7,094
Waynesboro	24	⊙	3.2	⊙	⊙	\$7,175
Williamsport	62	⊙	4.0	⊙	⊙	\$9,651
WVHCS	167	⊙	3.9	⊙	⊙	\$8,711
York	243	⊙	3.3	⊙	⊙	\$6,741
Central & Northeastern	3,335		3.8			\$9,202
TOTAL: Statewide	15,917		3.8			\$16,322

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating	%	Rating	
Barnes Kasson County	9	57.9	⊙	5.1	0.0	⊙	0.0	⊙	\$10,823
Berwick	60	25.7	⊙	6.3	0.0	⊙	3.6	⊙	\$25,660
Bloomsburg	33	25.6	⊙	5.2	3.3	⊙	0.0	⊙	\$17,613
Bucktail	2	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	50	62.8	⊙	5.3	4.9	⊙	0.0	⊙	\$19,278
Chambersburg*	130	35.9	⊙	6.7	2.8	⊙	7.3	⊙	\$20,846
Community/Scranton*	70	4.4	⊙	5.6	9.2	⊙	3.1	⊙	\$19,006
Ephrata Community	45	63.2	⊙	5.5	4.8	⊙	0.0	⊙	\$17,738
Evangelical Community	118	34.6	⊙	5.2	2.8	⊙	3.8	⊙	\$9,977
Fulton County	7	74.2	⊙	4.8	0.0	⊙	0.0	⊙	\$9,599
Geisinger Wyoming Valley*	59	3.6	⊙	5.0	1.9	⊙	3.8	⊙	\$20,762
Geisinger/Danville*	283	0.4	⊙	3.8	12.8	●	0.8	⊙	\$21,717
Gettysburg	61	57.3	⊙	6.2	1.9	⊙	5.7	⊙	\$12,170
Good Samaritan/Lebanon	205	37.1	⊙	6.0	2.8	⊙	2.3	⊙	\$17,261
Hanover	101	46.6	⊙	5.9	3.5	⊙	1.2	⊙	\$11,868
Hazleton General	37	50.0	⊙	7.1	0.0	⊙	6.9	⊙	\$18,959
Hazleton St Joseph	24	55.0	⊙	6.3	5.6	⊙	5.6	⊙	\$15,626
Heart of Lancaster	18	51.5	⊙	6.1	0.0	⊙	6.3	⊙	\$22,695
Holy Spirit*	148	6.6	●	6.3	4.2	⊙	8.3	⊙	\$18,851
J C Blair Memorial	31	71.6	⊙	5.0	3.7	⊙	3.7	⊙	\$6,719
Jersey Shore	36	33.3	⊙	5.5	3.1	⊙	6.3	⊙	\$8,385
Lancaster General*	282	1.9	○	5.8	8.1	●	6.2	⊙	\$19,322
Lancaster Regional*	123	5.3	⊙	6.5	4.7	⊙	7.5	⊙	\$23,009
Lewistown	156	40.8	⊙	5.6	0.7	○	2.8	⊙	\$10,308
Lock Haven	27	41.3	⊙	4.2	4.8	⊙	0.0	⊙	\$15,010
Marian Community	82	34.0	⊙	6.2	3.0	⊙	6.0	⊙	\$14,006

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

\* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.



# Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating	%	Rating	
Memorial York	67	44.4	⊙	6.1	3.3	⊙	6.7	⊙	\$15,054
Memorial/Towanda	14	55.0	⊙	4.0	0.0	⊙	0.0	⊙	\$11,050
Mercy/Wilkes-Barre*	192	11.3	⊙	6.2	7.6	⊙	3.8	⊙	\$24,934
Mid-Valley	30	46.0	⊙	6.1	3.7	⊙	11.1	⊙	\$13,819
Milton S Hershey*	289	0.7	⊙	4.4	15.3	●	2.6	⊙	\$15,682
Montrose General	13	55.0	●	4.3	0.0	⊙	0.0	⊙	\$5,559
Moses Taylor	85	39.6	●	6.0	0.0	⊙	6.0	⊙	\$12,962
Mount Nittany	87	45.5	⊙	5.8	2.8	⊙	6.9	⊙	\$13,904
Muncy Valley	29	12.5	⊙	4.8	3.6	⊙	0.0	⊙	\$9,657
Philipsburg Area	21	47.5	⊙	5.8	0.0	⊙	5.3	⊙	\$14,620
Pinnacle Health*	325	3.5	⊙	6.0	3.6	⊙	5.8	⊙	\$20,950
Pocono	76	70.5	⊙	6.2	9.2	⊙	7.7	⊙	\$21,788
Robert Packer*	143	1.5	○	4.2	10.7	●	1.5	⊙	\$13,064
Shamokin Area Community	125	21.7	●	5.2	0.9	○	0.0	○	\$7,977
Soldiers & Sailors	29	56.6	⊙	4.3	0.0	⊙	0.0	⊙	\$9,875
Sunbury Community	60	35.4	⊙	5.5	2.0	⊙	3.9	⊙	\$10,680
Troy Community	3	NR	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	14	70.6	⊙	5.1	0.0	⊙	0.0	⊙	\$16,399
Wayne Memorial	39	57.3	⊙	5.6	0.0	⊙	3.1	⊙	\$12,011
Waynesboro	30	62.2	⊙	4.8	14.3	●	3.6	⊙	\$16,960
Williamsport*	186	3.0	⊙	4.6	6.2	⊙	0.6	○	\$13,582
WVHCS*	174	6.9	⊙	7.1	4.7	⊙	10.1	●	\$16,987
York*	364	4.6	●	5.5	8.1	●	3.6	⊙	\$11,956
Central & Northeastern	4,779	26.9		5.5	5.8		4.0		\$16,729
TOTAL:Statewide	15,706	27.6		5.7	5.0		5.0		\$27,489

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

\* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

# Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Barnes Kasson County	16	⊙	2.7	0.0	⊙	0.0	⊙	\$4,733
Berwick	6	⊙	3.8	0.0	⊙	0.0	⊙	\$13,558
Bloomsburg	9	⊙	2.8	11.1	⊙	0.0	⊙	\$7,188
Bucktail	0	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	35	⊙	4.2	3.0	⊙	6.1	⊙	\$10,429
Chambersburg	48	⊙	6.0	2.1	⊙	16.7	●	\$10,550
Community/Scranton	51	⊙	4.4	8.0	⊙	2.0	⊙	\$12,449
Ephrata Community	17	⊙	3.4	5.9	⊙	0.0	⊙	\$7,285
Evangelical Community	68	⊙	3.8	3.0	⊙	3.0	⊙	\$5,327
Fulton County	5	⊙	3.3	0.0	⊙	0.0	⊙	\$6,487
Geisinger Wyoming Valley	36	⊙	3.9	3.1	⊙	3.1	⊙	\$10,247
Geisinger/Danville	113	⊙	4.0	10.9	●	5.5	⊙	\$13,248
Gettysburg	26	⊙	3.9	0.0	⊙	0.0	⊙	\$6,156
Good Samaritan/Lebanon	36	⊙	4.1	8.3	⊙	2.8	⊙	\$8,993
Hanover	30	⊙	4.4	0.0	⊙	7.1	⊙	\$5,589
Hazleton General	36	⊙	5.6	0.0	⊙	9.1	⊙	\$13,836
Hazleton St Joseph	9	⊙	4.3	0.0	⊙	11.1	⊙	\$10,817
Heart of Lancaster	15	⊙	4.0	0.0	⊙	0.0	⊙	\$9,465
Holy Spirit	103	⊙	4.7	3.0	⊙	5.0	⊙	\$9,570
J C Blair Memorial	19	⊙	3.8	0.0	⊙	5.6	⊙	\$5,526
Jersey Shore	10	⊙	3.1	11.1	⊙	0.0	⊙	\$4,797
Lancaster General	97	⊙	4.6	4.2	⊙	6.3	⊙	\$9,109
Lancaster Regional	26	⊙	3.7	8.0	⊙	0.0	⊙	\$8,524
Lewistown	49	⊙	4.5	6.3	⊙	4.2	⊙	\$6,050
Lock Haven	23	⊙	4.9	0.0	⊙	4.3	⊙	\$11,499
Marian Community	20	⊙	5.6	0.0	⊙	15.0	⊙	\$8,335

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Memorial York	31	⊖	4.1	0.0	⊖	3.4	⊖	\$7,693
Memorial/Towanda	17	⊖	4.7	0.0	⊖	6.3	⊖	\$9,763
Mercy/Wilkes-Barre	44	●	4.9	12.5	●	17.5	●	\$13,913
Mid-Valley	15	⊖	4.7	0.0	⊖	7.1	⊖	\$11,280
Milton S Hershey	42	●	3.9	5.1	⊖	2.6	⊖	\$8,614
Montrose General	20	⊖	3.5	0.0	⊖	0.0	⊖	\$4,299
Moses Taylor	63	⊖	5.4	1.7	⊖	13.6	●	\$9,252
Mount Nittany	81	⊖	4.5	2.6	⊖	6.4	⊖	\$8,337
Muncy Valley	12	⊖	3.0	0.0	⊖	8.3	⊖	\$5,739
Philipsburg Area	4	NR	NR	NR	NR	NR	NR	NR
Pinnacle Health	108	⊖	4.9	2.8	⊖	7.5	⊖	\$11,568
Pocono	74	⊖	3.7	8.5	⊖	2.8	⊖	\$11,231
Robert Packer	74	⊖	3.9	6.8	⊖	4.1	⊖	\$7,859
Shamokin Area Community	27	⊖	4.3	0.0	⊖	3.7	⊖	\$5,016
Soldiers & Sailors	13	⊖	2.6	25.0	●	0.0	⊖	\$4,729
Sunbury Community	50	⊖	4.2	4.2	⊖	2.1	⊖	\$6,513
Troy Community	1	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	11	⊖	5.2	0.0	⊖	10.0	⊖	\$10,693
Wayne Memorial	25	⊖	4.4	8.0	⊖	4.0	⊖	\$8,213
Waynesboro	23	⊖	3.9	4.3	⊖	4.3	⊖	\$8,242
Williamsport	61	⊖	3.6	13.3	●	1.7	⊖	\$6,652
WVHCS	89	⊖	5.2	4.7	⊖	9.4	⊖	\$10,703
York	157	⊖	4.3	7.3	⊖	2.6	⊖	\$6,589
Central & Northeastern	1,987		4.4	4.9		5.3		\$9,091
TOTAL: Statewide	8,289		4.4	5.0		5.0		\$16,188

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

## Kidney Failure

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Berwick	10	⊙	5.7	0.0	⊙	12.5	⊙	⊙	⊙	\$16,418
Bloomsburg	11	⊙	4.0	12.5	⊙	0.0	⊙	⊙	⊙	\$10,721
Bucktail	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	101	⊙	6.1	4.5	⊙	4.5	⊙	⊙	⊙	\$19,462
Chambersburg	91	⊙	6.5	3.8	⊙	6.4	⊙	⊙	⊙	\$14,102
Community/Scranton	52	⊙	6.5	0.0	⊙	4.1	⊙	⊙	⊙	\$17,219
Ephrata Community	72	⊙	4.3	13.0	●	1.4	⊙	⊙	⊙	\$11,552
Evangelical Community	36	⊙	4.1	10.0	⊙	0.0	⊙	⊙	⊙	\$6,146
Fulton County	5	⊙	NR	NR	NR	NR	NR	NR	NR	\$12,586
Geisinger Wyoming Valley	93	⊙	6.0	4.5	⊙	4.5	⊙	⊙	⊙	\$19,360
Geisinger/Danville	179	⊙	4.2	16.8	●	0.6	○	⊙	⊙	\$18,851
Gettysburg	22	●	6.0	0.0	⊙	0.0	⊙	⊙	⊙	\$9,056
Good Samaritan/Lebanon	123	⊙	6.5	4.6	⊙	8.3	⊙	⊙	○	\$13,719
Hanover	47	●	5.7	8.1	⊙	0.0	⊙	⊙	⊙	\$10,969
Hazleton General	113	⊙	5.8	5.9	⊙	4.0	⊙	⊙	●	\$15,217
Hazleton St Joseph	44	⊙	5.0	10.8	⊙	0.0	⊙	⊙	⊙	\$12,230
Heart of Lancaster	44	⊙	4.9	5.0	⊙	0.0	⊙	⊙	⊙	\$13,108
Holy Spirit	134	●	7.2	4.4	⊙	10.6	●	⊙	⊙	\$18,916
J C Blair Memorial	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jersey Shore	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lancaster General	228	⊙	6.1	6.2	⊙	4.7	⊙	○	⊙	\$15,186
Lancaster Regional	105	⊙	6.1	5.0	⊙	1.0	⊙	⊙	⊙	\$18,074
Lewistown	44	⊙	6.0	2.8	⊙	0.0	⊙	⊙	⊙	\$10,903
Lock Haven	19	⊙	4.4	17.6	⊙	0.0	⊙	⊙	⊙	\$11,247
Marian Community	60	⊙	6.9	1.9	⊙	1.9	⊙	⊙	⊙	\$11,496

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Kidney Failure

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	45	●	7.8	0.0	⊙	10.3	⊙	○	○	\$16,060
Memorial/Towanda	13	⊙	5.0	0.0	⊙	0.0	⊙	⊙	⊙	\$9,728
Mercy/Wilkes-Barre	80	⊙	6.3	5.5	⊙	4.1	⊙	⊙	⊙	\$22,282
Mid-Valley	11	⊙	5.5	0.0	⊙	9.1	⊙	⊙	⊙	\$9,545
Milton S Hershey	203	⊙	4.6	8.8	●	3.8	⊙	⊙	⊙	\$13,362
Montrose General	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Moses Taylor	112	⊙	6.2	4.7	⊙	5.7	⊙	⊙	⊙	\$12,876
Mount Nittany	41	⊙	6.5	5.7	⊙	5.7	⊙	⊙	⊙	\$14,104
Muncy Valley	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Philipsburg Area	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pinnacle Health	307	⊙	6.7	4.2	⊙	9.1	●	⊙	⊙	\$21,311
Pocono	95	⊙	6.1	2.2	⊙	3.4	⊙	⊙	⊙	\$17,729
Robert Packer	60	⊙	4.6	17.2	●	3.4	⊙	⊙	⊙	\$11,873
Shamokin Area Community	30	⊙	4.8	3.4	⊙	0.0	⊙	⊙	⊙	\$6,482
Soldiers & Sailors	37	⊙	4.3	6.1	⊙	0.0	⊙	○	⊙	\$8,787
Sunbury Community	46	⊙	5.8	2.4	⊙	0.0	⊙	⊙	⊙	\$8,178
Troy Community	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	9	⊙	7.1	12.5	⊙	12.5	⊙	⊙	⊙	\$10,384
Wayne Memorial	31	⊙	5.7	10.3	⊙	3.4	⊙	⊙	⊙	\$11,614
Waynesboro	35	⊙	5.7	8.8	⊙	5.9	⊙	⊙	⊙	\$15,633
Williamsport	116	⊙	5.4	9.3	⊙	2.8	⊙	○	⊙	\$14,800
WVHCS	83	⊙	6.3	11.1	⊙	5.6	⊙	⊙	⊙	\$14,661
York	275	⊙	6.2	5.6	⊙	8.1	●	○	⊙	\$12,173
Central & Northeastern	3,342		5.8	6.5		4.7				\$15,247
TOTAL: Statewide	14,960		6.0	5.0		5.0				\$26,024

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	25	⊙	3.8	12.0	⊙	0.0	⊙	⊙	⊙	\$4,810
Berwick	64	⊙	4.3	3.2	⊙	3.2	⊙	⊙	⊙	\$13,050
Bloomsburg	29	⊙	3.2	10.7	⊙	0.0	⊙	⊙	⊙	\$9,634
Bucktail	6	⊙	2.9	0.0	⊙	0.0	⊙	⊙	⊙	\$6,766
Carlisle Regional	74	⊙	4.4	4.2	⊙	2.8	⊙	○	⊙	\$11,971
Chambersburg	167	⊙	4.9	0.6	○	6.7	⊙	●	⊙	\$9,556
Community/Scranton	131	⊙	4.6	6.1	⊙	3.1	⊙	⊙	⊙	\$12,085
Ephrata Community	117	⊙	4.2	4.4	⊙	1.8	⊙	⊙	⊙	\$9,363
Evangelical Community	77	⊙	3.5	4.0	⊙	1.3	⊙	⊙	⊙	\$5,509
Fulton County	25	⊙	4.9	4.2	⊙	4.2	⊙	○	⊙	\$7,471
Geisinger Wyoming Valley	61	⊙	4.6	0.0	⊙	5.0	⊙	⊙	⊙	\$11,703
Geisinger/Danville	158	⊙	2.8	21.3	●	1.3	○	⊙	⊙	\$12,992
Gettysburg	59	⊙	4.3	1.8	⊙	1.8	⊙	⊙	⊙	\$7,891
Good Samaritan/Lebanon	127	⊙	4.5	0.0	○	1.6	⊙	⊙	⊙	\$9,471
Hanover	50	⊙	4.5	0.0	⊙	6.1	⊙	⊙	⊙	\$6,415
Hazleton General	46	⊙	4.9	2.2	⊙	4.3	⊙	⊙	⊙	\$11,273
Hazleton St Joseph	35	⊙	4.3	5.7	⊙	2.9	⊙	⊙	⊙	\$8,911
Heart of Lancaster	34	⊙	4.2	0.0	⊙	2.9	⊙	○	⊙	\$10,602
Holy Spirit	204	⊙	5.0	3.5	⊙	12.4	●	⊙	●	\$11,625
J C Blair Memorial	40	⊙	4.0	2.5	⊙	5.0	⊙	⊙	⊙	\$5,649
Jersey Shore	20	⊙	3.2	15.0	⊙	0.0	⊙	⊙	⊙	\$4,544
Lancaster General	250	⊙	4.7	4.1	⊙	7.8	⊙	○	⊙	\$10,909
Lancaster Regional	93	⊙	4.7	2.2	⊙	5.5	⊙	⊙	⊙	\$11,532
Lewistown	157	⊙	4.3	6.5	⊙	7.8	⊙	⊙	⊙	\$7,192
Lock Haven	56	⊙	3.6	0.0	⊙	0.0	⊙	⊙	⊙	\$9,474
Marian Community	71	⊙	4.8	1.4	⊙	2.9	⊙	⊙	⊙	\$6,788

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	76	⊙	4.5	0.0	○	2.7	⊙	⊙	\$7,942	
Memorial/Towanda	30	⊙	3.5	0.0	⊙	0.0	⊙	⊙	\$7,834	
Mercy/Wilkes-Barre	76	⊙	4.7	1.3	⊙	5.3	⊙	⊙	\$11,944	
Mid-Valley	23	⊙	4.5	0.0	⊙	0.0	⊙	⊙	\$7,117	
Milton S Hershey	152	⊙	3.2	13.2	●	3.3	⊙	⊙	\$8,014	
Montrose General	30	⊙	3.6	3.4	⊙	0.0	⊙	⊙	\$3,608	
Moses Taylor	132	⊙	4.6	2.3	⊙	6.2	⊙	⊙	\$9,016	
Mount Nittany	123	⊙	4.6	0.0	○	6.6	⊙	○	\$8,550	
Muncy Valley	19	⊙	4.1	5.3	⊙	5.3	⊙	⊙	\$6,799	
Philipsburg Area	38	⊙	3.1	5.4	⊙	0.0	⊙	⊙	\$6,272	
Pinnacle Health	182	⊙	4.6	2.3	⊙	7.3	⊙	⊙	\$11,253	
Pocono	102	⊙	4.2	2.0	⊙	1.0	⊙	⊙	\$11,560	
Robert Packer	82	⊙	3.7	16.0	●	7.4	⊙	⊙	\$8,208	
Shamokin Area Community	58	⊙	4.4	0.0	⊙	0.0	⊙	⊙	\$5,872	
Soldiers & Sailors	33	⊙	3.5	15.2	●	0.0	⊙	⊙	\$7,723	
Sunbury Community	69	⊙	4.4	5.8	⊙	1.4	⊙	⊙	\$7,058	
Troy Community	22	⊙	2.8	13.6	⊙	0.0	⊙	⊙	\$4,926	
Tyler Memorial	27	⊙	5.0	3.8	⊙	7.7	⊙	⊙	\$8,867	
Wayne Memorial	38	⊙	4.2	0.0	⊙	0.0	⊙	⊙	\$7,413	
Waynesboro	48	⊙	3.6	6.3	⊙	2.1	⊙	⊙	\$7,425	
Williamsport	64	⊙	3.5	3.1	⊙	0.0	⊙	⊙	\$8,067	
WVHCS	155	⊙	4.6	4.0	⊙	4.0	⊙	⊙	\$8,777	
York	279	⊙	4.0	6.9	⊙	3.3	⊙	⊙	\$6,550	
Central & Northeastern	4,182		4.3	4.9		4.3			\$9,296	
TOTAL: Statewide	20,942		4.3	5.0		5.0			\$16,616	

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Berwick	10	⊙	7.1	14.3	⊙	0.0	⊙	⊙	⊙	\$20,732
Bloomsburg	6	⊙	5.4	0.0	⊙	0.0	⊙	⊙	⊙	\$15,720
Bucktail	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	39	⊙	5.7	2.8	⊙	0.0	⊙	⊙	⊙	\$17,334
Chambersburg	64	⊙	8.3	1.9	⊙	9.3	⊙	⊙	⊙	\$15,850
Community/Scranton	24	⊙	6.3	5.3	⊙	5.3	⊙	⊙	⊙	\$16,194
Ephrata Community	61	⊙	6.1	3.5	⊙	5.3	⊙	⊙	⊙	\$17,403
Evangelical Community	31	⊙	5.6	3.6	⊙	3.6	⊙	⊙	⊙	\$8,944
Fulton County	5	⊙	NR	NR	NR	NR	NR	NR	NR	\$8,013
Geisinger Wyoming Valley	27	⊙	6.1	16.7	●	4.2	⊙	⊙	⊙	\$19,290
Geisinger/Danville	58	⊙	5.1	19.6	●	0.0	⊙	⊙	⊙	\$20,761
Gettysburg	22	⊙	7.1	4.8	⊙	0.0	⊙	⊙	⊙	\$13,056
Good Samaritan/Lebanon	46	⊙	7.5	2.4	⊙	4.9	⊙	⊙	⊙	\$17,947
Hanover	32	⊙	7.4	7.4	⊙	11.1	⊙	⊙	⊙	\$11,794
Hazleton General	33	⊙	7.8	7.7	⊙	3.8	⊙	⊙	⊙	\$17,393
Hazleton St Joseph	24	⊙	6.5	10.0	⊙	5.0	⊙	⊙	●	\$14,879
Heart of Lancaster	34	⊙	6.7	0.0	⊙	3.3	⊙	⊙	⊙	\$19,838
Holy Spirit	84	⊙	10.0	1.5	⊙	13.4	●	⊙	⊙	\$26,786
J C Blair Memorial	6	⊙	5.5	0.0	⊙	16.7	⊙	⊙	⊙	\$16,522
Jersey Shore	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lancaster General	120	⊙	7.6	8.8	⊙	9.8	●	○	○	\$18,663
Lancaster Regional	57	⊙	7.3	1.9	⊙	1.9	⊙	⊙	⊙	\$23,025
Lewistown	22	⊙	6.1	0.0	⊙	0.0	⊙	⊙	⊙	\$9,898
Lock Haven	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Marian Community	17	⊙	5.9	14.3	⊙	0.0	⊙	⊙	⊙	\$10,504

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.



# Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	19	⊙	6.6	0.0	⊙	0.0	⊙	⊙	●	\$14,377
Memorial/Towanda	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mercy/Wilkes-Barre	49	⊙	7.6	12.8	●	2.6	⊙	○	⊙	\$22,217
Mid-Valley	17	⊙	7.2	0.0	⊙	0.0	⊙	⊙	⊙	\$13,154
Milton S Hershey	66	⊙	6.4	10.2	⊙	6.8	⊙	⊙	⊙	\$17,402
Montrose General	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Moses Taylor	45	⊙	6.8	7.1	⊙	4.8	⊙	⊙	⊙	\$13,687
Mount Nittany	27	●	8.2	5.0	⊙	5.0	⊙	⊙	⊙	\$17,022
Muncy Valley	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Philipsburg Area	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pinnacle Health	115	⊙	7.9	3.1	⊙	7.1	⊙	⊙	⊙	\$23,021
Pocono	168	○	6.9	6.3	⊙	3.8	⊙	⊙	⊙	\$22,468
Robert Packer	50	⊙	5.4	19.0	●	4.8	⊙	⊙	⊙	\$12,289
Shamokin Area Community	20	⊙	5.1	0.0	⊙	0.0	⊙	⊙	⊙	\$6,468
Soldiers & Sailors	14	⊙	4.9	14.3	⊙	0.0	⊙	⊙	⊙	\$10,775
Sunbury Community	47	⊙	5.1	9.8	⊙	0.0	⊙	⊙	●	\$8,311
Troy Community	5	⊙	4.1	20.0	⊙	0.0	⊙	⊙	⊙	\$6,967
Tyler Memorial	6	⊙	5.7	0.0	⊙	0.0	⊙	⊙	⊙	\$11,271
Wayne Memorial	15	⊙	7.1	0.0	⊙	0.0	⊙	⊙	⊙	\$15,218
Waynesboro	21	⊙	9.2	5.0	⊙	10.0	⊙	⊙	⊙	\$20,503
Williamsport	52	⊙	5.7	4.3	⊙	0.0	⊙	○	○	\$14,005
WVHCS	63	⊙	8.4	2.0	⊙	10.0	⊙	○	⊙	\$16,481
York	143	⊙	6.0	5.7	⊙	4.9	⊙	○	⊙	\$10,044
Central & Northeastern	1,834		6.9	6.3		5.0				\$17,261
TOTAL: Statewide	9,033		7.1	5.0		5.0				\$27,768

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	70	⊙	5.5	0.0	⊙	0.0	⊙	⊙	\$8,151	
Berwick	124	⊙	5.1	0.8	○	2.5	⊙	⊙	\$17,473	
Bloomsburg	95	⊙	4.8	6.7	⊙	1.1	⊙	⊙	\$13,655	
Bucktail	5	⊙	3.8	20.0	⊙	0.0	⊙	⊙	\$10,220	
Carlisle Regional	293	⊙	5.1	1.8	○	3.2	⊙	⊙	\$15,470	
Chambersburg	373	⊙	5.7	3.3	⊙	4.7	⊙	⊙	\$12,537	
Community/Scranton	242	⊙	5.8	4.7	⊙	8.1	●	⊙	\$15,735	
Ephrata Community	305	⊙	4.8	7.8	●	3.7	⊙	⊙	\$12,656	
Evangelical Community	345	⊙	4.2	7.4	⊙	2.5	○	⊙	\$6,841	
Fulton County	116	⊙	5.1	0.9	○	1.7	⊙	⊙	\$9,368	
Geisinger Wyoming Valley	226	⊙	5.1	8.8	●	6.5	⊙	⊙	\$15,305	
Geisinger/Danville	376	⊙	3.3	25.8	●	1.7	○	⊙	\$15,899	
Gettysburg	185	⊙	5.7	3.4	⊙	9.0	●	○	\$10,817	
Good Samaritan/Lebanon	395	⊙	5.1	4.6	⊙	4.6	⊙	⊙	\$12,994	
Hanover	187	⊙	5.3	2.8	⊙	3.9	⊙	○	\$8,958	
Hazleton General	183	⊙	5.2	4.0	⊙	2.3	⊙	⊙	\$12,903	
Hazleton St Joseph	146	⊙	5.4	5.0	⊙	4.3	⊙	⊙	\$13,227	
Heart of Lancaster	106	⊙	4.8	2.9	⊙	1.9	⊙	⊙	\$15,388	
Holy Spirit	491	●	6.6	1.9	○	12.3	●	⊙	\$17,464	
J C Blair Memorial	138	⊙	5.3	5.2	⊙	2.2	⊙	⊙	\$5,771	
Jersey Shore	89	⊙	4.5	5.8	⊙	0.0	○	●	\$7,399	
Lancaster General	518	⊙	5.6	5.0	⊙	8.1	●	⊙	\$14,121	
Lancaster Regional	206	⊙	5.5	6.9	⊙	4.4	⊙	○	\$16,360	
Lewistown	355	⊙	4.7	5.0	⊙	4.4	⊙	⊙	\$8,818	
Lock Haven	81	⊙	4.3	3.8	⊙	0.0	○	⊙	\$10,935	
Marian Community	194	⊙	5.9	3.8	⊙	8.6	●	⊙	\$10,162	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	190	⊙	5.3	2.2	⊙	3.8	⊙	⊙	\$11,311	
Memorial/Towanda	124	⊙	5.1	3.4	⊙	0.8	⊙	⊙	\$11,755	
Mercy/Wilkes-Barre	266	⊙	5.7	4.7	⊙	5.4	⊙	⊙	\$17,877	
Mid-Valley	78	⊙	6.0	5.3	⊙	6.6	⊙	⊙	\$11,013	
Milton S Hershey	323	⊙	4.0	14.0	●	3.2	⊙	⊙	\$10,635	
Montrose General	81	⊙	5.4	1.3	⊙	3.9	⊙	⊙	\$6,987	
Moses Taylor	345	⊙	5.8	4.2	⊙	6.5	⊙	⊙	\$10,525	
Mount Nittany	334	⊙	6.2	3.5	⊙	10.2	●	⊙	\$11,887	
Muncy Valley	43	⊙	4.8	2.4	⊙	0.0	⊙	⊙	\$9,054	
Philipsburg Area	101	●	4.4	8.8	⊙	1.1	⊙	●	\$9,865	
Pinnacle Health	481	⊙	5.4	6.1	⊙	5.0	⊙	⊙	\$17,046	
Pocono	509	⊙	5.3	4.2	⊙	6.2	⊙	⊙	\$15,830	
Robert Packer	338	⊙	4.5	12.4	●	3.7	⊙	⊙	\$11,050	
Shamokin Area Community	218	●	4.9	2.5	⊙	2.0	⊙	⊙	\$7,005	
Soldiers & Sailors	177	⊙	4.3	10.7	●	1.8	⊙	⊙	\$9,385	
Sunbury Community	353	⊙	4.7	6.5	⊙	2.7	⊙	●	\$8,176	
Troy Community	50	⊙	3.6	8.3	⊙	0.0	⊙	⊙	\$6,513	
Tyler Memorial	233	⊙	5.5	4.5	⊙	5.4	⊙	●	\$10,139	
Wayne Memorial	226	⊙	4.7	6.9	⊙	2.8	⊙	⊙	\$9,897	
Waynesboro	174	⊙	4.8	14.3	●	3.0	⊙	⊙	\$11,785	
Williamsport	268	⊙	4.5	6.9	⊙	2.3	⊙	⊙	\$11,181	
WVHCS	514	⊙	5.9	4.1	⊙	6.4	⊙	⊙	\$12,834	
York	665	●	4.7	6.7	⊙	4.9	⊙	⊙	\$8,307	
Central & Northeastern	12,292		5.1	6.0		4.8			\$12,267	
TOTAL: Statewide	48,422		5.2	5.0		5.0			\$18,794	

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	0	NR	NR	NR	NR	NR
Berwick	3	NR	NR	NR	NR	NR
Bloomsburg	2	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	18	⊖	7.4	⊖	⊖	\$39,053
Chambersburg	17	⊖	11.6	⊖	⊖	\$28,860
Community/Scranton	47	⊖	8.9	⊖	⊖	\$37,900
Ephrata Community	9	⊖	9.6	●	●	\$37,345
Evangelical Community	12	⊖	5.2	⊖	⊖	\$15,946
Fulton County	1	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	18	⊖	8.9	○	⊖	\$46,646
Geisinger/Danville	43	⊖	9.8	⊖	⊖	\$60,849
Gettysburg	5	⊖	NR	NR	NR	NR
Good Samaritan/Lebanon	15	⊖	8.6	⊖	⊖	\$28,650
Hanover	16	⊖	12.0	⊖	⊖	\$33,761
Hazleton General	46	⊖	12.3	⊖	⊖	\$48,270
Hazleton St Joseph	10	⊖	8.8	⊖	⊖	\$34,444
Heart of Lancaster	9	⊖	14.5	⊖	⊖	\$52,389
Holy Spirit	48	●	12.4	⊖	⊖	\$60,230
J C Blair Memorial	1	NR	NR	NR	NR	NR
Jersey Shore	0	NR	NR	NR	NR	NR
Lancaster General	39	⊖	9.7	⊖	⊖	\$39,230
Lancaster Regional	17	⊖	12.9	⊖	⊖	\$65,197
Lewistown	11	⊖	8.6	⊖	⊖	\$22,187
Lock Haven	3	NR	NR	NR	NR	NR
Marian Community	12	⊖	12.3	NR	NR	\$27,234

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	13	⊙	11.6	⊙	⊙	\$40,257
Memorial/Towanda	5	⊙	NR	NR	NR	\$26,974
Mercy/Wilkes-Barre	23	⊙	8.5	⊙	⊙	\$53,733
Mid-Valley	10	⊙	6.1	NR	NR	\$21,927
Milton S Hershey	55	⊙	10.3	⊙	○	\$44,624
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	40	⊙	10.6	⊙	⊙	\$35,931
Mount Nittany	17	⊙	11.4	⊙	⊙	\$31,984
Muncy Valley	0	NR	NR	NR	NR	NR
Philipsburg Area	2	NR	NR	NR	NR	NR
Pinnacle Health	82	⊙	11.4	⊙	⊙	\$55,556
Pocono	41	⊙	10.6	⊙	⊙	\$57,551
Robert Packer	22	⊙	10.6	⊙	⊙	\$37,032
Shamokin Area Community	6	⊙	NR	NR	NR	\$30,217
Soldiers & Sailors	8	⊙	5.6	⊙	⊙	\$16,356
Sunbury Community	21	⊙	7.6	⊙	●	\$22,000
Troy Community	0	NR	NR	NR	NR	NR
Tyler Memorial	2	NR	NR	NR	NR	NR
Wayne Memorial	9	⊙	12.2	⊙	⊙	\$38,815
Waynesboro	18	⊙	10.5	⊙	⊙	\$31,174
Williamsport	43	⊙	7.8	⊙	⊙	\$40,006
WVHCS	78	⊙	9.6	○	⊙	\$32,078
York	50	⊙	10.1	○	⊙	\$31,394
Central & Northeastern	973		10.0			\$41,736
TOTAL: Statewide	4,426		10.5			\$65,584

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	2	NR	NR	NR	NR	NR
Berwick	16	●	7.7	⊖	⊖	\$23,434
Bloomsburg	1	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	37	⊖	5.7	⊖	⊖	\$16,736
Chambersburg	135	⊖	6.5	⊖	⊖	\$15,986
Community/Scranton	22	⊖	6.7	⊖	⊖	\$19,163
Ephrata Community	41	⊖	6.0	⊖	⊖	\$16,542
Evangelical Community	16	⊖	5.3	⊖	●	\$10,280
Fulton County	4	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	40	⊖	6.6	⊖	⊖	\$19,161
Geisinger/Danville	13	⊖	4.0	⊖	⊖	\$20,987
Gettysburg	55	⊖	6.1	⊖	⊖	\$14,519
Good Samaritan/Lebanon	39	⊖	6.6	⊖	⊖	\$16,403
Hanover	26	⊖	6.9	⊖	⊖	\$11,375
Hazleton General	180	○	6.1	⊖	⊖	\$15,675
Hazleton St Joseph	104	○	5.7	⊖	⊖	\$15,073
Heart of Lancaster	42	⊖	6.6	⊖	⊖	\$21,024
Holy Spirit	70	●	8.0	⊖	⊖	\$22,302
J C Blair Memorial	24	⊖	4.9	⊖	⊖	\$7,756
Jersey Shore	4	NR	NR	NR	NR	NR
Lancaster General	39	⊖	6.7	⊖	⊖	\$20,624
Lancaster Regional	47	⊖	6.1	⊖	⊖	\$23,778
Lewistown	26	⊖	4.9	⊖	⊖	\$12,289
Lock Haven	12	⊖	4.8	⊖	⊖	\$18,873
Marian Community	12	⊖	6.4	⊖	⊖	\$13,725

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	25	⊙	5.7	⊙	⊙	\$15,318
Memorial/Towanda	3	NR	NR	NR	NR	NR
Mercy/Wilkes-Barre	21	⊙	6.8	○	⊙	\$28,197
Mid-Valley	7	⊙	6.3	⊙	⊙	\$15,113
Milton S Hershey	33	⊙	5.4	⊙	⊙	\$15,416
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	98	⊙	6.7	⊙	⊙	\$12,271
Mount Nittany	79	⊙	7.2	⊙	⊙	\$13,902
Muncy Valley	3	NR	NR	NR	NR	NR
Philipsburg Area	0	NR	NR	NR	NR	NR
Pinnacle Health	140	⊙	6.4	⊙	⊙	\$21,606
Pocono	40	⊙	6.4	⊙	⊙	\$17,558
Robert Packer	27	⊙	6.4	⊙	●	\$16,881
Shamokin Area Community	14	⊙	5.8	⊙	⊙	\$9,982
Soldiers & Sailors	22	⊙	5.4	⊙	⊙	\$12,196
Sunbury Community	2	NR	NR	NR	NR	NR
Troy Community	6	⊙	NR	NR	NR	\$4,238
Tyler Memorial	9	⊙	9.2	●	●	\$14,036
Wayne Memorial	59	⊙	6.6	⊙	⊙	\$13,156
Waynesboro	11	●	7.8	⊙	⊙	\$16,690
Williamsport	118	⊙	4.9	○	○	\$13,942
WVHCS	66	⊙	6.9	⊙	⊙	\$15,314
York	47	⊙	6.7	⊙	⊙	\$11,935
Central & Northeastern	1,888		6.2			\$16,332
TOTAL:Statewide	5,156		6.4			\$23,568

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Barnes Kasson County	10	⊙	5.2	0.0	⊙	0.0	⊙	\$6,620
Berwick	22	⊙	7.1	0.0	⊙	5.3	⊙	\$24,147
Bloomsburg	10	⊙	9.4	0.0	⊙	14.3	⊙	\$17,587
Bucktail	0	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	131	●	7.1	7.9	⊙	3.4	⊙	\$23,386
Chambersburg	118	⊙	8.7	2.0	⊙	5.1	⊙	\$18,622
Community/Scranton	73	⊙	7.3	7.8	⊙	9.4	⊙	\$20,622
Ephrata Community	35	⊙	6.4	17.2	●	3.4	⊙	\$23,704
Evangelical Community	52	⊙	6.4	4.9	⊙	0.0	⊙	\$10,498
Fulton County	7	⊙	4.6	0.0	⊙	0.0	⊙	\$9,060
Geisinger Wyoming Valley	85	⊙	6.5	5.9	⊙	5.9	⊙	\$16,739
Geisinger/Danville	138	⊙	5.5	11.0	●	1.1	⊙	\$25,941
Gettysburg	65	⊙	6.5	3.6	⊙	0.0	⊙	\$12,260
Good Samaritan/Lebanon	206	⊙	8.3	1.1	⊙	4.0	⊙	\$17,882
Hanover	92	⊙	6.1	7.7	⊙	3.8	⊙	\$10,328
Hazleton General	205	⊙	6.7	3.9	⊙	2.2	⊙	\$17,674
Hazleton St Joseph	116	⊙	7.2	1.0	⊙	3.9	⊙	\$16,718
Heart of Lancaster	28	⊙	6.3	0.0	⊙	4.2	⊙	\$15,889
Holy Spirit	221	●	8.4	2.5	⊙	10.0	●	\$20,709
J C Blair Memorial	38	⊙	6.9	2.8	⊙	2.8	⊙	\$7,636
Jersey Shore	15	⊙	5.3	0.0	⊙	0.0	⊙	\$8,737
Lancaster General	144	⊙	7.3	5.6	⊙	3.7	⊙	\$20,549
Lancaster Regional	74	⊙	7.4	4.8	⊙	6.5	⊙	\$21,007
Lewistown	41	⊙	7.0	2.9	⊙	8.8	⊙	\$11,867
Lock Haven	35	⊙	4.5	7.1	⊙	0.0	⊙	\$16,189
Marian Community	44	⊙	7.7	6.7	⊙	6.7	⊙	\$13,253

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.



# Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Memorial York	47	⊖	7.1	2.4	⊖	4.9	⊖	\$15,456
Memorial/Towanda	36	⊖	6.6	3.3	⊖	0.0	⊖	\$12,769
Mercy/Wilkes-Barre	113	⊖	7.2	5.5	⊖	4.4	⊖	\$21,486
Mid-Valley	13	⊖	7.9	0.0	⊖	0.0	⊖	\$17,140
Milton S Hershey	296	⊖	6.2	8.2	●	4.7	⊖	\$18,787
Montrose General	19	⊖	4.8	0.0	⊖	0.0	⊖	\$4,340
Moses Taylor	148	●	8.3	3.4	⊖	6.9	⊖	\$16,565
Mount Nittany	82	⊖	7.6	0.0	○	6.9	⊖	\$13,645
Muncy Valley	7	⊖	4.3	16.7	⊖	0.0	⊖	\$8,668
Philipsburg Area	31	⊖	5.5	4.2	⊖	0.0	⊖	\$13,140
Pinnacle Health	450	⊖	7.2	1.9	○	3.6	⊖	\$20,761
Pocono	152	⊖	6.8	5.6	⊖	4.8	⊖	\$22,981
Robert Packer	90	⊖	5.9	20.0	●	4.0	⊖	\$15,191
Shamokin Area Community	29	⊖	5.2	3.7	⊖	0.0	⊖	\$7,500
Soldiers & Sailors	40	⊖	4.7	0.0	⊖	0.0	⊖	\$9,498
Sunbury Community	44	⊖	5.2	4.8	⊖	0.0	⊖	\$9,610
Troy Community	9	⊖	4.1	0.0	⊖	0.0	⊖	\$5,737
Tyler Memorial	23	⊖	7.2	5.9	⊖	0.0	⊖	\$11,818
Wayne Memorial	101	⊖	6.8	3.2	⊖	4.3	⊖	\$14,041
Waynesboro	44	⊖	6.1	7.3	⊖	0.0	⊖	\$16,081
Williamsport	113	⊖	6.8	6.4	⊖	2.1	⊖	\$17,314
WVHCS	150	⊖	8.6	1.6	⊖	7.9	⊖	\$16,380
York	364	⊖	6.4	6.6	⊖	3.9	⊖	\$11,746
Central & Northeastern	4,492		7.0	4.8		4.2		\$17,404
TOTAL: Statewide	16,114		7.2	5.0		5.0		\$26,433

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	24	⊙	4.4	⊙	⊙	\$9,474
Berwick	24	⊙	4.0	⊙	⊙	\$23,836
Bloomsburg	24	⊙	3.6	⊙	⊙	\$14,152
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	136	⊙	3.6	⊙	⊙	\$15,419
Chambersburg	159	⊙	4.7	⊙	⊙	\$10,515
Community/Scranton	113	⊙	5.1	⊙	⊙	\$15,059
Ephrata Community	107	⊙	3.5	⊙	⊙	\$10,050
Evangelical Community	107	⊙	3.4	⊙	⊙	\$6,592
Fulton County	17	⊙	3.5	⊙	⊙	\$7,772
Geisinger Wyoming Valley	122	⊙	4.2	⊙	⊙	\$12,883
Geisinger/Danville	118	⊙	2.9	⊙	●	\$17,201
Gettysburg	62	⊙	4.3	⊙	⊙	\$8,807
Good Samaritan/Lebanon	132	⊙	5.1	⊙	⊙	\$12,614
Hanover	90	⊙	4.4	⊙	⊙	\$8,898
Hazleton General	132	⊙	4.2	⊙	⊙	\$11,508
Hazleton St Joseph	81	⊙	4.2	⊙	⊙	\$11,418
Heart of Lancaster	36	⊙	3.9	⊙	●	\$15,272
Holy Spirit	233	⊙	4.8	⊙	⊙	\$12,628
J C Blair Memorial	34	⊙	4.5	⊙	⊙	\$8,266
Jersey Shore	18	⊙	4.1	⊙	⊙	\$7,010
Lancaster General	390	⊙	4.6	⊙	⊙	\$14,241
Lancaster Regional	79	⊙	4.6	⊙	⊙	\$15,199
Lewistown	94	⊙	4.5	⊙	⊙	\$8,124
Lock Haven	20	⊙	3.7	⊙	⊙	\$10,276
Marian Community	61	⊙	5.2	⊙	⊙	\$9,335

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	65	⊙	4.6	⊙	⊙	\$10,320
Memorial/Towanda	37	⊙	4.1	⊙	⊙	\$9,098
Mercy/Wilkes-Barre	116	⊙	4.2	⊙	⊙	\$13,268
Mid-Valley	39	⊙	4.5	⊙	⊙	\$7,989
Milton S Hershey	144	⊙	3.4	⊙	⊙	\$11,143
Montrose General	12	⊙	3.9	⊙	⊙	\$5,391
Moses Taylor	196	⊙	4.7	⊙	⊙	\$9,829
Mount Nittany	126	⊙	4.4	⊙	⊙	\$9,262
Muncy Valley	18	⊙	4.5	⊙	⊙	\$8,003
Philipsburg Area	34	⊙	2.9	⊙	⊙	\$10,596
Pinnacle Health	296	⊙	5.1	○	⊙	\$16,658
Pocono	185	⊙	3.5	⊙	⊙	\$13,195
Robert Packer	172	⊙	3.0	⊙	⊙	\$8,569
Shamokin Area Community	53	⊙	4.0	⊙	⊙	\$6,855
Soldiers & Sailors	78	⊙	3.2	⊙	⊙	\$9,360
Sunbury Community	54	⊙	4.1	●	●	\$8,893
Troy Community	14	⊙	3.0	⊙	⊙	\$5,818
Tyler Memorial	35	⊙	4.4	⊙	⊙	\$13,674
Wayne Memorial	66	⊙	4.5	⊙	⊙	\$9,796
Waynesboro	68	⊙	3.8	⊙	⊙	\$10,187
Williamsport	162	⊙	4.0	○	⊙	\$11,287
WVHCS	324	⊙	4.5	⊙	⊙	\$10,064
York	326	⊙	4.5	⊙	⊙	\$9,113
Central & Northeastern	5,194		4.3			\$11,687
TOTAL: Statewide	21,634		4.3			\$18,780

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

DIAGNOSES

# Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Berwick	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bloomsburg	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	11	⊙	7.6	0.0	⊙	16.7	⊙	⊙	⊙	\$16,355
Chambersburg	23	⊙	7.3	4.8	⊙	14.3	⊙	⊙	⊙	\$15,186
Community/Scranton	27	⊙	5.5	4.8	⊙	4.8	⊙	⊙	⊙	\$19,055
Ephrata Community	26	⊙	4.6	0.0	⊙	4.2	⊙	⊙	⊙	\$14,460
Evangelical Community	10	⊙	NR	NR	NR	NR	NR	NR	NR	\$4,945
Fulton County	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	27	⊙	7.1	11.1	⊙	0.0	⊙	⊙	⊙	\$21,097
Geisinger/Danville	112	⊙	5.7	6.0	⊙	1.5	⊙	⊙	⊙	\$28,087
Gettysburg	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Good Samaritan/Lebanon	9	⊙	12.2	0.0	⊙	42.9	●	⊙	⊙	\$17,047
Hanover	14	⊙	5.8	0.0	⊙	0.0	⊙	⊙	⊙	\$7,888
Hazleton General	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hazleton St Joseph	7	⊙	5.3	0.0	⊙	0.0	⊙	⊙	⊙	\$14,188
Heart of Lancaster	7	⊙	NR	NR	NR	NR	NR	NR	NR	\$17,973
Holy Spirit	49	⊙	6.6	14.8	●	7.4	⊙	⊙	⊙	\$18,378
J C Blair Memorial	8	⊙	NR	NR	NR	NR	NR	NR	NR	\$2,905
Jersey Shore	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lancaster General	96	⊙	7.4	2.6	⊙	6.5	⊙	⊙	⊙	\$18,378
Lancaster Regional	25	⊙	4.8	0.0	⊙	0.0	⊙	⊙	⊙	\$18,535
Lewistown	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lock Haven	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Marian Community	9	⊙	8.8	0.0	⊙	14.3	⊙	⊙	⊙	\$14,814

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	7	⊙	9.6	0.0	⊙	20.0	⊙	NR	NR	\$22,843
Memorial/Towanda	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mercy/Wilkes-Barre	15	⊙	5.4	16.7	⊙	8.3	⊙	⊙	⊙	\$23,557
Mid-Valley	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Milton S Hershey	92	⊙	5.7	4.7	⊙	3.1	⊙	⊙	⊙	\$14,048
Montrose General	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Moses Taylor	19	⊙	6.1	0.0	⊙	0.0	⊙	⊙	⊙	\$15,654
Mount Nittany	12	⊙	7.3	0.0	⊙	14.3	⊙	⊙	⊙	\$10,281
Muncy Valley	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Philipsburg Area	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pinnacle Health	56	⊙	5.5	2.3	⊙	2.3	⊙	⊙	⊙	\$18,536
Pocono	11	⊙	8.4	14.3	⊙	14.3	⊙	⊙	⊙	\$15,915
Robert Packer	29	⊙	6.3	17.6	●	0.0	⊙	⊙	⊙	\$13,705
Shamokin Area Community	6	⊙	6.7	0.0	⊙	0.0	⊙	⊙	⊙	\$8,239
Soldiers & Sailors	6	⊙	3.4	20.0	⊙	0.0	⊙	⊙	⊙	\$6,953
Sunbury Community	5	⊙	NR	NR	NR	NR	NR	NR	NR	\$10,249
Troy Community	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Wayne Memorial	13	⊙	7.5	0.0	⊙	10.0	⊙	⊙	⊙	\$16,013
Waynesboro	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Williamsport	25	⊙	4.4	0.0	⊙	0.0	⊙	⊙	⊙	\$10,605
WVHCS	33	⊙	6.4	8.3	⊙	0.0	⊙	⊙	⊙	\$12,925
York	62	⊙	7.6	2.6	⊙	5.3	⊙	⊙	⊙	\$12,815
Central & Northeastern	923		6.3	5.0		4.5				\$16,941
TOTAL: Statewide	3,786		6.4	5.0		5.0				\$31,893

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	6	⊖	5.3	0.0	⊖	0.0	⊖	⊖	\$15,480	
Berwick	33	⊖	3.9	6.3	⊖	0.0	⊖	⊖	\$16,472	
Bloomsburg	29	⊖	3.7	7.7	⊖	0.0	⊖	⊖	\$16,952	
Bucktail	2	NR	NR	NR	NR	NR	NR	NR	NR	
Carlisle Regional	109	⊖	5.2	5.0	⊖	3.0	⊖	⊖	\$14,604	
Chambersburg	160	⊖	5.3	4.8	⊖	3.4	⊖	⊖	\$13,891	
Community/Scranton	147	⊖	5.7	4.4	⊖	3.7	⊖	⊖	\$15,987	
Ephrata Community	99	⊖	4.8	7.3	⊖	3.1	⊖	⊖	\$14,419	
Evangelical Community	96	⊖	4.5	4.3	⊖	2.2	⊖	⊖	\$9,657	
Fulton County	20	⊖	5.3	0.0	⊖	0.0	⊖	⊖	\$9,312	
Geisinger Wyoming Valley	100	⊖	5.8	5.4	⊖	6.5	⊖	⊖	\$19,641	
Geisinger/Danville	283	⊖	4.7	10.6	●	5.1	⊖	⊖	\$23,250	
Gettysburg	88	⊖	4.8	3.7	⊖	3.7	⊖	⊖	\$9,717	
Good Samaritan/Lebanon	129	⊖	5.5	5.6	⊖	4.8	⊖	⊖	\$13,758	
Hanover	104	⊖	4.6	5.2	⊖	2.1	⊖	⊖	\$10,367	
Hazleton General	87	⊖	5.4	2.6	⊖	6.4	⊖	⊖	\$13,028	
Hazleton St Joseph	62	⊖	4.7	3.3	⊖	0.0	⊖	⊖	\$12,725	
Heart of Lancaster	30	⊖	5.6	0.0	⊖	3.7	⊖	⊖	\$18,864	
Holy Spirit	239	⊖	5.8	1.4	⊖	5.9	⊖	⊖	\$15,390	
J C Blair Memorial	36	⊖	6.0	0.0	⊖	6.1	⊖	⊖	\$8,152	
Jersey Shore	15	⊖	4.4	0.0	⊖	0.0	⊖	⊖	\$7,106	
Lancaster General	321	⊖	5.8	4.5	⊖	6.5	⊖	⊖	\$14,595	
Lancaster Regional	80	⊖	5.5	3.9	⊖	5.3	⊖	⊖	\$18,091	
Lewistown	120	⊖	4.2	7.6	⊖	0.8	⊖	⊖	\$10,233	
Lock Haven	48	⊖	3.8	4.3	⊖	0.0	⊖	⊖	\$13,099	
Marian Community	60	⊖	6.5	0.0	⊖	7.3	⊖	⊖	\$12,941	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	85	⊙	5.2	2.6	⊙	3.9	⊙	⊙	⊙	\$11,928
Memorial/Towanda	19	⊙	5.3	0.0	⊙	0.0	⊙	⊙	⊙	\$13,489
Mercy/Wilkes-Barre	141	⊙	5.9	3.7	⊙	3.7	⊙	○	⊙	\$20,983
Mid-Valley	23	⊙	6.0	0.0	⊙	4.3	⊙	⊙	⊙	\$11,755
Milton S Hershey	218	⊙	4.6	8.9	●	6.9	⊙	⊙	⊙	\$16,698
Montrose General	22	⊙	4.9	0.0	⊙	9.1	⊙	⊙	⊙	\$6,785
Moses Taylor	146	⊙	5.6	2.8	⊙	4.3	⊙	⊙	⊙	\$12,779
Mount Nittany	103	⊙	5.7	3.1	⊙	8.2	⊙	⊙	⊙	\$12,968
Muncy Valley	21	⊙	4.5	4.8	⊙	0.0	⊙	⊙	⊙	\$9,369
Philipsburg Area	18	⊙	4.6	5.6	⊙	5.6	⊙	⊙	⊙	\$12,485
Pinnacle Health	297	⊙	5.3	4.9	⊙	4.6	⊙	⊙	⊙	\$16,856
Pocono	147	⊙	5.0	3.6	⊙	5.7	⊙	⊙	⊙	\$18,098
Robert Packer	103	●	4.2	12.6	●	2.3	⊙	⊙	⊙	\$12,488
Shamokin Area Community	53	●	4.4	0.0	⊙	2.0	⊙	⊙	⊙	\$5,565
Soldiers & Sailors	53	⊙	3.8	5.9	⊙	0.0	⊙	○	⊙	\$10,132
Sunbury Community	75	⊙	4.7	10.1	⊙	1.4	⊙	⊙	⊙	\$8,231
Troy Community	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	50	⊙	4.7	6.8	⊙	6.8	⊙	⊙	⊙	\$11,103
Wayne Memorial	79	⊙	4.7	2.7	⊙	0.0	○	⊙	⊙	\$9,973
Waynesboro	77	⊙	4.7	8.2	⊙	2.7	⊙	⊙	⊙	\$12,919
Williamsport	151	⊙	4.4	8.3	⊙	4.2	⊙	⊙	⊙	\$10,518
WVHCS	336	⊙	6.7	3.2	⊙	6.9	⊙	⊙	⊙	\$14,510
York	331	⊙	4.9	6.2	⊙	3.9	⊙	⊙	⊙	\$10,645
Central & Northeastern	5,190		5.2	5.1		4.4				\$14,329
TOTAL: Statewide	20,112		5.3	5.0		5.0				\$25,132

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Abdominal Aortic Aneurysm Repair

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair during the report period.

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Carlisle Regional	1	NR	NR	NR	NR	NR
Chambersburg	3	NR	NR	NR	NR	NR
Community/Scranton	7	⊙	9.6	⊙	⊙	\$44,660
Ephrata Community	4	NR	NR	NR	NR	NR
Evangelical Community	3	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	7	⊙	7.4	⊙	⊙	\$49,412
Geisinger/Danville	30	⊙	6.0	⊙	⊙	\$63,305
Good Samaritan/Lebanon	12	⊙	9.7	⊙	⊙	\$41,949
Hanover	2	NR	NR	NR	NR	NR
Hazleton General	3	NR	NR	NR	NR	NR
Hazleton St Joseph	1	NR	NR	NR	NR	NR
Holy Spirit	14	⊙	8.1	⊙	⊙	\$39,617
Lancaster General	29	⊙	9.4	⊙	⊙	\$46,170
Lancaster Regional	4	NR	NR	NR	NR	NR
Lewistown	2	NR	NR	NR	NR	NR
Memorial York	6	⊙	9.8	⊙	⊙	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.



# Abdominal Aortic Aneurysm Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Mercy/Wilkes-Barre	6	⊙	NR	NR	NR	NR
Milton S Hershey	27	⊙	8.7	⊙	⊙	\$37,451
Moses Taylor	4	NR	NR	NR	NR	NR
Mount Nittany	4	NR	NR	NR	NR	NR
Pinnacle Health	15	⊙	7.1	⊙	⊙	\$40,265
Pocono	14	⊙	9.6	⊙	⊙	\$48,033
Robert Packer	21	⊙	7.2	⊙	⊙	\$38,285
Sunbury Community	1	NR	NR	NR	NR	NR
Wayne Memorial	2	NR	NR	NR	NR	NR
Williamsport	8	⊙	7.8	⊙	⊙	\$32,422
WVHCS	5	⊙	NR	NR	NR	\$45,364
York	23	⊙	6.7	⊙	⊙	\$30,248
Central & Northeastern	260		8.0			\$42,671
TOTAL: Statewide	995		8.1			\$68,909

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Barnes Kasson County	5	⊙	6.7	\$17,908
Berwick	10	⊙	9.4	\$66,450
Bloomsburg	23	⊙	5.9	\$27,328
Bucktail	0	NR	NR	NR
Carlisle Regional	67	●	8.9	\$51,286
Chambersburg	125	⊙	11.0	\$25,593
Community/Scranton	132	⊙	9.1	\$33,140
Ephrata Community	76	⊙	8.5	\$30,532
Evangelical Community	73	⊙	7.0	\$15,773
Fulton County	3	NR	NR	NR
Geisinger Wyoming Valley	69	⊙	8.1	\$35,843
Geisinger/Danville	208	⊙	9.3	\$43,056
Gettysburg	80	⊙	8.5	\$25,165
Good Samaritan/Lebanon	100	⊙	11.0	\$36,557
Hanover	77	⊙	7.8	\$20,832
Hazleton General	41	⊙	9.2	\$43,240
Hazleton St Joseph	35	⊙	10.7	\$45,886
Heart of Lancaster	40	⊙	7.7	\$36,562
Holy Spirit	177	●	10.0	\$32,312
J C Blair Memorial	27	⊙	11.7	\$23,417
Jersey Shore	18	⊙	7.7	\$15,141
Lancaster General	298	⊙	9.4	\$30,188
Lancaster Regional	79	⊙	9.2	\$48,526
Lewistown	97	⊙	9.0	\$21,512
Lock Haven	18	⊙	7.5	\$23,337
Marian Community	29	⊙	8.1	\$17,097

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Memorial York	68	⊙	7.5	\$23,986
Memorial/Towanda	18	⊙	7.4	\$33,030
Mercy/Wilkes-Barre	65	⊙	9.5	\$37,417
Mid-Valley	9	⊙	10.5	\$29,967
Milton S Hershey	246	⊙	7.2	\$23,393
Montrose General	0	NR	NR	NR
Moses Taylor	111	⊙	10.3	\$26,424
Mount Nittany	87	⊙	8.7	\$24,173
Muncy Valley	14	⊙	6.7	\$19,301
Philipsburg Area	11	⊙	7.6	\$30,128
Pinnacle Health	326	⊙	8.8	\$34,787
Pocono	109	⊙	7.9	\$32,019
Robert Packer	138	○	7.5	\$25,219
Shamokin Area Community	22	⊙	7.8	\$15,449
Soldiers & Sailors	23	⊙	8.2	\$29,551
Sunbury Community	36	●	7.5	\$20,118
Troy Community	4	NR	NR	NR
Tyler Memorial	14	⊙	7.7	\$30,807
Wayne Memorial	50	⊙	9.6	\$32,266
Waynesboro	50	⊙	7.3	\$19,495
Williamsport	112	⊙	9.3	\$27,552
WVHCS	221	⊙	10.0	\$26,600
York	291	○	8.4	\$22,150
Central & Northeastern	4,052		8.8	\$29,612
TOTAL: Statewide	15,466		9.0	\$49,883

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	6	⊖	4.4	⊖	⊖	\$11,844
Berwick	22	⊖	3.5	⊖	⊖	\$25,830
Bloomsburg	12	⊖	2.4	⊖	⊖	\$13,508
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	79	⊖	3.6	⊖	⊖	\$27,951
Chambersburg	223	⊖	3.5	⊖	⊖	\$14,127
Community/Scranton	101	⊖	4.0	⊖	⊖	\$22,386
Ephrata Community	93	⊖	3.2	⊖	⊖	\$16,449
Evangelical Community	68	⊖	3.2	⊖	⊖	\$9,783
Fulton County	2	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	56	⊖	3.8	⊖	⊖	\$25,545
Geisinger/Danville	84	⊖	2.9	⊖	⊖	\$21,967
Gettysburg	69	⊖	3.1	⊖	⊖	\$15,586
Good Samaritan/Lebanon	111	⊖	4.2	⊖	⊖	\$19,047
Hanover	40	⊖	3.4	⊖	⊖	\$16,659
Hazleton General	38	⊖	4.3	⊖	⊖	\$25,873
Hazleton St Joseph	29	⊖	4.3	⊖	⊖	\$21,127
Heart of Lancaster	36	⊖	2.8	⊖	⊖	\$19,489
Holy Spirit	164	⊖	3.8	⊖	⊖	\$19,433
J C Blair Memorial	36	⊖	4.4	⊖	⊖	\$10,843
Jersey Shore	17	●	2.6	⊖	⊖	\$8,934
Lancaster General	270	⊖	3.9	⊖	⊖	\$15,989
Lancaster Regional	71	⊖	3.3	⊖	⊖	\$26,205
Lewistown	91	⊖	3.2	⊖	⊖	\$12,306
Lock Haven	4	NR	NR	NR	NR	NR
Marian Community	37	⊖	3.3	⊖	⊖	\$11,165

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	57	⊖	3.6	⊖	⊖	\$15,410
Memorial/Towanda	18	⊖	3.7	⊖	⊖	\$21,840
Mercy/Wilkes-Barre	41	⊖	4.0	⊖	⊖	\$20,758
Mid-Valley	12	⊖	3.7	⊖	⊖	\$15,320
Milton S Hershey	55	⊖	3.4	⊖	⊖	\$14,687
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	43	⊖	4.2	⊖	⊖	\$16,969
Mount Nittany	78	⊖	3.3	⊖	⊖	\$13,114
Muncy Valley	4	NR	NR	NR	NR	NR
Philipsburg Area	23	⊖	3.5	⊖	⊖	\$17,372
Pinnacle Health	210	⊖	3.4	⊖	⊖	\$18,589
Pocono	110	⊖	3.3	⊖	⊖	\$18,109
Robert Packer	65	⊖	2.8	⊖	⊖	\$13,690
Shamokin Area Community	23	⊖	3.5	⊖	⊖	\$9,168
Soldiers & Sailors	29	⊖	2.8	⊖	⊖	\$17,813
Sunbury Community	27	⊖	3.7	⊖	⊖	\$11,916
Troy Community	4	NR	NR	NR	NR	NR
Tyler Memorial	8	⊖	3.5	⊖	⊖	\$24,288
Wayne Memorial	41	⊖	3.9	⊖	⊖	\$18,341
Waynesboro	29	⊖	3.3	⊖	⊖	\$14,295
Williamsport	51	⊖	3.2	⊖	⊖	\$14,537
WVHCS	122	⊖	4.1	⊖	⊖	\$16,229
York	220	⊖	3.6	⊖	⊖	\$10,924
Central & Northeastern	3,112		3.6			\$17,115
TOTAL: Statewide	14,061		3.6			\$24,983

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	0	NR	NR	NR	NR	NR
Berwick	3	NR	NR	NR	NR	NR
Bloomsburg	7	⊙	4.2	⊙	⊙	\$18,758
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	16	⊙	7.0	⊙	⊙	\$44,621
Chambersburg	23	⊙	8.2	⊙	⊙	\$23,908
Community/Scranton	3	NR	NR	NR	NR	NR
Ephrata Community	8	⊙	6.4	⊙	⊙	\$26,562
Evangelical Community	17	⊙	5.9	⊙	⊙	\$18,953
Fulton County	1	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	19	⊙	6.7	⊙	⊙	\$31,794
Geisinger/Danville	27	⊙	5.7	⊙	⊙	\$36,071
Gettysburg	7	⊙	5.2	⊙	⊙	\$19,234
Good Samaritan/Lebanon	18	⊙	6.6	⊙	⊙	\$28,311
Hanover	21	⊙	6.2	⊙	⊙	\$18,338
Hazleton General	6	⊙	6.6	⊙	⊙	\$21,273
Hazleton St Joseph	17	⊙	7.0	⊙	⊙	\$27,683
Heart of Lancaster	10	⊙	6.3	⊙	⊙	\$27,384
Holy Spirit	28	⊙	6.5	⊙	⊙	\$23,578
J C Blair Memorial	2	NR	NR	NR	NR	NR
Jersey Shore	2	NR	NR	NR	NR	NR
Lancaster General	63	⊙	7.2	⊙	⊙	\$21,366
Lancaster Regional	7	⊙	7.4	⊙	⊙	\$36,807
Lewistown	12	⊙	5.7	⊙	⊙	\$15,190
Lock Haven	4	NR	NR	NR	NR	NR
Marian Community	3	NR	NR	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	9	⊙	5.4	⊙	⊙	\$25,143
Memorial/Towanda	5	⊙	5.1	⊙	⊙	NR
Mercy/Wilkes-Barre	40	⊙	5.1	⊙	⊙	\$16,047
Mid-Valley	2	NR	NR	NR	NR	NR
Milton S Hershey	23	⊙	6.8	⊙	⊙	\$20,294
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	26	⊙	8.3	⊙	⊙	\$18,229
Mount Nittany	11	⊙	6.9	⊙	⊙	\$27,305
Muncy Valley	2	NR	NR	NR	NR	NR
Philipsburg Area	6	⊙	6.0	●	⊙	\$23,939
Pinnacle Health	41	⊙	7.6	⊙	⊙	\$27,287
Pocono	18	⊙	6.4	⊙	⊙	\$26,056
Robert Packer	24	⊙	5.9	⊙	⊙	\$18,499
Shamokin Area Community	3	NR	NR	NR	NR	NR
Soldiers & Sailors	7	⊙	4.5	⊙	⊙	\$22,246
Sunbury Community	1	NR	NR	NR	NR	NR
Troy Community	3	NR	NR	NR	NR	NR
Tyler Memorial	3	NR	NR	NR	NR	NR
Wayne Memorial	20	⊙	7.3	⊙	⊙	\$19,428
Waynesboro	7	⊙	6.1	⊙	⊙	\$13,642
Williamsport	13	⊙	5.5	⊙	⊙	\$25,747
WVHCS	87	⊙	6.2	⊙	⊙	\$17,113
York	57	⊙	6.9	⊙	⊙	\$19,495
Central & Northeastern	750		6.6			\$22,703
TOTAL: Statewide	2,844		6.8			\$39,059

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Heart Attack - Angioplasty/Stent

The facilities listed below are those that provided advanced cardiac services (angioplasty/stent) during the report period.

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Chambersburg	32	⊙	3.7	0.0	⊙	3.1	⊙	\$30,371
Community/Scranton	100	⊙	4.2	2.0	⊙	5.1	⊙	\$35,270
Geisinger Wyoming Valley	80	⊙	3.3	3.8	⊙	0.0	○	\$51,930
Geisinger/Danville	335	⊙	3.1	12.9	●	1.5	○	\$51,619
Holy Spirit	176	⊙	4.1	3.5	⊙	1.7	○	\$32,570
Lancaster General	359	⊙	4.2	4.5	⊙	5.9	⊙	\$38,831
Lancaster Regional	88	⊙	4.8	2.3	⊙	12.8	●	\$74,613
Mercy/Wilkes-Barre	74	⊙	5.1	0.0	○	8.3	⊙	\$61,779
Milton S Hershey	267	⊙	3.2	10.6	●	2.3	○	\$27,984
Pinnacle Health	452	⊙	3.8	6.4	⊙	3.5	⊙	\$42,110
Robert Packer	204	⊙	3.1	11.4	●	3.0	⊙	\$20,374
Williamsport	137	⊙	3.3	6.7	⊙	2.2	⊙	\$32,469
WVHCS	134	⊙	4.7	1.5	⊙	6.8	⊙	\$38,669
York	274	⊙	4.0	4.0	⊙	2.2	○	\$28,705
Central & Northeastern	2,869		3.8	6.3		3.6		\$39,535
TOTAL: Statewide	12,024		4.0	5.0		5.0		\$59,210

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.



This page is intentionally left blank.

# Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	0	NR	NR	NR	NR	NR
Berwick	26	⊙	5.4	⊙	⊙	\$37,385
Bloomsburg	31	⊙	4.8	⊙	⊙	\$21,078
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	106	⊙	5.2	⊙	⊙	\$36,629
Chambersburg	144	⊙	5.7	⊙	⊙	\$18,437
Community/Scranton	90	⊙	6.3	⊙	⊙	\$28,233
Ephrata Community	74	⊙	5.6	⊙	⊙	\$20,478
Evangelical Community	102	⊙	5.1	⊙	⊙	\$12,501
Fulton County	0	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	61	⊙	5.8	⊙	⊙	\$25,928
Geisinger/Danville	109	⊙	4.9	⊙	⊙	\$30,518
Gettysburg	44	⊙	5.1	⊙	⊙	\$15,612
Good Samaritan/Lebanon	90	⊙	7.6	⊙	⊙	\$21,636
Hanover	79	⊙	5.4	⊙	⊙	\$15,192
Hazleton General	40	⊙	6.1	⊙	⊙	\$24,317
Hazleton St Joseph	36	⊙	4.7	⊙	⊙	\$24,272
Heart of Lancaster	35	⊙	5.8	⊙	⊙	\$32,627
Holy Spirit	142	⊙	5.2	⊙	⊙	\$19,866
J C Blair Memorial	1	NR	NR	NR	NR	NR
Jersey Shore	7	⊙	5.2	⊙	⊙	\$13,589
Lancaster General	271	⊙	5.9	○	○	\$23,713
Lancaster Regional	75	⊙	6.5	○	⊙	\$38,488
Lewistown	62	⊙	5.0	⊙	⊙	\$16,782
Lock Haven	0	NR	NR	NR	NR	NR
Marian Community	63	⊙	6.0	○	⊙	\$18,007

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	70	⊖	5.5	⊖	⊖	\$16,540
Memorial/Towanda	54	●	4.6	⊖	⊖	\$18,259
Mercy/Wilkes-Barre	61	⊖	5.1	⊖	⊖	\$23,596
Mid-Valley	14	⊖	5.3	⊖	⊖	\$20,341
Milton S Hershey	99	⊖	5.5	⊖	⊖	\$22,368
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	108	⊖	6.6	⊖	⊖	\$18,195
Mount Nittany	121	⊖	5.7	⊖	⊖	\$19,689
Muncy Valley	0	NR	NR	NR	NR	NR
Philipsburg Area	12	⊖	5.9	⊖	⊖	\$25,096
Pinnacle Health	223	⊖	5.1	⊖	⊖	\$24,194
Pocono	89	⊖	6.1	⊖	⊖	\$23,411
Robert Packer	83	⊖	5.9	○	⊖	\$19,233
Shamokin Area Community	39	●	6.4	⊖	⊖	\$14,324
Soldiers & Sailors	24	⊖	5.3	⊖	⊖	\$19,009
Sunbury Community	52	⊖	4.5	⊖	⊖	\$14,334
Troy Community	0	NR	NR	NR	NR	NR
Tyler Memorial	18	⊖	6.8	⊖	⊖	\$23,757
Wayne Memorial	63	⊖	5.8	○	⊖	\$20,027
Waynesboro	17	⊖	6.6	⊖	⊖	\$19,833
Williamsport	168	⊖	5.1	○	○	\$18,387
WVHCS	188	⊖	6.4	⊖	⊖	\$20,363
York	259	⊖	5.6	⊖	⊖	\$14,251
Central & Northeastern	3,544		5.7			\$21,513
TOTAL: Statewide	13,542		5.9			\$32,382

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Hysterectomy - Abdominal

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Barnes Kasson County	5	⊕	2.1	\$7,914
Berwick	15	⊕	3.3	\$20,022
Bloomsburg	33	⊕	2.2	\$12,698
Bucktail	0	NR	NR	NR
Carlisle Regional	79	⊕	2.5	\$19,801
Chambersburg	134	⊕	2.5	\$8,377
Community/Scranton	156	⊕	3.3	\$10,683
Ephrata Community	107	⊕	2.7	\$11,066
Evangelical Community	86	⊕	1.9	\$5,254
Fulton County	0	NR	NR	NR
Geisinger Wyoming Valley	66	⊕	2.8	\$13,044
Geisinger/Danville	219	⊕	2.7	\$15,111
Gettysburg	119	⊕	2.9	\$10,329
Good Samaritan/Lebanon	163	⊕	2.9	\$10,532
Hanover	104	⊕	2.7	\$8,712
Hazleton General	79	⊕	2.9	\$10,233
Hazleton St Joseph	1	NR	NR	NR
Heart of Lancaster	20	⊕	2.7	\$20,221
Holy Spirit	92	⊕	3.2	\$11,062
J C Blair Memorial	36	⊕	2.5	\$8,381
Jersey Shore	4	NR	NR	NR
Lancaster General	453	⊕	2.6	\$9,242
Lancaster Regional	71	⊕	2.7	\$18,753
Lewistown	116	⊕	2.5	\$7,230
Lock Haven	23	⊕	2.8	\$8,610
Marian Community	0	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊕ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Hysterectomy - Abdominal

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Memorial York	118	⊙	3.0	\$8,644
Memorial/Towanda	4	NR	NR	NR
Mercy/Wilkes-Barre	79	⊙	2.9	\$12,611
Mid-Valley	0	NR	NR	NR
Milton S Hershey	259	⊙	2.4	\$8,814
Montrose General	0	NR	NR	NR
Moses Taylor	108	⊙	3.9	\$9,763
Mount Nittany	131	⊙	2.5	\$9,374
Muncy Valley	3	NR	NR	NR
Philipsburg Area	24	⊙	3.2	\$16,015
Pinnacle Health	608	⊙	2.8	\$11,866
Pocono	93	⊙	2.8	\$10,805
Robert Packer	51	⊙	2.7	\$8,989
Shamokin Area Community	3	NR	NR	NR
Soldiers & Sailors	55	⊙	2.5	\$9,836
Sunbury Community	9	⊙	2.5	\$6,587
Troy Community	6	⊙	3.3	\$8,597
Tyler Memorial	42	⊙	2.5	\$10,291
Wayne Memorial	79	⊙	3.6	\$12,043
Waynesboro	45	⊙	2.5	\$8,557
Williamsport	242	⊙	3.1	\$9,937
WVHCS	215	⊙	2.9	\$8,680
York	441	⊙	3.0	\$7,860
Central & Northeastern	4,833		2.8	\$10,264
TOTAL: Statewide	16,957		2.9	\$19,528

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Hysterectomy - Vaginal

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
Barnes Kasson County	1	NR	NR	NR	NR
Berwick	9	1.1	⊙	⊙	\$22,411
Bloomsburg	13	1.7	⊙	⊙	\$13,885
Bucktail	0	NR	NR	NR	NR
Carlisle Regional	37	2.2	⊙	⊙	\$20,823
Chambersburg	136	1.5	⊙	⊙	\$7,309
Community/Scranton	16	2.4	⊙	⊙	\$11,663
Ephrata Community	19	2.2	⊙	⊙	\$10,983
Evangelical Community	202	1.1	⊙	⊙	\$4,342
Fulton County	0	NR	NR	NR	NR
Geisinger Wyoming Valley	30	1.8	⊙	⊙	\$12,605
Geisinger/Danville	49	1.6	⊙	⊙	\$16,719
Gettysburg	40	2.3	⊙	⊙	\$8,873
Good Samaritan/Lebanon	25	2.1	⊙	⊙	\$10,556
Hanover	44	1.4	⊙	⊙	\$8,554
Hazleton General	39	1.9	⊙	⊙	\$10,901
Hazleton St Joseph	4	NR	NR	NR	NR
Heart of Lancaster	3	NR	NR	NR	NR
Holy Spirit	55	1.7	⊙	⊙	\$8,822
J C Blair Memorial	39	1.2	⊙	⊙	\$7,966
Jersey Shore	8	1.5	⊙	⊙	\$3,296
Lancaster General	105	2.0	⊙	⊙	\$10,655
Lancaster Regional	17	2.4	⊙	⊙	\$19,518
Lewistown	7	1.6	⊙	⊙	\$6,699
Lock Haven	19	1.6	⊙	⊙	\$5,626
Marian Community	0	NR	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Hysterectomy - Vaginal

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
Memorial York	31	1.8	⊖	⊖	\$7,513
Memorial/Towanda	24	2.0	⊖	⊖	\$11,033
Mercy/Wilkes-Barre	30	1.7	⊖	⊖	\$11,544
Mid-Valley	0	NR	NR	NR	NR
Milton S Hershey	126	1.5	⊖	⊖	\$8,851
Montrose General	0	NR	NR	NR	NR
Moses Taylor	5	2.5	⊖	⊖	NR
Mount Nittany	33	1.8	⊖	⊖	\$11,102
Muncy Valley	0	NR	NR	NR	NR
Philipsburg Area	0	NR	NR	NR	NR
Pinnacle Health	228	1.7	⊖	⊖	\$10,523
Pocono	40	1.8	⊖	⊖	\$10,429
Robert Packer	152	1.1	⊖	⊖	\$5,705
Shamokin Area Community	0	NR	NR	NR	NR
Soldiers & Sailors	24	1.3	⊖	⊖	\$15,680
Sunbury Community	5	1.8	⊖	⊖	\$7,133
Troy Community	0	NR	NR	NR	NR
Tyler Memorial	3	NR	NR	NR	NR
Wayne Memorial	17	2.8	⊖	⊖	\$9,579
Waynesboro	26	1.6	●	⊖	\$10,789
Williamsport	45	2.2	⊖	⊖	\$8,443
WVHCS	132	1.4	⊖	⊖	\$7,427
York	99	1.9	⊖	⊖	\$6,473
Central & Northeastern	1,954	1.6			\$9,004
TOTAL: Statewide	7,029	1.7			\$14,239

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Prostatectomy - Radical

Hospital	Cases	Length of Stay	Average Charge
Barnes Kasson County	0	NR	NR
Berwick	1	NR	NR
Bloomsburg	8	3.9	\$17,713
Bucktail	0	NR	NR
Carlisle Regional	6	4.2	NR
Chambersburg	43	3.0	\$12,325
Community/Scranton	6	3.9	\$12,761
Ephrata Community	22	2.9	\$13,998
Evangelical Community	40	3.1	\$7,119
Fulton County	0	NR	NR
Geisinger Wyoming Valley	2	NR	NR
Geisinger/Danville	33	2.9	\$19,846
Gettysburg	2	NR	NR
Good Samaritan/Lebanon	27	3.1	\$16,695
Hanover	6	3.0	\$17,239
Hazleton General	3	NR	NR
Hazleton St Joseph	1	NR	NR
Heart of Lancaster	3	NR	NR
Holy Spirit	30	3.6	\$13,440
J C Blair Memorial	2	NR	NR
Jersey Shore	0	NR	NR
Lancaster General	115	2.6	\$10,986
Lancaster Regional	23	3.5	\$27,013
Lewistown	17	3.1	\$7,785
Lock Haven	0	NR	NR
Marian Community	10	3.2	\$9,327

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.



# Prostatectomy - Radical

Hospital	Cases	Length of Stay	Average Charge
Memorial York	0	NR	NR
Memorial/Towanda	0	NR	NR
Mercy/Wilkes-Barre	21	3.6	\$20,591
Mid-Valley	0	NR	NR
Milton S Hershey	29	2.5	\$18,723
Montrose General	0	NR	NR
Moses Taylor	14	3.0	\$9,894
Mount Nittany	21	2.3	\$14,880
Muncy Valley	0	NR	NR
Philipsburg Area	0	NR	NR
Pinnacle Health	55	3.8	\$16,377
Pocono	10	3.3	\$14,083
Robert Packer	16	3.8	\$17,525
Shamokin Area Community	0	NR	NR
Soldiers & Sailors	0	NR	NR
Sunbury Community	3	NR	NR
Troy Community	0	NR	NR
Tyler Memorial	0	NR	NR
Wayne Memorial	1	NR	NR
Waynesboro	0	NR	NR
Williamsport	36	3.3	\$13,383
WVHCS	26	4.2	\$12,621
York	29	3.5	\$11,180
Central & Northeastern	703	3.2	\$14,656
TOTAL: Statewide	2,823	3.1	\$27,116

- Significantly higher than expected.
- ◉ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Prostatectomy - Transurethral

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Barnes Kasson County	0	NR	NR	NR
Berwick	5	⊕	1.9	NR
Bloomsburg	5	⊕	1.9	NR
Bucktail	0	NR	NR	NR
Carlisle Regional	32	⊕	2.8	\$16,968
Chambersburg	32	⊕	1.7	\$6,986
Community/Scranton	8	⊕	3.3	\$13,664
Ephrata Community	13	⊕	2.5	\$8,905
Evangelical Community	41	⊕	2.3	\$4,581
Fulton County	0	NR	NR	NR
Geisinger Wyoming Valley	11	●	3.5	\$11,415
Geisinger/Danville	40	⊕	1.7	\$11,760
Gettysburg	9	⊕	2.6	\$8,438
Good Samaritan/Lebanon	82	⊕	2.8	\$10,551
Hanover	9	⊕	4.8	\$13,143
Hazleton General	12	⊕	3.5	\$13,586
Hazleton St Joseph	11	⊕	2.8	\$9,902
Heart of Lancaster	7	⊕	2.5	\$15,879
Holy Spirit	36	⊕	3.1	\$8,855
J C Blair Memorial	1	NR	NR	NR
Jersey Shore	0	NR	NR	NR
Lancaster General	123	⊕	1.7	\$8,190
Lancaster Regional	15	⊕	2.6	\$12,939
Lewistown	3	NR	NR	NR
Lock Haven	4	NR	NR	NR
Marian Community	1	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊕ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Prostatectomy - Transurethral

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Memorial York	24	⊖	4.3	\$7,658
Memorial/Towanda	0	NR	NR	NR
Mercy/Wilkes-Barre	21	⊖	2.9	\$9,583
Mid-Valley	3	NR	NR	NR
Milton S Hershey	22	⊖	1.6	\$8,411
Montrose General	0	NR	NR	NR
Moses Taylor	6	⊖	4.1	\$11,528
Mount Nittany	19	⊖	2.4	\$8,274
Muncy Valley	0	NR	NR	NR
Philipsburg Area	0	NR	NR	NR
Pinnacle Health	91	⊖	2.9	\$8,755
Pocono	43	⊖	2.3	\$8,179
Robert Packer	22	⊖	1.6	\$6,291
Shamokin Area Community	23	⊖	4.3	\$7,660
Soldiers & Sailors	28	⊖	2.0	\$6,398
Sunbury Community	18	⊖	3.4	\$8,032
Troy Community	0	NR	NR	NR
Tyler Memorial	0	NR	NR	NR
Wayne Memorial	6	⊖	4.6	\$11,992
Waynesboro	1	NR	NR	NR
Williamsport	50	⊖	2.5	\$10,366
WVHCS	72	⊖	2.3	\$6,791
York	127	⊖	2.2	\$5,621
Central & Northeastern	1,095		2.5	\$8,681
TOTAL: Statewide	4,528		2.7	\$14,286

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

# Removal of Blockage of Neck Vessels

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	0	NR	NR	NR	NR	NR
Berwick	0	NR	NR	NR	NR	NR
Bloomsburg	0	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	48	⊙	2.5	⊙	⊙	\$31,704
Chambersburg	31	⊙	2.9	⊙	⊙	\$12,668
Community/Scranton	64	⊙	3.7	⊙	⊙	\$16,499
Ephrata Community	36	⊙	2.4	⊙	⊙	\$11,267
Evangelical Community	37	⊙	2.3	⊙	⊙	\$7,668
Fulton County	0	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	87	⊙	2.2	⊙	⊙	\$17,874
Geisinger/Danville	110	⊙	1.4	⊙	●	\$16,134
Gettysburg	0	NR	NR	NR	NR	NR
Good Samaritan/Lebanon	74	⊙	3.0	⊙	⊙	\$18,889
Hanover	42	⊙	2.4	⊙	⊙	\$12,769
Hazleton General	31	⊙	2.8	⊙	●	\$13,735
Hazleton St Joseph	18	⊙	2.4	⊙	⊙	\$11,603
Heart of Lancaster	3	NR	NR	NR	NR	NR
Holy Spirit	94	⊙	2.2	⊙	⊙	\$12,909
J C Blair Memorial	0	NR	NR	NR	NR	NR
Jersey Shore	0	NR	NR	NR	NR	NR
Lancaster General	136	⊙	2.7	⊙	⊙	\$13,781
Lancaster Regional	37	⊙	2.9	⊙	⊙	\$29,413
Lewistown	35	⊙	3.1	⊙	⊙	\$7,333
Lock Haven	1	NR	NR	NR	NR	NR
Marian Community	28	⊙	1.9	⊙	⊙	\$8,760

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

# Removal of Blockage of Neck Vessels

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	27	⊕	3.2	⊕	⊕	\$12,189
Memorial/Towanda	0	NR	NR	NR	NR	NR
Mercy/Wilkes-Barre	40	⊕	3.0	⊕	⊕	\$19,381
Mid-Valley	0	NR	NR	NR	NR	NR
Milton S Hershey	86	⊕	2.0	⊖	⊕	\$17,704
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	18	●	3.9	⊕	⊕	\$14,096
Mount Nittany	37	⊕	2.7	⊕	⊕	\$11,702
Muncy Valley	0	NR	NR	NR	NR	NR
Philipsburg Area	0	NR	NR	NR	NR	NR
Pinnacle Health	59	⊕	2.8	⊕	⊕	\$17,217
Pocono	83	⊕	1.8	⊕	⊕	\$12,049
Robert Packer	46	⊕	1.8	⊕	⊕	\$11,374
Shamokin Area Community	0	NR	NR	NR	NR	NR
Soldiers & Sailors	0	NR	NR	NR	NR	NR
Sunbury Community	1	NR	NR	NR	NR	NR
Troy Community	0	NR	NR	NR	NR	NR
Tyler Memorial	0	NR	NR	NR	NR	NR
Wayne Memorial	1	NR	NR	NR	NR	NR
Waynesboro	1	NR	NR	NR	NR	NR
Williamsport	102	⊕	1.8	⊕	⊕	\$10,374
WVHCS	101	⊕	3.0	⊕	⊕	\$14,862
York	146	⊕	1.9	⊕	⊕	\$8,295
Central & Northeastern	1,737		2.4			\$14,502
TOTAL: Statewide	6,765		2.5			\$22,998

- Significantly higher than expected.
- ⊕ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.







## **Pennsylvania Health Care Cost Containment Council**

**Marc P. Volavka, Executive Director**  
**225 Market Street, Suite 400**  
**Harrisburg, PA 17101**  
**Phone: 717-232-6787**  
**Fax: 717-232-3821**  
**[www.phc4.org](http://www.phc4.org)**

Hospitals may have commented on this report.  
Copies of their comments are available on the PHC4 Web site or by request.