

Abnormal Heartbeat

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|-------------|--------------|-------------------------|
| Statewide | 37,045 | 0.9% | 14.3% | \$43,683 |
| Central & Northeastern | 9,739 | 1.2% | 13.1% | \$35,612 |
| Barnes-Kasson County | 2 | NR | NR | NR |
| Berwick | 34 | ⊖ | ⊖ | \$63,296 |
| Bucktail | 0 | NR | NR | NR |
| Chambersburg | 398 | ⊖ | ⊖ | \$37,615 |
| Endless Mountains | 10 | ● | ⊖ | \$8,662 |
| Ephrata Community | 187 | ● | ⊖ | \$36,229 |
| Evangelical Community | 193 | ⊖ | ⊖ | \$24,257 |
| Fulton County | 26 | ⊖ | ⊖ | \$26,571 |
| Geisinger Bloomsburg | 41 | ⊖ | ⊖ | \$29,513 |
| Geisinger Community | 310 | ⊖ | ⊖ | \$48,270 |
| Geisinger Danville | 522 | ⊖ | ⊖ | \$41,972 |
| Geisinger Jersey Shore | 16 | ⊖ | ⊖ | \$18,411 |
| Geisinger Lewistown | 135 | ⊖ | ⊖ | \$22,983 |
| Geisinger Wyoming Valley | 429 | ⊖ | ⊖ | \$59,394 |
| Gettysburg | 146 | ⊖ | ⊖ | \$28,504 |
| Good Samaritan Lebanon | 219 | ⊖ | ⊖ | \$29,210 |
| Guthrie Towanda Memorial | 11 | ⊖ | ⊖ | \$28,437 |
| Holy Spirit | 340 | ⊖ | ⊖ | \$32,865 |
| JC Blair Memorial | 59 | ⊖ | ⊖ | \$17,592 |
| Lancaster General | 797 | ⊖ | ⊖ | \$35,774 |
| Lehigh Valley Hazleton | 152 | ⊖ | ⊖ | \$31,400 |

Abnormal Heartbeat

Includes abnormalities in the heart rate (how fast or slow the heart beats) and/or the heart rhythm (how regular/steady the heart beats). Common examples include tachycardia (too fast), bradycardia (too slow) and atrial fibrillation (too fast and irregular).

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- ⊖ Rate was significantly lower than expected.
- ⊖ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Abnormal Heartbeat

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-------------------------|-----------------------|-----------|-------------|-------------------------|
| Lehigh Valley Pocono | 274 | ○ | ○ | \$35,233 |
| Lock Haven | 16 | ● | ○ | \$52,773 |
| Milton S Hershey | 392 | ○ | ○ | \$39,960 |
| Moses Taylor | 78 | ○ | ○ | \$59,220 |
| Mount Nittany | 400 | ○ | ○ | \$26,911 |
| Muncy Valley | 7 | ○ | ○ | \$16,986 |
| Regional Scranton | 405 | ● | ● | \$46,039 |
| Robert Packer | 632 | ○ | ○ | \$23,072 |
| Soldiers & Sailors | 48 | ○ | ○ | \$19,999 |
| Sunbury Community | 22 | ○ | ○ | \$40,813 |
| Troy Community | 6 | ○ | ○ | \$10,509 |
| Tyler Memorial | 16 | ○ | ○ | \$23,252 |
| UPMC Pinnacle Carlisle | 93 | ○ | ○ | \$40,365 |
| UPMC Pinnacle Hanover | 224 | ○ | ○ | \$29,386 |
| UPMC Pinnacle Hospitals | 926 | ○ | ○ | \$25,732 |
| UPMC Pinnacle Lancaster | 65 | ○ | ○ | \$51,403 |
| UPMC Pinnacle Lititz | 51 | ○ | ○ | \$43,446 |
| UPMC Pinnacle Memorial | 109 | ○ | ○ | \$35,485 |
| Wayne Memorial | 112 | ○ | ○ | \$29,873 |
| Waynesboro | 42 | ○ | ● | \$32,486 |
| Wilkes-Barre General | 441 | ● | ○ | \$66,769 |
| Williamsport Regional | 346 | ○ | ○ | \$26,955 |
| York | 974 | ○ | ○ | \$29,891 |

Abnormal Heartbeat

Includes abnormalities in the heart rate (how fast or slow the heart beats) and/or the heart rhythm (how regular/steady the heart beats). Common examples include tachycardia (too fast), bradycardia (too slow) and atrial fibrillation (too fast and irregular).

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Chest Pain

| Hospital | Total Number of Cases | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|--------------|-------------------------|
| Statewide | 5,384 | 13.1% | \$25,097 |
| Central & Northeastern | 1,325 | 10.4% | \$19,860 |
| Barnes-Kasson County | 16 | ⊖ | \$4,440 |
| Berwick | 2 | NR | NR |
| Bucktail | 0 | NR | NR |
| Chambersburg | 22 | ⊖ | \$18,662 |
| Endless Mountains | 11 | ⊖ | \$8,832 |
| Ephrata Community | 14 | ⊖ | \$22,869 |
| Evangelical Community | 15 | ⊖ | \$18,729 |
| Fulton County | 3 | NR | NR |
| Geisinger Bloomsburg | 4 | NR | NR |
| Geisinger Community | 89 | ⊖ | \$23,640 |
| Geisinger Danville | 87 | ⊖ | \$20,645 |
| Geisinger Jersey Shore | 6 | ⊖ | \$11,636 |
| Geisinger Lewistown | 28 | ⊖ | \$16,093 |
| Geisinger Wyoming Valley | 104 | ⊖ | \$28,854 |
| Gettysburg | 7 | ⊖ | \$15,440 |
| Good Samaritan Lebanon | 20 | ⊖ | \$14,834 |
| Guthrie Towanda Memorial | 0 | NR | NR |
| Holy Spirit | 56 | ⊖ | \$19,351 |
| JC Blair Memorial | 11 | ⊖ | \$9,860 |
| Lancaster General | 16 | ⊖ | \$21,529 |
| Lehigh Valley Hazleton | 30 | ⊖ | \$20,197 |

Chest Pain

Pain in the chest that is usually not related to the heart (non-cardiac chest pain). Common causes for this type of chest pain include gastric reflux (“heartburn”), pleurisy (inflammation of the membrane around the lungs) and problems with the ribs and muscles of the chest.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital’s actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- ⊖ Rate was significantly lower than expected.
- ⊕ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Mortality ratings were not reported for Chest Pain because the number of mortalities statewide was less than 10.

Potentially planned readmissions were excluded from the readmission analysis.

Chest Pain

| Hospital | Total Number of Cases | Readmission | Average Hospital Charge |
|-------------------------|-----------------------|-------------|-------------------------|
| Lehigh Valley Pocono | 43 | ⊖ | \$26,455 |
| Lock Haven | 0 | NR | NR |
| Milton S Hershey | 34 | ⊖ | \$16,033 |
| Moses Taylor | 19 | ⊖ | \$24,801 |
| Mount Nittany | 85 | ○ | \$16,023 |
| Muncy Valley | 1 | NR | NR |
| Regional Scranton | 104 | ⊖ | \$19,448 |
| Robert Packer | 90 | ⊖ | \$15,342 |
| Soldiers & Sailors | 1 | NR | NR |
| Sunbury Community | 3 | NR | NR |
| Troy Community | 1 | NR | NR |
| Tyler Memorial | 2 | NR | NR |
| UPMC Pinnacle Carlisle | 4 | NR | NR |
| UPMC Pinnacle Hanover | 14 | ⊖ | \$15,871 |
| UPMC Pinnacle Hospitals | 95 | ⊖ | \$16,522 |
| UPMC Pinnacle Lancaster | 6 | ⊖ | NR |
| UPMC Pinnacle Lititz | 1 | NR | NR |
| UPMC Pinnacle Memorial | 26 | ⊖ | \$16,362 |
| Wayne Memorial | 9 | ⊖ | \$18,228 |
| Waynesboro | 4 | NR | NR |
| Wilkes-Barre General | 87 | ⊖ | \$29,492 |
| Williamsport Regional | 35 | ⊖ | \$15,876 |
| York | 106 | ⊖ | \$16,543 |

Chest Pain

Pain in the chest that is usually not related to the heart (non-cardiac chest pain). Common causes for this type of chest pain include gastric reflux (“heartburn”), pleurisy (inflammation of the membrane around the lungs) and problems with the ribs and muscles of the chest.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital’s actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊖ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Mortality ratings were not reported for Chest Pain because the number of mortalities statewide was less than 10.

Potentially planned readmissions were excluded from the readmission analysis.

Chronic Obstructive Pulmonary Disease (COPD)

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge | COPD |
|-----------------------------------|-----------------------|-------------|--------------|-------------------------|--|
| Statewide | 34,381 | 0.6% | 19.8% | \$32,941 | |
| Central & Northeastern | 8,175 | 0.6% | 18.3% | \$29,036 | |
| Barnes-Kasson County | 60 | ○ | ○ | \$10,980 | <p>Potentially planned readmissions were excluded from the readmission analysis.</p> |
| Berwick | 60 | ○ | ○ | \$46,986 | |
| Bucktail | 12 | ○ | ○ | \$7,743 | |
| Chambersburg | 214 | ○ | ○ | \$19,259 | |
| Endless Mountains | 52 | ○ | ○ | \$6,959 | |
| Ephrata Community | 234 | ○ | ○ | \$31,948 | |
| Evangelical Community | 69 | ○ | ○ | \$20,772 | |
| Fulton County | 54 | ○ | ○ | \$19,430 | |
| Geisinger Bloomsburg | 66 | ○ | ○ | \$28,131 | |
| Geisinger Community | 349 | ○ | ○ | \$40,389 | |
| Geisinger Danville | 396 | ○ | ○ | \$41,894 | |
| Geisinger Jersey Shore | 61 | ○ | ○ | \$15,740 | |
| Geisinger Lewistown | 153 | ○ | ○ | \$23,136 | |
| Geisinger Wyoming Valley | 520 | ○ | ○ | \$40,156 | |
| Gettysburg | 127 | ○ | ○ | \$21,791 | |
| Good Samaritan Lebanon | 307 | ○ | ○ | \$21,960 | |
| Guthrie Towanda Memorial | 40 | ○ | ○ | \$19,078 | |
| Holy Spirit | 301 | ○ | ○ | \$28,097 | |
| JC Blair Memorial | 80 | ○ | ○ | \$13,351 | |
| Lancaster General | 262 | ○ | ○ | \$23,925 | |
| Lehigh Valley Hazleton | 269 | ○ | ○ | \$27,187 | |

Chronic Obstructive Pulmonary Disease (COPD)

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge | COPD |
|-------------------------|-----------------------|-----------|-------------|-------------------------|------|
| Lehigh Valley Pocono | 316 | ⊖ | ⊖ | \$28,992 | |
| Lock Haven | 54 | ⊖ | ⊖ | \$44,959 | |
| Milton S Hershey | 184 | ⊖ | ⊖ | \$29,523 | |
| Moses Taylor | 163 | ⊖ | ⊖ | \$43,991 | |
| Mount Nittany | 245 | ⊖ | ⊖ | \$31,928 | |
| Muncy Valley | 33 | ⊖ | ⊖ | \$14,072 | |
| Regional Scranton | 306 | ⊖ | ⊖ | \$36,198 | |
| Robert Packer | 255 | ⊖ | ⊖ | \$24,628 | |
| Soldiers & Sailors | 133 | ⊖ | ○ | \$19,551 | |
| Sunbury Community | 132 | ⊖ | ⊖ | \$32,666 | |
| Troy Community | 42 | ⊖ | ⊖ | \$16,193 | |
| Tyler Memorial | 40 | ⊖ | ⊖ | \$28,881 | |
| UPMC Pinnacle Carlisle | 96 | ⊖ | ⊖ | \$27,412 | |
| UPMC Pinnacle Hanover | 269 | ⊖ | ⊖ | \$26,224 | |
| UPMC Pinnacle Hospitals | 503 | ⊖ | ⊖ | \$23,387 | |
| UPMC Pinnacle Lancaster | 78 | ⊖ | ⊖ | \$38,009 | |
| UPMC Pinnacle Lititz | 34 | ⊖ | ⊖ | \$24,476 | |
| UPMC Pinnacle Memorial | 185 | ⊖ | ⊖ | \$18,067 | |
| Wayne Memorial | 84 | ⊖ | ⊖ | \$17,022 | |
| Waynesboro | 97 | ⊖ | ⊖ | \$16,651 | |
| Wilkes-Barre General | 429 | ⊖ | ⊖ | \$45,910 | |
| Williamsport Regional | 161 | ⊖ | ⊖ | \$17,755 | |
| York | 611 | ● | ⊖ | \$20,457 | |

COPD

Group of chronic respiratory diseases with persistent inflammation and damage leading to reduced airflow in the lungs. Included are common diseases such as emphysema and chronic obstructive bronchitis as well as chronic obstructive asthma.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊖ Rate was not significantly different than expected.
- Rate was significantly higher than expected.

NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Colorectal Procedures

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge | Colorectal Procedures |
|-----------------------------------|-----------------------|-------------|--------------|-------------------------|---|
| Statewide | 11,848 | 1.6% | 12.1% | \$93,096 | |
| Central & Northeastern | 3,267 | 1.9% | 11.5% | \$77,611 | |
| Barnes-Kasson County | 3 | NR | NR | NR | <p>Understanding the Symbols</p> <p>The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).</p> <ul style="list-style-type: none"> ○ Rate was significantly lower than expected. ◉ Rate was not significantly different than expected. ● Rate was significantly higher than expected. <p>NR Not reported. Too few cases after exclusions.</p> |
| Berwick | 7 | ○ | ○ | \$178,962 | |
| Bucktail | 0 | NR | NR | NR | |
| Chambersburg | 89 | ○ | ○ | \$45,094 | |
| Endless Mountains | 0 | NR | NR | NR | |
| Ephrata Community | 38 | ○ | ○ | \$62,780 | |
| Evangelical Community | 44 | ○ | ● | \$46,770 | |
| Fulton County | 0 | NR | NR | NR | |
| Geisinger Bloomsburg | 13 | ○ | ○ | \$54,946 | |
| Geisinger Community | 174 | ○ | ○ | \$96,471 | |
| Geisinger Danville | 334 | ○ | ● | \$127,394 | |
| Geisinger Jersey Shore | 4 | NR | NR | NR | |
| Geisinger Lewistown | 42 | ○ | ● | \$35,097 | |
| Geisinger Wyoming Valley | 154 | ○ | ○ | \$135,188 | |
| Gettysburg | 67 | ○ | ○ | \$69,932 | |
| Good Samaritan Lebanon | 84 | ○ | ○ | \$61,324 | |
| Guthrie Towanda Memorial | 0 | NR | NR | NR | |
| Holy Spirit | 60 | ○ | ○ | \$64,414 | |
| JC Blair Memorial | 11 | ○ | ○ | \$45,557 | |
| Lancaster General | 293 | ○ | ○ | \$49,482 | |
| Lehigh Valley Hazleton | 49 | ○ | ○ | \$78,081 | |

Potentially planned readmissions were excluded from the readmission analysis.

Colorectal Procedures

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge | Colorectal Procedures |
|-------------------------|-----------------------|-----------|-------------|-------------------------|-----------------------|
| Lehigh Valley Pocono | 64 | ⊖ | ⊖ | \$84,103 | |
| Lock Haven | 6 | ⊖ | ⊖ | \$136,473 | |
| Milton S Hershey | 355 | ⊖ | ○ | \$72,459 | |
| Moses Taylor | 48 | ● | ⊖ | \$124,699 | |
| Mount Nittany | 47 | ⊖ | ⊖ | \$64,985 | |
| Muncy Valley | 0 | NR | NR | NR | |
| Regional Scranton | 61 | ● | ⊖ | \$103,035 | |
| Robert Packer | 167 | ⊖ | ⊖ | \$65,715 | |
| Soldiers & Sailors | 11 | ⊖ | ⊖ | \$58,674 | |
| Sunbury Community | 10 | ⊖ | ⊖ | \$69,607 | |
| Troy Community | 4 | NR | NR | NR | |
| Tyler Memorial | 2 | NR | NR | NR | |
| UPMC Pinnacle Carlisle | 31 | ⊖ | ⊖ | \$119,824 | |
| UPMC Pinnacle Hanover | 49 | ⊖ | ⊖ | \$49,671 | |
| UPMC Pinnacle Hospitals | 328 | ⊖ | ⊖ | \$40,303 | |
| UPMC Pinnacle Lancaster | 24 | ⊖ | ⊖ | \$106,861 | |
| UPMC Pinnacle Lititz | 16 | ⊖ | ⊖ | \$103,508 | |
| UPMC Pinnacle Memorial | 39 | ● | ⊖ | \$44,877 | |
| Wayne Memorial | 20 | ⊖ | ⊖ | \$40,266 | |
| Waynesboro | 11 | ⊖ | ⊖ | \$55,553 | |
| Wilkes-Barre General | 158 | ⊖ | ⊖ | \$112,325 | |
| Williamsport Regional | 69 | ⊖ | ⊖ | \$68,543 | |
| York | 275 | ⊖ | ● | \$72,433 | |

Potentially planned readmissions were excluded from the readmission analysis.

Diabetes – Medical Management

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|-------------|--------------|-------------------------|
| Statewide | 17,642 | 0.5% | 20.4% | \$31,258 |
| Central & Northeastern | 4,334 | 0.5% | 21.0% | \$23,705 |
| Barnes-Kasson County | 18 | ⊙ | ⊙ | \$7,822 |
| Berwick | 25 | ⊙ | ⊙ | \$36,925 |
| Bucktail | 1 | NR | NR | NR |
| Chambersburg | 171 | ⊙ | ⊙ | \$17,467 |
| Endless Mountains | 0 | NR | NR | NR |
| Ephrata Community | 66 | ⊙ | ⊙ | \$24,058 |
| Evangelical Community | 66 | ⊙ | ⊙ | \$18,836 |
| Fulton County | 19 | ⊙ | ⊙ | \$18,732 |
| Geisinger Bloomsburg | 26 | ⊙ | ● | \$22,128 |
| Geisinger Community | 161 | ⊙ | ● | \$31,021 |
| Geisinger Danville | 230 | ⊙ | ⊙ | \$39,265 |
| Geisinger Jersey Shore | 9 | ⊙ | ● | \$11,114 |
| Geisinger Lewistown | 88 | ⊙ | ⊙ | \$19,684 |
| Geisinger Wyoming Valley | 267 | ⊙ | ⊙ | \$39,185 |
| Gettysburg | 75 | ⊙ | ⊙ | \$16,641 |
| Good Samaritan Lebanon | 81 | ⊙ | ⊙ | \$14,393 |
| Guthrie Towanda Memorial | 3 | NR | NR | NR |
| Holy Spirit | 146 | ⊙ | ⊙ | \$25,703 |
| JC Blair Memorial | 38 | ⊙ | ⊙ | \$9,238 |
| Lancaster General | 308 | ⊙ | ⊙ | \$21,359 |
| Lehigh Valley Hazleton | 73 | ⊙ | ⊙ | \$21,083 |

Diabetes – Medical Management

The body is unable to make enough insulin or it does not use the insulin properly. Diabetes can lead to acute complications such as a coma from too much or too little glucose (blood sugar) and long-term complications such as kidney disease and damage to blood vessels and nerves.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- ⊙ Rate was significantly lower than expected.
- ⊙ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Diabetes – Medical Management

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge | Diabetes – Medical Management |
|-------------------------|-----------------------|-----------|-------------|-------------------------|-------------------------------|
| Lehigh Valley Pocono | 153 | ⊖ | ⊖ | \$28,057 | |
| Lock Haven | 25 | ⊖ | ⊖ | \$32,183 | |
| Milton S Hershey | 197 | ⊖ | ⊖ | \$23,922 | |
| Moses Taylor | 94 | ⊖ | ⊖ | \$37,411 | |
| Mount Nittany | 143 | ⊖ | ⊖ | \$20,265 | |
| Muncy Valley | 10 | ⊖ | ⊖ | \$10,984 | |
| Regional Scranton | 87 | ⊖ | ● | \$33,295 | |
| Robert Packer | 164 | ⊖ | ⊖ | \$22,992 | |
| Soldiers & Sailors | 22 | ⊖ | ⊖ | \$9,821 | |
| Sunbury Community | 14 | ⊖ | ⊖ | \$14,372 | |
| Troy Community | 23 | ⊖ | ⊖ | \$10,949 | |
| Tyler Memorial | 4 | NR | NR | NR | |
| UPMC Pinnacle Carlisle | 69 | ● | ⊖ | \$25,757 | |
| UPMC Pinnacle Hanover | 109 | ● | ⊖ | \$19,915 | |
| UPMC Pinnacle Hospitals | 517 | ⊖ | ⊖ | \$17,742 | |
| UPMC Pinnacle Lancaster | 35 | ⊖ | ⊖ | \$29,645 | |
| UPMC Pinnacle Lititz | 14 | ⊖ | ⊖ | \$25,682 | |
| UPMC Pinnacle Memorial | 75 | ⊖ | ⊖ | \$18,921 | |
| Wayne Memorial | 56 | ⊖ | ⊖ | \$15,346 | |
| Waynesboro | 46 | ⊖ | ⊖ | \$15,683 | |
| Wilkes-Barre General | 146 | ⊖ | ⊖ | \$31,572 | |
| Williamsport Regional | 103 | ⊖ | ⊖ | \$17,521 | |
| York | 332 | ⊖ | ⊖ | \$17,829 | |

Gallbladder Removal – Laparoscopic

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|-------------|-------------|-------------------------|
| Statewide | 9,436 | 0.2% | 6.4% | \$53,624 |
| Central & Northeastern | 2,529 | 0.2% | 6.7% | \$48,905 |
| Barnes-Kasson County | 2 | NR | NR | NR |
| Berwick | 14 | ⊙ | ⊙ | \$109,322 |
| Bucktail | 0 | NR | NR | NR |
| Chambersburg | 104 | ⊙ | ⊙ | \$32,098 |
| Endless Mountains | 0 | NR | NR | NR |
| Ephrata Community | 58 | ⊙ | ⊙ | \$43,534 |
| Evangelical Community | 15 | ⊙ | ⊙ | \$33,276 |
| Fulton County | 1 | NR | NR | NR |
| Geisinger Bloomsburg | 16 | ⊙ | ⊙ | \$40,668 |
| Geisinger Community | 117 | ⊙ | ⊙ | \$60,782 |
| Geisinger Danville | 218 | ⊙ | ⊙ | \$83,737 |
| Geisinger Jersey Shore | 2 | NR | NR | NR |
| Geisinger Lewistown | 31 | ⊙ | ⊙ | \$27,449 |
| Geisinger Wyoming Valley | 107 | ⊙ | ⊙ | \$76,852 |
| Gettysburg | 28 | ⊙ | ⊙ | \$31,063 |
| Good Samaritan Lebanon | 65 | ⊙ | ⊙ | \$39,202 |
| Guthrie Towanda Memorial | 0 | NR | NR | NR |
| Holy Spirit | 60 | ⊙ | ⊙ | \$41,959 |
| JC Blair Memorial | 14 | ⊙ | ⊙ | \$21,514 |
| Lancaster General | 237 | ⊙ | ⊙ | \$38,265 |
| Lehigh Valley Hazleton | 68 | ⊙ | ⊙ | \$44,662 |

Gallbladder Removal – Laparoscopic

Removal of the gallbladder using several small incisions and a laparoscope (small camera on the end of an instrument) inserted into the abdomen. This type of procedure is sometimes referred to as “minimally invasive” surgery. Common reasons for laparoscopic gallbladder removal include cholelithiasis (stones in the gallbladder) and cholecystitis (inflammation of the gallbladder).

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊙ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Gallbladder Removal – Laparoscopic

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-------------------------|-----------------------|-----------|-------------|-------------------------|
| Lehigh Valley Pocono | 68 | ⊖ | ⊖ | \$44,152 |
| Lock Haven | 7 | ⊖ | ⊖ | \$125,161 |
| Milton S Hershey | 100 | ⊖ | ⊖ | \$50,998 |
| Moses Taylor | 52 | ⊖ | ⊖ | \$82,269 |
| Mount Nittany | 129 | ⊖ | ⊖ | \$40,871 |
| Muncy Valley | 1 | NR | NR | NR |
| Regional Scranton | 49 | ⊖ | ⊖ | \$78,193 |
| Robert Packer | 72 | ⊖ | ⊖ | \$37,855 |
| Soldiers & Sailors | 8 | ⊖ | ⊖ | \$29,618 |
| Sunbury Community | 3 | NR | NR | NR |
| Troy Community | 1 | NR | NR | NR |
| Tyler Memorial | 5 | ⊖ | ⊖ | \$79,378 |
| UPMC Pinnacle Carlisle | 37 | ⊖ | ⊖ | \$59,983 |
| UPMC Pinnacle Hanover | 39 | ⊖ | ⊖ | \$35,132 |
| UPMC Pinnacle Hospitals | 239 | ⊖ | ⊖ | \$24,041 |
| UPMC Pinnacle Lancaster | 14 | ⊖ | ⊖ | \$64,941 |
| UPMC Pinnacle Lititz | 13 | ⊖ | ⊖ | \$60,713 |
| UPMC Pinnacle Memorial | 73 | ⊖ | ⊖ | \$29,701 |
| Wayne Memorial | 22 | ⊖ | ⊖ | \$35,420 |
| Waynesboro | 15 | ⊖ | ⊖ | \$36,147 |
| Wilkes-Barre General | 94 | ⊖ | ⊖ | \$78,528 |
| Williamsport Regional | 89 | ⊖ | ⊖ | \$44,133 |
| York | 224 | ⊖ | ⊖ | \$40,130 |

Gallbladder Removal – Laparoscopic

Removal of the gallbladder using several small incisions and a laparoscope (small camera on the end of an instrument) inserted into the abdomen. This type of procedure is sometimes referred to as “minimally invasive” surgery. Common reasons for laparoscopic gallbladder removal include cholelithiasis (stones in the gallbladder) and cholecystitis (inflammation of the gallbladder).

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- ⊖ Rate was significantly lower than expected.
- ⊕ Rate was not significantly different than expected.
- Rate was significantly higher than expected.

NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Heart Attack – Angioplasty/Stent

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|-------------|-------------|-------------------------|
| Statewide | 13,945 | 1.6% | 9.5% | \$94,612 |
| Central & Northeastern | 3,952 | 1.3% | 9.3% | \$81,509 |
| Barnes-Kasson County | 0 | NR | NR | NR |
| Berwick | 0 | NR | NR | NR |
| Bucktail | 0 | NR | NR | NR |
| Chambersburg | 182 | ⊙ | ⊙ | \$60,975 |
| Endless Mountains | 0 | NR | NR | NR |
| Ephrata Community | 70 | ⊙ | ⊙ | \$84,828 |
| Evangelical Community | 74 | ⊙ | ⊙ | \$71,018 |
| Fulton County | 0 | NR | NR | NR |
| Geisinger Bloomsburg | 0 | NR | NR | NR |
| Geisinger Community | 142 | ⊙ | ⊙ | \$79,633 |
| Geisinger Danville | 357 | ⊙ | ⊙ | \$115,969 |
| Geisinger Jersey Shore | 0 | NR | NR | NR |
| Geisinger Lewistown | 0 | NR | NR | NR |
| Geisinger Wyoming Valley | 162 | ⊙ | ⊙ | \$128,501 |
| Gettysburg | 0 | NR | NR | NR |
| Good Samaritan Lebanon | 143 | ⊙ | ⊙ | \$64,078 |
| Guthrie Towanda Memorial | 0 | NR | NR | NR |
| Holy Spirit | 142 | ● | ⊙ | \$55,792 |
| JC Blair Memorial [†] | 12 | ⊙ | ● | \$51,109 |
| Lancaster General | 370 | ⊙ | ⊙ | \$71,276 |
| Lehigh Valley Hazleton | 0 | NR | NR | NR |

[†] The data shown for this hospital is not representative of a full year; this facility began performing these procedures in July 2017.

Heart Attack – Angioplasty/Stent

Procedures are used to open narrowed or blocked coronary (heart) arteries to restore blood flow to the heart muscle by inserting a catheter (thin tube) through the skin of the upper thigh or arm. An angioplasty is performed by inflating a small balloon at the end of the catheter to widen the narrowed or blocked area in the artery. Angioplasty procedures are often combined with the placement of a stent (permanent metallic mesh tube) to prevent the artery from narrowing again. Only patients who had a myocardial infarction (heart attack) are included.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊙ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Heart Attack – Angioplasty/Stent

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-------------------------|-----------------------|-----------|-------------|-------------------------|
| Lehigh Valley Pocono | 133 | ⊖ | ⊖ | \$78,457 |
| Lock Haven | 0 | NR | NR | NR |
| Milton S Hershey | 162 | ⊖ | ⊖ | \$81,814 |
| Moses Taylor | 1 | NR | NR | NR |
| Mount Nittany | 130 | ⊖ | ⊖ | \$67,728 |
| Muncy Valley | 0 | NR | NR | NR |
| Regional Scranton | 183 | ⊖ | ⊖ | \$108,701 |
| Robert Packer | 249 | ⊖ | ⊖ | \$36,684 |
| Soldiers & Sailors | 0 | NR | NR | NR |
| Sunbury Community | 0 | NR | NR | NR |
| Troy Community | 0 | NR | NR | NR |
| Tyler Memorial | 0 | NR | NR | NR |
| UPMC Pinnacle Carlisle | 0 | NR | NR | NR |
| UPMC Pinnacle Hanover | 82 | ⊖ | ⊖ | \$59,861 |
| UPMC Pinnacle Hospitals | 361 | ⊖ | ⊖ | \$58,385 |
| UPMC Pinnacle Lancaster | 56 | ⊖ | ⊖ | \$118,504 |
| UPMC Pinnacle Lititz | 0 | NR | NR | NR |
| UPMC Pinnacle Memorial | 71 | ⊖ | ⊖ | \$71,414 |
| Wayne Memorial | 59 | ⊖ | ⊖ | \$122,740 |
| Waynesboro | 0 | NR | NR | NR |
| Wilkes-Barre General | 145 | ⊖ | ⊖ | \$173,107 |
| Williamsport Regional | 213 | ⊖ | ⊖ | \$76,323 |
| York | 430 | ⊖ | ⊖ | \$74,840 |

Heart Attack – Angioplasty/Stent

Procedures are used to open narrowed or blocked coronary (heart) arteries to restore blood flow to the heart muscle by inserting a catheter (thin tube) through the skin of the upper thigh or arm. An angioplasty is performed by inflating a small balloon at the end of the catheter to widen the narrowed or blocked area in the artery. Angioplasty procedures are often combined with the placement of a stent (permanent metallic mesh tube) to prevent the artery from narrowing again. Only patients who had a myocardial infarction (heart attack) are included.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- ⊖ Rate was significantly lower than expected.
- ⊖ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Heart Attack – Medical Management

| Hospital | Total Number of Cases | Transfer to Acute Care | Mortality | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|------------------------|-------------|--------------|-------------------------|
| Statewide | 10,855 | 16.9% | 7.6% | 17.7% | \$42,058 |
| Central & Northeastern | 3,153 | 15.0% | 7.4% | 16.1% | \$34,506 |
| Barnes-Kasson County | 2 | NR | NR | NR | NR |
| Berwick | 17 | 30.4% | ⊙ | ⊙ | \$44,654 |
| Bucktail | 0 | NR | NR | NR | NR |
| Chambersburg* | 208 | 18.6% | ⊙ | ○ | \$28,033 |
| Endless Mountains | 2 | NR | NR | NR | NR |
| Ephrata Community* | 39 | 31.4% | ⊙ | ⊙ | \$37,690 |
| Evangelical Community* | 71 | 39.8% | ⊙ | ⊙ | \$25,193 |
| Fulton County | 1 | NR | NR | NR | NR |
| Geisinger Bloomsburg | 1 | NR | NR | NR | NR |
| Geisinger Community* | 103 | 2.1% | ⊙ | ⊙ | \$48,160 |
| Geisinger Danville* | 255 | 0.8% | ⊙ | ⊙ | \$57,539 |
| Geisinger Jersey Shore | 2 | NR | NR | NR | NR |
| Geisinger Lewistown | 25 | 56.0% | ⊙ | ⊙ | \$19,251 |
| Geisinger Wyoming Valley* | 76 | 1.4% | ⊙ | ⊙ | \$54,628 |
| Gettysburg | 21 | 67.9% | ⊙ | ⊙ | \$19,303 |
| Good Samaritan Lebanon* | 90 | 7.9% | ⊙ | ⊙ | \$28,660 |
| Guthrie Towanda Memorial | 2 | NR | NR | NR | NR |
| Holy Spirit* | 101 | 0.0% | ⊙ | ⊙ | \$29,840 |
| JC Blair Memorial [†] | 20 | 10.5% | ⊙ | ⊙ | \$11,229 |
| Lancaster General* | 310 | 0.3% | ⊙ | ⊙ | \$32,134 |
| Lehigh Valley Hazleton | 69 | 46.2% | ⊙ | ⊙ | \$27,702 |

[†] This facility began performing advanced cardiac services effective July 2017.

Heart Attack – Medical Management

Occurs when there is blockage or obstruction in a blood vessel (coronary artery) causing damage or death to an area of the heart (myocardial infarction). Patients who are treated with a balloon (angioplasty)/stent procedure or open heart surgery are not included.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊙ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

Potentially planned readmissions were excluded from the readmission analysis.

Heart Attack – Medical Management

| Hospital | Total Number of Cases | Transfer to Acute Care | Mortality | Readmission | Average Hospital Charge |
|--------------------------|-----------------------|------------------------|-----------|-------------|-------------------------|
| Lehigh Valley Pocono* | 106 | 5.7% | ⊙ | ⊙ | \$40,275 |
| Lock Haven | 17 | 23.8% | ⊙ | ⊙ | \$45,157 |
| Milton S Hershey* | 153 | 0.7% | ⊙ | ⊙ | \$34,461 |
| Moses Taylor | 15 | 50.0% | ⊙ | ⊙ | \$42,869 |
| Mount Nittany* | 85 | 32.5% | ⊙ | ⊙ | \$32,200 |
| Muncy Valley | 6 | 14.3% | ⊙ | ⊙ | \$12,879 |
| Regional Scranton* | 116 | 1.8% | ⊙ | ⊙ | \$42,914 |
| Robert Packer* | 172 | 1.2% | ⊙ | ⊙ | \$26,948 |
| Soldiers & Sailors | 20 | 35.7% | ⊙ | ⊙ | \$17,466 |
| Sunbury Community | 9 | 33.3% | ⊙ | ⊙ | \$48,435 |
| Troy Community | 9 | 30.8% | ⊙ | ⊙ | \$12,125 |
| Tyler Memorial | 0 | NR | NR | NR | NR |
| UPMC Pinnacle Carlisle | 21 | 72.1% | ● | ⊙ | \$32,379 |
| UPMC Pinnacle Hanover* | 70 | 29.9% | ● | ⊙ | \$24,024 |
| UPMC Pinnacle Hospitals* | 209 | 1.5% | ⊙ | ⊙ | \$30,901 |
| UPMC Pinnacle Lancaster* | 30 | 0.0% | ⊙ | ⊙ | \$39,840 |
| UPMC Pinnacle Lititz | 9 | 53.3% | ⊙ | ⊙ | \$32,561 |
| UPMC Pinnacle Memorial* | 74 | 17.2% | ⊙ | ⊙ | \$28,033 |
| Wayne Memorial* | 46 | 10.0% | ⊙ | ⊙ | \$28,785 |
| Waynesboro | 20 | 60.4% | ⊙ | ⊙ | \$22,143 |
| Wilkes-Barre General* | 108 | 13.3% | ⊙ | ⊙ | \$53,317 |
| Williamsport Regional* | 258 | 2.1% | ⊙ | ⊙ | \$26,252 |
| York* | 174 | 0.6% | ⊙ | ⊙ | \$30,542 |

Heart Attack – Medical Management

Occurs when there is blockage or obstruction in a blood vessel (coronary artery) causing damage or death to an area of the heart (myocardial infarction). Patients who are treated with a balloon (angioplasty)/stent procedure or open heart surgery are not included.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- ⊙ Rate was significantly lower than expected.
- ⊙ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

Potentially planned readmissions were excluded from the readmission analysis.

Heart Failure

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|-------------|--------------|-------------------------|
| Statewide | 50,932 | 2.4% | 23.4% | \$41,394 |
| Central & Northeastern | 12,900 | 2.6% | 22.1% | \$32,754 |
| Barnes-Kasson County | 41 | ⊙ | ⊙ | \$14,800 |
| Berwick | 37 | ⊙ | ⊙ | \$63,664 |
| Bucktail | 5 | ⊙ | NR | \$10,202 |
| Chambersburg | 457 | ⊙ | ⊙ | \$23,592 |
| Endless Mountains | 29 | ● | ⊙ | \$9,595 |
| Ephrata Community | 248 | ⊙ | ⊙ | \$35,517 |
| Evangelical Community | 209 | ⊙ | ⊙ | \$24,359 |
| Fulton County | 30 | ⊙ | ⊙ | \$26,319 |
| Geisinger Bloomsburg | 63 | ⊙ | ⊙ | \$27,241 |
| Geisinger Community | 521 | ⊙ | ⊙ | \$43,288 |
| Geisinger Danville | 1,006 | ⊙ | ⊙ | \$49,613 |
| Geisinger Jersey Shore | 30 | ⊙ | ⊙ | \$18,286 |
| Geisinger Lewistown | 273 | ⊙ | ⊙ | \$26,018 |
| Geisinger Wyoming Valley | 756 | ⊙ | ⊙ | \$40,705 |
| Gettysburg | 193 | ⊙ | ○ | \$24,952 |
| Good Samaritan Lebanon | 244 | ⊙ | ⊙ | \$21,482 |
| Guthrie Towanda Memorial | 18 | ⊙ | ⊙ | \$19,078 |
| Holy Spirit | 378 | ⊙ | ⊙ | \$31,772 |
| JC Blair Memorial | 80 | ⊙ | ⊙ | \$12,141 |
| Lancaster General | 1,076 | ⊙ | ⊙ | \$28,868 |
| Lehigh Valley Hazleton | 247 | ⊙ | ⊙ | \$30,526 |

Heart Failure

Inability of the heart to pump enough blood to meet the needs of the body leading to swelling of the legs and shortness of breath from fluid build-up in the lungs. Common causes of heart failure include heart disease (e.g., coronary artery disease and heart valve problems) and long-standing hypertension (high blood pressure).

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊙ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Heart Failure

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-------------------------|-----------------------|-----------|-------------|-------------------------|
| Lehigh Valley Pocono | 450 | ⊖ | ⊖ | \$33,145 |
| Lock Haven | 72 | ⊖ | ⊖ | \$47,208 |
| Milton S Hershey | 587 | ○ | ⊖ | \$34,380 |
| Moses Taylor | 216 | ⊖ | ⊖ | \$54,837 |
| Mount Nittany | 466 | ⊖ | ⊖ | \$32,423 |
| Muncy Valley | 22 | ⊖ | ⊖ | \$15,966 |
| Regional Scranton | 516 | ● | ⊖ | \$35,405 |
| Robert Packer | 362 | ⊖ | ⊖ | \$25,773 |
| Soldiers & Sailors | 65 | ⊖ | ⊖ | \$22,435 |
| Sunbury Community | 34 | ⊖ | ⊖ | \$30,039 |
| Troy Community | 23 | ⊖ | ⊖ | \$10,284 |
| Tyler Memorial | 18 | ⊖ | ⊖ | \$26,058 |
| UPMC Pinnacle Carlisle | 166 | ⊖ | ● | \$29,139 |
| UPMC Pinnacle Hanover | 258 | ⊖ | ⊖ | \$22,881 |
| UPMC Pinnacle Hospitals | 1,104 | ⊖ | ⊖ | \$27,731 |
| UPMC Pinnacle Lancaster | 103 | ⊖ | ⊖ | \$39,133 |
| UPMC Pinnacle Lititz | 53 | ⊖ | ⊖ | \$33,742 |
| UPMC Pinnacle Memorial | 131 | ⊖ | ⊖ | \$25,125 |
| Wayne Memorial | 129 | ⊖ | ⊖ | \$18,889 |
| Waynesboro | 124 | ⊖ | ⊖ | \$23,317 |
| Wilkes-Barre General | 504 | ⊖ | ⊖ | \$48,576 |
| Williamsport Regional | 385 | ⊖ | ⊖ | \$22,664 |
| York | 1,122 | ⊖ | ⊖ | \$26,137 |

Heart Failure

Inability of the heart to pump enough blood to meet the needs of the body leading to swelling of the legs and shortness of breath from fluid build-up in the lungs.

Common causes of heart failure include heart disease (e.g., coronary artery disease and heart valve problems) and long-standing hypertension (high blood pressure).

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊖ Rate was not significantly different than expected.
- Rate was significantly higher than expected.

NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Kidney and Urinary Tract Infections

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|-------------|--------------|-------------------------|
| Statewide | 20,163 | 0.5% | 15.0% | \$27,171 |
| Central & Northeastern | 5,123 | 0.6% | 13.1% | \$22,693 |
| Barnes-Kasson County | 27 | ⊙ | ● | \$8,414 |
| Berwick | 20 | ⊙ | ⊙ | \$37,122 |
| Bucktail | 3 | NR | NR | NR |
| Chambersburg | 149 | ⊙ | ⊙ | \$17,650 |
| Endless Mountains | 29 | ● | ⊙ | \$4,587 |
| Ephrata Community | 92 | ⊙ | ⊙ | \$23,477 |
| Evangelical Community | 54 | ⊙ | ⊙ | \$16,397 |
| Fulton County | 27 | ⊙ | ⊙ | \$17,272 |
| Geisinger Bloomsburg | 43 | ⊙ | ⊙ | \$19,651 |
| Geisinger Community | 213 | ⊙ | ⊙ | \$33,908 |
| Geisinger Danville | 257 | ● | ⊙ | \$31,462 |
| Geisinger Jersey Shore | 21 | ⊙ | ⊙ | \$11,985 |
| Geisinger Lewistown | 65 | ⊙ | ⊙ | \$15,314 |
| Geisinger Wyoming Valley | 254 | ⊙ | ⊙ | \$34,133 |
| Gettysburg | 88 | ⊙ | ⊙ | \$16,163 |
| Good Samaritan Lebanon | 87 | ⊙ | ○ | \$15,097 |
| Guthrie Towanda Memorial | 14 | ⊙ | ⊙ | \$15,251 |
| Holy Spirit | 160 | ⊙ | ⊙ | \$22,776 |
| JC Blair Memorial | 58 | ⊙ | ⊙ | \$8,475 |
| Lancaster General | 254 | ⊙ | ○ | \$19,672 |
| Lehigh Valley Hazleton | 154 | ⊙ | ⊙ | \$19,282 |

Kidney and Urinary Tract Infections

Infections of the urinary tract, which includes the kidneys (pyelonephritis) and bladder (cystitis). These infections can be acute or chronic.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊙ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Kidney and Urinary Tract Infections

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-------------------------|-----------------------|-----------|-------------|-------------------------|
| Lehigh Valley Pocono | 162 | ⊖ | ⊖ | \$25,579 |
| Lock Haven | 22 | ⊖ | ⊖ | \$33,560 |
| Milton S Hershey | 299 | ⊖ | ⊖ | \$25,510 |
| Moses Taylor | 145 | ⊖ | ⊖ | \$39,556 |
| Mount Nittany | 249 | ⊖ | ⊖ | \$19,886 |
| Muncy Valley | 17 | ⊖ | ⊖ | \$9,083 |
| Regional Scranton | 179 | ⊖ | ⊖ | \$29,230 |
| Robert Packer | 143 | ⊖ | ⊖ | \$21,298 |
| Soldiers & Sailors | 39 | ⊖ | ⊖ | \$11,020 |
| Sunbury Community | 25 | ⊖ | ⊖ | \$27,412 |
| Troy Community | 32 | ⊖ | ⊖ | \$11,092 |
| Tyler Memorial | 17 | ⊖ | ⊖ | \$20,057 |
| UPMC Pinnacle Carlisle | 57 | ⊖ | ⊖ | \$26,947 |
| UPMC Pinnacle Hanover | 136 | ⊖ | ⊖ | \$14,571 |
| UPMC Pinnacle Hospitals | 401 | ⊖ | ⊖ | \$18,418 |
| UPMC Pinnacle Lancaster | 31 | ⊖ | ⊖ | \$26,761 |
| UPMC Pinnacle Lititz | 36 | ⊖ | ⊖ | \$22,340 |
| UPMC Pinnacle Memorial | 80 | ⊖ | ⊖ | \$16,727 |
| Wayne Memorial | 66 | ⊖ | ⊖ | \$15,532 |
| Waynesboro | 28 | ⊖ | ⊖ | \$15,922 |
| Wilkes-Barre General | 272 | ⊖ | ⊖ | \$32,263 |
| Williamsport Regional | 99 | ⊖ | ⊖ | \$13,999 |
| York | 484 | ⊖ | ⊖ | \$16,093 |

Kidney and Urinary Tract Infections

Infections of the urinary tract, which includes the kidneys (pyelonephritis) and bladder (cystitis). These infections can be acute or chronic.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- ⊖ Rate was significantly lower than expected.
- ⊖ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Kidney Failure – Acute

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|-------------|--------------|-------------------------|
| Statewide | 23,962 | 2.4% | 19.8% | \$33,737 |
| Central & Northeastern | 6,403 | 2.8% | 18.3% | \$28,217 |
| Barnes-Kasson County | 14 | ● | ⊖ | \$12,730 |
| Berwick | 16 | ⊖ | ⊖ | \$36,006 |
| Bucktail | 0 | NR | NR | NR |
| Chambersburg | 323 | ⊖ | ⊖ | \$19,003 |
| Endless Mountains | 7 | ● | NR | \$3,752 |
| Ephrata Community | 74 | ● | ⊖ | \$31,934 |
| Evangelical Community | 77 | ⊖ | ⊖ | \$20,039 |
| Fulton County | 11 | ⊖ | ⊖ | \$17,315 |
| Geisinger Bloomsburg | 59 | ● | ⊖ | \$18,727 |
| Geisinger Community | 292 | ⊖ | ⊖ | \$41,437 |
| Geisinger Danville | 496 | ⊖ | ⊖ | \$37,008 |
| Geisinger Jersey Shore | 12 | ⊖ | ⊖ | \$12,904 |
| Geisinger Lewistown | 71 | ⊖ | ⊖ | \$19,691 |
| Geisinger Wyoming Valley | 398 | ⊖ | ⊖ | \$41,311 |
| Gettysburg | 120 | ⊖ | ⊖ | \$18,015 |
| Good Samaritan Lebanon | 99 | ⊖ | ⊖ | \$19,562 |
| Guthrie Towanda Memorial | 13 | ⊖ | ⊖ | \$17,172 |
| Holy Spirit | 145 | ⊖ | ⊖ | \$29,551 |
| JC Blair Memorial | 15 | ⊖ | ⊖ | \$9,929 |
| Lancaster General | 584 | ⊖ | ⊖ | \$22,816 |
| Lehigh Valley Hazleton | 164 | ⊖ | ⊖ | \$26,422 |

Kidney Failure – Acute

A sudden and rapid loss of kidney function resulting in a build-up of waste products that are normally filtered by the kidneys and removed from the body through urine. Because these waste products are toxic, acute kidney failure can be life-threatening. Acute kidney failure may be caused by trauma, surgery, dehydration, medication or other conditions.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊖ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Kidney Failure – Acute

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge | <h3>Kidney Failure – Acute</h3> <p>A sudden and rapid loss of kidney function resulting in a build-up of waste products that are normally filtered by the kidneys and removed from the body through urine. Because these waste products are toxic, acute kidney failure can be life-threatening. Acute kidney failure may be caused by trauma, surgery, dehydration, medication or other conditions.</p> <p>Understanding the Symbols</p> <p>The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).</p> <ul style="list-style-type: none"> ○ Rate was significantly lower than expected. ◉ Rate was not significantly different than expected. ● Rate was significantly higher than expected. NR Not reported. Too few cases after exclusions. |
|-------------------------|-----------------------|-----------|-------------|-------------------------|--|
| Lehigh Valley Pocono | 113 | ○ | ○ | \$34,394 | |
| Lock Haven | 51 | ○ | ○ | \$32,998 | |
| Milton S Hershey | 331 | ○ | ○ | \$30,375 | |
| Moses Taylor | 142 | ○ | ○ | \$45,491 | |
| Mount Nittany | 280 | ○ | ○ | \$23,013 | |
| Muncy Valley | 3 | NR | NR | NR | |
| Regional Scranton | 169 | ● | ○ | \$37,162 | |
| Robert Packer | 205 | ○ | ○ | \$24,923 | |
| Soldiers & Sailors | 76 | ○ | ○ | \$14,233 | |
| Sunbury Community | 37 | ○ | ○ | \$27,286 | |
| Troy Community | 4 | NR | NR | NR | |
| Tyler Memorial | 2 | NR | NR | NR | |
| UPMC Pinnacle Carlisle | 90 | ○ | ○ | \$29,023 | |
| UPMC Pinnacle Hanover | 119 | ○ | ○ | \$19,374 | |
| UPMC Pinnacle Hospitals | 397 | ○ | ○ | \$22,174 | |
| UPMC Pinnacle Lancaster | 42 | ○ | ○ | \$31,503 | |
| UPMC Pinnacle Lititz | 43 | ○ | ○ | \$24,361 | |
| UPMC Pinnacle Memorial | 87 | ○ | ○ | \$18,209 | |
| Wayne Memorial | 62 | ○ | ○ | \$16,431 | |
| Waynesboro | 53 | ○ | ○ | \$16,796 | |
| Wilkes-Barre General | 333 | ● | ○ | \$46,255 | |
| Williamsport Regional | 201 | ○ | ○ | \$17,915 | |
| York | 529 | ○ | ○ | \$21,505 | |

Potentially planned readmissions were excluded from the readmission analysis.

Pneumonia – Aspiration

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|-------------|--------------|-------------------------|
| Statewide | 7,235 | 5.2% | 20.7% | \$43,950 |
| Central & Northeastern | 1,572 | 5.9% | 19.6% | \$36,262 |
| Barnes-Kasson County | 1 | NR | NR | NR |
| Berwick | 5 | ⊖ | NR | \$57,294 |
| Bucktail | 1 | NR | NR | NR |
| Chambersburg | 71 | ○ | ⊖ | \$24,744 |
| Endless Mountains | 2 | NR | NR | NR |
| Ephrata Community | 34 | ⊖ | ⊖ | \$40,373 |
| Evangelical Community | 10 | ⊖ | ⊖ | \$23,699 |
| Fulton County | 2 | NR | NR | NR |
| Geisinger Bloomsburg | 7 | ⊖ | ⊖ | \$33,743 |
| Geisinger Community | 41 | ⊖ | ⊖ | \$56,210 |
| Geisinger Danville | 78 | ● | ⊖ | \$55,724 |
| Geisinger Jersey Shore | 2 | NR | NR | NR |
| Geisinger Lewistown | 20 | ⊖ | ⊖ | \$22,712 |
| Geisinger Wyoming Valley | 55 | ⊖ | ⊖ | \$59,504 |
| Gettysburg | 39 | ⊖ | ⊖ | \$26,822 |
| Good Samaritan Lebanon | 30 | ⊖ | ⊖ | \$26,037 |
| Guthrie Towanda Memorial | 1 | NR | NR | NR |
| Holy Spirit | 30 | ⊖ | ⊖ | \$38,276 |
| JC Blair Memorial | 18 | ⊖ | ⊖ | \$13,721 |
| Lancaster General | 217 | ● | ⊖ | \$29,416 |
| Lehigh Valley Hazleton | 46 | ⊖ | ⊖ | \$30,139 |

Pneumonia – Aspiration

Caused by inhaling food, drink, mucus or vomit into the lungs leading to inflammation and/or infection. Common causes of aspiration pneumonia include coma, problems with swallowing and decreased mental alertness from medication or alcohol.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊖ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Pneumonia – Aspiration

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge | <h3>Pneumonia – Aspiration</h3> <p>Caused by inhaling food, drink, mucus or vomit into the lungs leading to inflammation and/or infection. Common causes of aspiration pneumonia include coma, problems with swallowing and decreased mental alertness from medication or alcohol.</p> <p>Understanding the Symbols</p> <p>The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).</p> <ul style="list-style-type: none"> ○ Rate was significantly lower than expected. ◉ Rate was not significantly different than expected. ● Rate was significantly higher than expected. NR Not reported. Too few cases after exclusions. <p>Potentially planned readmissions were excluded from the readmission analysis.</p> |
|-------------------------|-----------------------|-----------|-------------|-------------------------|---|
| Lehigh Valley Pocono | 74 | ○ | ○ | \$42,612 | |
| Lock Haven | 3 | NR | NR | NR | |
| Milton S Hershey | 52 | ○ | ○ | \$42,679 | |
| Moses Taylor | 38 | ○ | ○ | \$67,408 | |
| Mount Nittany | 127 | ● | ○ | \$32,757 | |
| Muncy Valley | 1 | NR | NR | NR | |
| Regional Scranton | 43 | ○ | ● | \$43,833 | |
| Robert Packer | 65 | ○ | ○ | \$31,916 | |
| Soldiers & Sailors | 11 | ○ | ○ | \$26,749 | |
| Sunbury Community | 19 | ○ | ○ | \$47,150 | |
| Troy Community | 1 | NR | NR | NR | |
| Tyler Memorial | 1 | NR | NR | NR | |
| UPMC Pinnacle Carlisle | 28 | ● | ○ | \$35,504 | |
| UPMC Pinnacle Hanover | 33 | ○ | ○ | \$29,903 | |
| UPMC Pinnacle Hospitals | 55 | ○ | ○ | \$31,954 | |
| UPMC Pinnacle Lancaster | 16 | ○ | ○ | \$42,933 | |
| UPMC Pinnacle Lititz | 5 | ○ | NR | \$29,064 | |
| UPMC Pinnacle Memorial | 18 | ○ | ○ | \$31,083 | |
| Wayne Memorial | 28 | ○ | ○ | \$23,187 | |
| Waynesboro | 15 | ○ | ○ | \$24,350 | |
| Wilkes-Barre General | 47 | ○ | ○ | \$55,308 | |
| Williamsport Regional | 52 | ○ | ○ | \$22,062 | |
| York | 126 | ○ | ○ | \$30,206 | |

Pneumonia – Infectious

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|-------------|--------------|-------------------------|
| Statewide | 24,132 | 1.8% | 14.2% | \$31,557 |
| Central & Northeastern | 6,720 | 2.1% | 14.4% | \$27,904 |
| Barnes-Kasson County | 72 | ● | ⊙ | \$13,967 |
| Berwick | 45 | ⊙ | ⊙ | \$51,950 |
| Bucktail | 11 | ⊙ | ⊙ | \$13,542 |
| Chambersburg | 225 | ⊙ | ⊙ | \$20,610 |
| Endless Mountains | 42 | ⊙ | ⊙ | \$7,096 |
| Ephrata Community | 107 | ⊙ | ○ | \$32,338 |
| Evangelical Community | 111 | ⊙ | ⊙ | \$20,947 |
| Fulton County | 61 | ⊙ | ⊙ | \$25,416 |
| Geisinger Bloomsburg | 62 | ⊙ | ⊙ | \$26,333 |
| Geisinger Community | 263 | ⊙ | ⊙ | \$41,822 |
| Geisinger Danville | 238 | ⊙ | ⊙ | \$40,955 |
| Geisinger Jersey Shore | 72 | ⊙ | ⊙ | \$15,431 |
| Geisinger Lewistown | 231 | ⊙ | ⊙ | \$23,086 |
| Geisinger Wyoming Valley | 297 | ⊙ | ⊙ | \$40,882 |
| Gettysburg | 97 | ⊙ | ⊙ | \$19,808 |
| Good Samaritan Lebanon | 196 | ⊙ | ⊙ | \$22,532 |
| Guthrie Towanda Memorial | 92 | ⊙ | ⊙ | \$19,175 |
| Holy Spirit | 223 | ● | ⊙ | \$28,816 |
| JC Blair Memorial | 69 | ⊙ | ⊙ | \$12,318 |
| Lancaster General | 520 | ⊙ | ⊙ | \$24,449 |
| Lehigh Valley Hazleton | 155 | ⊙ | ⊙ | \$28,070 |

Pneumonia – Infectious

An infection in one or both lungs caused by bacteria or viruses.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊙ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Pneumonia – Infectious

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-------------------------|-----------------------|-----------|-------------|-------------------------|
| Lehigh Valley Pocono | 231 | ⊖ | ⊖ | \$30,509 |
| Lock Haven | 37 | ⊖ | ⊖ | \$39,103 |
| Milton S Hershey | 351 | ○ | ⊖ | \$30,744 |
| Moses Taylor | 96 | ⊖ | ⊖ | \$45,852 |
| Mount Nittany | 325 | ⊖ | ⊖ | \$29,026 |
| Muncy Valley | 44 | ⊖ | ⊖ | \$15,881 |
| Regional Scranton | 190 | ⊖ | ⊖ | \$38,524 |
| Robert Packer | 254 | ⊖ | ⊖ | \$25,389 |
| Soldiers & Sailors | 87 | ⊖ | ⊖ | \$19,429 |
| Sunbury Community | 33 | ● | ⊖ | \$37,096 |
| Troy Community | 69 | ⊖ | ⊖ | \$13,851 |
| Tyler Memorial | 48 | ⊖ | ⊖ | \$23,953 |
| UPMC Pinnacle Carlisle | 121 | ⊖ | ⊖ | \$30,561 |
| UPMC Pinnacle Hanover | 157 | ⊖ | ⊖ | \$23,542 |
| UPMC Pinnacle Hospitals | 333 | ⊖ | ⊖ | \$21,509 |
| UPMC Pinnacle Lancaster | 53 | ⊖ | ⊖ | \$36,452 |
| UPMC Pinnacle Lititz | 56 | ⊖ | ⊖ | \$34,640 |
| UPMC Pinnacle Memorial | 110 | ⊖ | ⊖ | \$20,951 |
| Wayne Memorial | 149 | ⊖ | ⊖ | \$19,184 |
| Waynesboro | 48 | ⊖ | ⊖ | \$19,128 |
| Wilkes-Barre General | 225 | ⊖ | ⊖ | \$44,811 |
| Williamsport Regional | 112 | ⊖ | ⊖ | \$18,617 |
| York | 372 | ⊖ | ⊖ | \$21,344 |

Pneumonia – Infectious

An infection in one or both lungs caused by bacteria or viruses.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊖ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Respiratory Failure

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|-------------|--------------|-------------------------|
| Statewide | 17,437 | 8.9% | 22.9% | \$55,602 |
| Central & Northeastern | 5,663 | 8.2% | 20.9% | \$44,606 |
| Barnes-Kasson County | 2 | NR | NR | NR |
| Berwick | 5 | ⊖ | NR | \$77,217 |
| Bucktail | 0 | NR | NR | NR |
| Chambersburg | 358 | ⊖ | ⊖ | \$29,866 |
| Endless Mountains | 1 | NR | NR | NR |
| Ephrata Community | 52 | ⊖ | ○ | \$44,328 |
| Evangelical Community | 202 | ⊖ | ⊖ | \$31,713 |
| Fulton County | 7 | ⊖ | ⊖ | \$20,916 |
| Geisinger Bloomsburg | 52 | ⊖ | ⊖ | \$51,967 |
| Geisinger Community | 175 | ⊖ | ⊖ | \$65,673 |
| Geisinger Danville | 334 | ● | ⊖ | \$72,674 |
| Geisinger Jersey Shore | 10 | ⊖ | ⊖ | \$16,602 |
| Geisinger Lewistown | 139 | ⊖ | ⊖ | \$36,756 |
| Geisinger Wyoming Valley | 189 | ○ | ⊖ | \$73,221 |
| Gettysburg | 49 | ⊖ | ⊖ | \$33,717 |
| Good Samaritan Lebanon | 143 | ⊖ | ⊖ | \$31,751 |
| Guthrie Towanda Memorial | 21 | ⊖ | ⊖ | \$33,872 |
| Holy Spirit | 64 | ⊖ | ⊖ | \$39,922 |
| JC Blair Memorial | 4 | NR | NR | NR |
| Lancaster General | 705 | ⊖ | ○ | \$37,088 |
| Lehigh Valley Hazleton | 189 | ⊖ | ⊖ | \$43,435 |

Respiratory Failure

Failure of the lungs to support the exchange of oxygen and carbon dioxide causing impairment of critical body functions. Treatment depends on the severity of the condition. Included are both acute (short-term illness that is treated as a medical emergency) and chronic (develops over time and may require long-term treatment) forms. In some cases, a mechanical ventilator (“breathing machine”) may be necessary to assist with breathing.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital’s actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊖ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Respiratory Failure

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-------------------------|-----------------------|-----------|-------------|-------------------------|
| Lehigh Valley Pocono | 136 | ⊖ | ⊖ | \$45,999 |
| Lock Haven | 2 | NR | NR | NR |
| Milton S Hershey | 459 | ⊖ | ⊖ | \$48,499 |
| Moses Taylor | 56 | ⊖ | ⊖ | \$87,211 |
| Mount Nittany | 174 | ⊖ | ⊖ | \$44,994 |
| Muncy Valley | 5 | ⊖ | ⊖ | \$26,498 |
| Regional Scranton | 63 | ● | ⊖ | \$53,690 |
| Robert Packer | 311 | ⊖ | ● | \$42,530 |
| Soldiers & Sailors | 75 | ⊖ | ⊖ | \$39,603 |
| Sunbury Community | 3 | NR | NR | NR |
| Troy Community | 27 | ⊖ | ⊖ | \$21,373 |
| Tyler Memorial | 1 | NR | NR | NR |
| UPMC Pinnacle Carlisle | 135 | ● | ⊖ | \$40,549 |
| UPMC Pinnacle Hanover | 63 | ⊖ | ⊖ | \$38,597 |
| UPMC Pinnacle Hospitals | 436 | ⊖ | ⊖ | \$34,804 |
| UPMC Pinnacle Lancaster | 23 | ⊖ | ⊖ | \$49,488 |
| UPMC Pinnacle Lititz | 11 | ⊖ | ⊖ | \$57,128 |
| UPMC Pinnacle Memorial | 51 | ⊖ | ⊖ | \$27,668 |
| Wayne Memorial | 105 | ○ | ⊖ | \$25,725 |
| Waynesboro | 95 | ⊖ | ⊖ | \$26,680 |
| Wilkes-Barre General | 268 | ⊖ | ⊖ | \$69,096 |
| Williamsport Regional | 255 | ⊖ | ○ | \$31,834 |
| York | 188 | ○ | ⊖ | \$35,505 |

Respiratory Failure

Failure of the lungs to support the exchange of oxygen and carbon dioxide causing impairment of critical body functions. Treatment depends on the severity of the condition. Included are both acute (short-term illness that is treated as a medical emergency) and chronic (develops over time and may require long-term treatment) forms. In some cases, a mechanical ventilator (“breathing machine”) may be necessary to assist with breathing.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital’s actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊖ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Sepsis

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|-------------|--------------|-------------------------|
| Statewide | 68,100 | 9.3% | 18.0% | \$55,811 |
| Central & Northeastern | 20,053 | 9.2% | 16.2% | \$43,715 |
| Barnes-Kasson County | 13 | ⊙ | ⊙ | \$12,724 |
| Berwick | 86 | ⊙ | ⊙ | \$67,779 |
| Bucktail | 3 | NR | NR | NR |
| Chambersburg | 1,080 | ⊙ | ⊙ | \$30,231 |
| Endless Mountains | 7 | ● | ● | \$5,793 |
| Ephrata Community | 517 | ⊙ | ○ | \$40,914 |
| Evangelical Community | 512 | ⊙ | ○ | \$26,328 |
| Fulton County | 15 | ⊙ | ⊙ | \$22,948 |
| Geisinger Bloomsburg | 123 | ⊙ | ⊙ | \$35,884 |
| Geisinger Community | 821 | ⊙ | ⊙ | \$67,454 |
| Geisinger Danville | 1,291 | ⊙ | ⊙ | \$67,790 |
| Geisinger Jersey Shore | 10 | ⊙ | ⊙ | \$17,854 |
| Geisinger Lewistown | 332 | ⊙ | ⊙ | \$32,363 |
| Geisinger Wyoming Valley | 829 | ○ | ⊙ | \$77,650 |
| Gettysburg | 380 | ⊙ | ⊙ | \$29,546 |
| Good Samaritan Lebanon | 708 | ⊙ | ⊙ | \$28,344 |
| Guthrie Towanda Memorial | 62 | ⊙ | ⊙ | \$28,104 |
| Holy Spirit | 717 | ⊙ | ⊙ | \$40,984 |
| JC Blair Memorial | 70 | ⊙ | ○ | \$15,153 |
| Lancaster General | 1,340 | ⊙ | ⊙ | \$40,005 |
| Lehigh Valley Hazleton | 323 | ⊙ | ● | \$41,524 |

Sepsis

A system-wide inflammatory response to infection that can worsen and include life-threatening acute organ dysfunction.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊙ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Sepsis

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-------------------------|-----------------------|-----------|-------------|-------------------------|
| Lehigh Valley Pocono | 319 | ⊖ | ⊖ | \$51,607 |
| Lock Haven | 188 | ⊖ | ○ | \$52,000 |
| Milton S Hershey | 868 | ○ | ⊖ | \$54,452 |
| Moses Taylor | 430 | ⊖ | ⊖ | \$79,451 |
| Mount Nittany | 726 | ⊖ | ⊖ | \$38,655 |
| Muncy Valley | 10 | ⊖ | ⊖ | \$27,022 |
| Regional Scranton | 528 | ● | ⊖ | \$56,302 |
| Robert Packer | 417 | ● | ⊖ | \$42,816 |
| Soldiers & Sailors | 118 | ⊖ | ⊖ | \$27,853 |
| Sunbury Community | 37 | ⊖ | ⊖ | \$37,878 |
| Troy Community | 19 | ⊖ | ⊖ | \$16,247 |
| Tyler Memorial | 33 | ⊖ | ⊖ | \$27,950 |
| UPMC Pinnacle Carlisle | 150 | ● | ⊖ | \$50,070 |
| UPMC Pinnacle Hanover | 181 | ⊖ | ○ | \$25,948 |
| UPMC Pinnacle Hospitals | 2,635 | ○ | ⊖ | \$32,337 |
| UPMC Pinnacle Lancaster | 181 | ⊖ | ⊖ | \$52,024 |
| UPMC Pinnacle Lititz | 87 | ⊖ | ⊖ | \$43,973 |
| UPMC Pinnacle Memorial | 214 | ⊖ | ⊖ | \$29,438 |
| Wayne Memorial | 107 | ○ | ⊖ | \$28,006 |
| Waynesboro | 359 | ⊖ | ○ | \$25,787 |
| Wilkes-Barre General | 655 | ● | ⊖ | \$67,168 |
| Williamsport Regional | 732 | ⊖ | ○ | \$29,982 |
| York | 1,740 | ● | ⊖ | \$32,702 |

Sepsis

A system-wide inflammatory response to infection that can worsen and include life-threatening acute organ dysfunction.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- Rate was significantly lower than expected.
- ⊖ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Stroke

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-----------------------------------|-----------------------|-------------|--------------|-------------------------|
| Statewide | 21,987 | 3.0% | 11.5% | \$47,958 |
| Central & Northeastern | 5,934 | 3.4% | 10.9% | \$38,119 |
| Barnes-Kasson County | 5 | ⊖ | NR | \$12,656 |
| Berwick | 7 | ⊖ | ⊖ | \$83,505 |
| Bucktail | 0 | NR | NR | NR |
| Chambersburg | 251 | ⊖ | ⊖ | \$28,117 |
| Endless Mountains | 6 | ⊖ | ⊖ | \$5,083 |
| Ephrata Community | 137 | ⊖ | ⊖ | \$35,508 |
| Evangelical Community | 139 | ⊖ | ⊖ | \$28,652 |
| Fulton County | 10 | ⊖ | ⊖ | \$32,966 |
| Geisinger Bloomsburg | 21 | ⊖ | ⊖ | \$42,236 |
| Geisinger Community | 211 | ⊖ | ⊖ | \$56,737 |
| Geisinger Danville | 476 | ⊖ | ● | \$58,596 |
| Geisinger Jersey Shore | 3 | NR | NR | NR |
| Geisinger Lewistown | 89 | ⊖ | ⊖ | \$24,470 |
| Geisinger Wyoming Valley | 315 | ⊖ | ⊖ | \$58,977 |
| Gettysburg | 107 | ⊖ | ⊖ | \$24,093 |
| Good Samaritan Lebanon | 123 | ⊖ | ⊖ | \$22,588 |
| Guthrie Towanda Memorial | 9 | ⊖ | ⊖ | \$20,783 |
| Holy Spirit | 191 | ⊖ | ⊖ | \$35,943 |
| JC Blair Memorial | 4 | NR | NR | NR |
| Lancaster General | 578 | ⊖ | ⊖ | \$25,894 |
| Lehigh Valley Hazleton | 97 | ⊖ | ⊖ | \$35,225 |

Stroke

An ischemic stroke occurs when there is an obstruction (blockage) in a blood vessel in the brain or neck causing damage or death to an area of the brain. Not included are patients who are treated with a balloon (angioplasty)/stent procedure or other surgery to remove the obstruction responsible for the stroke, or patients admitted with a rupture (break) in a blood vessel in the brain (hemorrhagic stroke) unless the hemorrhage occurs after the ischemic stroke but during the hospitalization.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- ⊖ Rate was significantly lower than expected.
- ⊖ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.

Stroke

| Hospital | Total Number of Cases | Mortality | Readmission | Average Hospital Charge |
|-------------------------|-----------------------|-----------|-------------|-------------------------|
| Lehigh Valley Pocono | 177 | ⊖ | ⊖ | \$44,088 |
| Lock Haven | 18 | ⊖ | ⊖ | \$59,904 |
| Milton S Hershey | 483 | ⊖ | ⊖ | \$45,532 |
| Moses Taylor | 79 | ● | ⊖ | \$59,717 |
| Mount Nittany | 191 | ● | ⊖ | \$33,770 |
| Muncy Valley | 2 | NR | NR | NR |
| Regional Scranton | 153 | ⊖ | ● | \$44,735 |
| Robert Packer | 159 | ● | ● | \$38,053 |
| Soldiers & Sailors | 26 | ⊖ | ⊖ | \$21,270 |
| Sunbury Community | 10 | ⊖ | ⊖ | \$33,434 |
| Troy Community | 7 | ⊖ | ⊖ | \$18,764 |
| Tyler Memorial | 0 | NR | NR | NR |
| UPMC Pinnacle Carlisle | 109 | ● | ⊖ | \$34,502 |
| UPMC Pinnacle Hanover | 125 | ⊖ | ⊖ | \$26,783 |
| UPMC Pinnacle Hospitals | 480 | ⊖ | ⊖ | \$30,862 |
| UPMC Pinnacle Lancaster | 50 | ⊖ | ⊖ | \$40,179 |
| UPMC Pinnacle Lititz | 42 | ⊖ | ⊖ | \$36,243 |
| UPMC Pinnacle Memorial | 65 | ⊖ | ⊖ | \$25,452 |
| Wayne Memorial | 67 | ⊖ | ⊖ | \$25,229 |
| Waynesboro | 48 | ⊖ | ⊖ | \$25,499 |
| Wilkes-Barre General | 212 | ⊖ | ⊖ | \$51,294 |
| Williamsport Regional | 205 | ⊖ | ⊖ | \$20,747 |
| York | 426 | ⊖ | ⊖ | \$31,090 |

Stroke

An ischemic stroke occurs when there is an obstruction (blockage) in a blood vessel in the brain or neck causing damage or death to an area of the brain. Not included are patients who are treated with a balloon (angioplasty)/stent procedure or other surgery to remove the obstruction responsible for the stroke, or patients admitted with a rupture (break) in a blood vessel in the brain (hemorrhagic stroke) unless the hemorrhage occurs after the ischemic stroke but during the hospitalization.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- ⊖ Rate was significantly lower than expected.
- ⊕ Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Potentially planned readmissions were excluded from the readmission analysis.