Hospital-acquired Infections in Pennsylvania

Pennsylvania Health Care Cost Containment Council

| | Number of | Infection Pate per | wortanty | | Average Length of Stay (in Days) | | Average Charge † | |
|--------------------------|--------------|-------------------------|----------|---------|-------------------------------------|--------|------------------|-----------|
| | Cases | Rate per 1,000 Cases | Number | Percent | Mean | Median | Mean | Median |
| STATEWIDE | 1,574,170 | NA | 36,119 | 2.3 | 4.7 | 3.0 | \$36,001 | \$18,900 |
| Cases with Infections | 30,237 | 19.2 | 3,716 | 12.3 | 19.3 | 14.0 | \$175,964 | \$79,670 |
| Urinary Tract | 13,635 | 8.7 | 873 | 6.4 | 15.6 | 12.0 | \$117,253 | \$57,609 |
| Pneumonia | 3,326 | 2.1 | 790 | 23.8 | 19.8 | 16.0 | \$205,650 | \$106,472 |
| Bloodstream | 2,945 | 1.9 | 625 | 21.2 | 23.4 | 19.0 | \$243,922 | \$148,168 |
| Surgical Site | 1,671 | 4.2 | 90 | 5.4 | 16.9 | 14.0 | \$153,132 | \$72,760 |
| Gastrointestinal | 3,963 | 2.5 | 389 | 9.8 | 15.2 | 12.0 | \$114,563 | \$56,765 |
| Other Infections | 965 | 0.6 | 86 | 8.9 | 16.9 | 13.0 | \$142,379 | \$74,839 |
| Multiple | 3,732 | 2.4 | 863 | 23.1 | 35.3 | 28.0 | \$394,491 | \$214,901 |
| Cases without Infections | 1,543,933 | NA | 32,403 | 2.1 | 4.4 | 3.0 | \$33,260 | \$18,538 |

Statewide Summary Data - Calendar Year 2006

In almost all cases, hospitals do not receive full reimbursement of charges; on average statewide in 2006, for all inpatient cases (not just infections), hospitals were paid approximately 27% of established charges.

NA Not applicable.

Other Infections:

For all data tables, "Other Infections" include bone and joint, central nervous system, cardiovascular system, lower respiratory system (other than pneumonia), reproductive system, and skin and soft tissue infections.

| | Number | Infection Rate per | wortanty | | Average Length of Stay (in Days) | | Average Charge † | |
|--------------------------|----------|-----------------------|----------|---------|-------------------------------------|--------|------------------|-----------|
| | of Cases | 1,000 Cases | Number | Percent | Mean | Median | Mean | Median |
| PEER GROUP 1 | 686,603 | NA | 15,366 | 2.2 | 4.9 | 3.0 | \$48,747 | \$25,465 |
| Cases with Infections | 15,632 | 22.8 | 2,030 | 13.0 | 22.1 | 16.0 | \$241,575 | \$118,606 |
| Urinary Tract | 7,266 | 10.6 | 507 | 7.0 | 17.2 | 13.0 | \$156,757 | \$82,093 |
| Pneumonia | 1,256 | 1.8 | 328 | 26.1 | 24.7 | 20.0 | \$349,123 | \$210,420 |
| Bloodstream | 1,764 | 2.6 | 371 | 21.0 | 24.6 | 20.0 | \$286,491 | \$179,029 |
| Surgical Site | 836 | 4.1 | 46 | 5.5 | 18.8 | 15.0 | \$213,064 | \$107,899 |
| Gastrointestinal | 1,730 | 2.5 | 169 | 9.8 | 17.2 | 14.0 | \$163,173 | \$88,022 |
| Other Infections | 448 | 0.7 | 44 | 9.8 | 19.4 | 16.0 | \$188,552 | \$113,626 |
| Multiple | 2,332 | 3.4 | 565 | 24.2 | 39.1 | 31.0 | \$492,519 | \$278,826 |
| Cases without Infections | 670,971 | NA | 13,336 | 2.0 | 4.5 | 3.0 | \$44,254 | \$24,898 |

Peer Group 1 Summary Data for Calendar Year 2006

Peer Group 2 Summary Data for Calendar Year 2006

| | Number | Infection | Mortality | | Average Length of Stay (in Days) | | Average Charge † | |
|--------------------------|----------|-------------------------|-----------|---------|-------------------------------------|--------|------------------|-----------|
| | of Cases | Rate per 1,000 Cases | Number | Percent | Mean | Median | Mean | Median |
| PEER GROUP 2 | 374,109 | NA | 8,758 | 2.3 | 4.5 | 3.0 | \$30,850 | \$18,002 |
| Cases with Infections | 6,766 | 18.1 | 800 | 11.8 | 16.9 | 13.0 | \$118,776 | \$61,308 |
| Urinary Tract | 2,868 | 7.7 | 148 | 5.2 | 13.4 | 11.0 | \$78,960 | \$44,120 |
| Pneumonia | 930 | 2.5 | 231 | 24.8 | 17.8 | 15.0 | \$136,951 | \$92,400 |
| Bloodstream | 558 | 1.5 | 112 | 20.1 | 21.6 | 18.0 | \$179,321 | \$116,511 |
| Surgical Site | 418 | 4.4 | 20 | 4.8 | 16.4 | 14.0 | \$107,657 | \$61,943 |
| Gastrointestinal | 948 | 2.5 | 92 | 9.7 | 14.1 | 12.0 | \$83,027 | \$46,845 |
| Other Infections | 256 | 0.7 | 24 | 9.4 | 15.4 | 12.0 | \$119,334 | \$69,443 |
| Multiple | 788 | 2.1 | 173 | 22.0 | 29.2 | 23.0 | \$248,088 | \$144,868 |
| Cases without Infections | 367,343 | NA | 7,958 | 2.2 | 4.3 | 3.0 | \$29,230 | \$17,696 |

In almost all cases, hospitals do not receive full reimbursement of charges; on average statewide in 2006, for all inpatient cases (not just infections), hospitals were paid approximately 27% of established charges.
NA Not applicable.

PENNSYLVANIA HEALTH CARE COST CONTAINMENT COUNCIL

| | Number | Infection | | Mortality | | Average Length of Stay (in Days) | | Average Charge † | |
|--------------------------|----------|-------------------------|--------|-----------|------|-------------------------------------|-----------|------------------|--|
| | of Cases | Rate per 1,000 Cases | Number | Percent | Mean | Median | Mean | Median | |
| PEER GROUP 3 | 421,872 | NA | 9,755 | 2.3 | 4.5 | 3.0 | \$24,819 | \$14,553 | |
| Cases with Infections | 7,061 | 16.7 | 811 | 11.5 | 16.3 | 13.0 | \$99,466 | \$49,422 | |
| Urinary Tract | 3,211 | 7.6 | 202 | 6.3 | 14.2 | 11.0 | \$69,971 | \$36,986 | |
| Pneumonia | 953 | 2.3 | 202 | 21.2 | 17.0 | 14.0 | \$114,650 | \$68,947 | |
| Bloodstream | 578 | 1.4 | 131 | 22.7 | 22.1 | 18.0 | \$188,022 | \$119,512 | |
| Surgical Site | 337 | 4.0 | 22 | 6.5 | 13.9 | 12.0 | \$86,232 | \$51,831 | |
| Gastrointestinal | 1,201 | 2.8 | 121 | 10.1 | 13.5 | 12.0 | \$74,691 | \$40,472 | |
| Other Infections | 217 | 0.5 | 16 | 7.4 | 15.4 | 12.0 | \$97,682 | \$45,054 | |
| Multiple | 564 | 1.3 | 117 | 20.7 | 29.0 | 22.0 | \$212,329 | \$120,734 | |
| Cases without Infections | 414,811 | NA | 8,944 | 2.2 | 4.3 | 3.0 | \$23,548 | \$14,314 | |

Peer Group 3 Summary Data for Calendar Year 2006

Peer Group 4 Summary Data for Calendar Year 2006

| | Number | Infection | Mortality | | Average Length of Stay (in Days) | | Average Charge † | |
|--------------------------|----------|-------------------------|-----------|---------|-------------------------------------|--------|------------------|----------|
| | of Cases | Rate per 1,000 Cases | Number | Percent | Mean | Median | Mean | Median |
| PEER GROUP 4 | 91,586 | NA | 2,240 | 2.4 | 4.0 | 3.0 | \$12,997 | \$8,439 |
| Cases with Infections | 778 | 8.5 | 75 | 9.6 | 11.7 | 9.0 | \$49,304 | \$26,051 |
| Urinary Tract | 290 | 3.2 | 16 | 5.5 | 10.5 | 8.0 | \$29,707 | \$19,724 |
| Pneumonia | 187 | 2.0 | 29 | 15.5 | 11.0 | 9.0 | \$47,425 | \$37,780 |
| Bloodstream | 45 | 0.5 | 11 | 24.4 | 14.7 | 10.0 | \$94,274 | \$51,103 |
| Surgical Site | 80 | 5.3 | 2 | 2.5 | 11.8 | 9.0 | \$46,268 | \$30,463 |
| Gastrointestinal | 84 | 0.9 | 7 | 8.3 | 9.5 | 8.5 | \$39,429 | \$17,601 |
| Other Infections | 44 | 0.5 | 2 | 4.5 | 8.8 | 6.0 | \$26,772 | \$15,574 |
| Multiple | 48 | 0.5 | 8 | 16.7 | 24.3 | 16.0 | \$175,851 | \$81,849 |
| Cases without Infections | 90,808 | NA | 2,165 | 2.4 | 3.9 | 3.0 | \$12,686 | \$8,388 |

In almost all cases, hospitals do not receive full reimbursement of charges; on average statewide in 2006, for all inpatient cases (not just infections), hospitals were paid approximately 27% of established charges.

NA Not applicable.

Hospital-acquired Infections in Pennsylvania

| | Quart | er 4, 2005 | Quarter 4, 2006 | | |
|-------------------------------------|--------------------|-----------------------------------|--------------------|--------------------------------|--|
| | Number of Cases | Infection Rate per 1,000 Cases | Number of Cases | Infection Rate per 1,000 Cases | |
| STATEWIDE | 382,807 | NA | 389,145 | NA | |
| Cases with the Following Infections | 6,226 | 16.3 | 5,859 | 15.1 | |
| Urinary Tract | 3,420 | 8.9 | 3,161 | 8.1 | |
| Pneumonia | 776 | 2.0 | 756 | 1.9 | |
| Bloodstream | 805 | 2.1 | 698 | 1.8 | |
| Surgical Site | 536 | 5.4 | 352 | 3.5 | |
| Multiple | 689 | 1.8 | 892 | 2.3 | |

Statewide Comparison of Quarter 4 Data - CY 2005 & CY 2006

NA Not applicable.

| | Quart | er 4, 2005 | Quarter 4, 2006 | | |
|-------------------------------------|--------------------|-----------------------------------|--------------------|--------------------------------|--|
| | Number of Cases | Infection Rate per 1,000 Cases | Number of Cases | Infection Rate per 1,000 Cases | |
| PEER GROUP 1 | 165,982 | NA | 170,842 | NA | |
| Cases with the Following Infections | 3,266 | 19.7 | 3,062 | 17.9 | |
| Urinary Tract | 1,799 | 10.8 | 1,661 | 9.7 | |
| Pneumonia | 310 | 1.9 | 294 | 1.7 | |
| Bloodstream | 471 | 2.8 | 415 | 2.4 | |
| Surgical Site | 251 | 4.9 | 189 | 3.7 | |
| Multiple | 435 | 2.6 | 503 | 2.9 | |

Peer Group 1 Comparison of Quarter 4 Data - CY 2005 & CY 2006

Peer Group 2 Comparison of Quarter 4 Data - CY 2005 & CY 2006

| | Quart | er 4, 2005 | Quarter 4, 2006 | | |
|-------------------------------------|--------------------|-----------------------------------|--------------------|-----------------------------------|--|
| | Number of Cases | Infection Rate per 1,000 Cases | Number of Cases | Infection Rate per 1,000 Cases | |
| PEER GROUP 2 | 88,466 | NA | 91,919 | NA | |
| Cases with the Following Infections | 1,423 | 16.1 | 1,318 | 14.3 | |
| Urinary Tract | 776 | 8.8 | 674 | 7.3 | |
| Pneumonia | 219 | 2.5 | 227 | 2.5 | |
| Bloodstream | 161 | 1.8 | 115 | 1.3 | |
| Surgical Site | 124 | 5.4 | 91 | 3.9 | |
| Multiple | 143 | 1.6 | 211 | 2.3 | |

NA Not applicable.

PENNSYLVANIA HEALTH CARE COST CONTAINMENT COUNCIL

Hospital-acquired Infections in Pennsylvania

| | Quarte | er 4, 2005 | Quarter 4, 2006 | | |
|-------------------------------------|--------------------|-----------------------------------|--------------------|--------------------------------|--|
| | Number of Cases | Infection Rate per 1,000 Cases | Number of Cases | Infection Rate per 1,000 Cases | |
| PEER GROUP 3 | 104,010 | NA | 103,843 | NA | |
| Cases with the Following Infections | 1,372 | 13.2 | 1,326 | 12.8 | |
| Urinary Tract | 770 | 7.4 | 758 | 7.3 | |
| Pneumonia | 205 | 2.0 | 190 | 1.8 | |
| Bloodstream | 163 | 1.6 | 152 | 1.5 | |
| Surgical Site | 135 | 6.4 | 62 | 2.9 | |
| Multiple | 99 | 1.0 | 164 | 1.6 | |

Peer Group 3 Comparison of Quarter 4 Data - CY 2005 & CY 2006

Peer Group 4 Comparison of Quarter 4 Data - CY 2005 & CY 2006

| | Quart | er 4, 2005 | Quarter 4, 2006 | | |
|-------------------------------------|--------------------|-----------------------------------|--------------------|--------------------------------|--|
| | Number of Cases | Infection Rate per 1,000 Cases | Number of Cases | Infection Rate per 1,000 Cases | |
| PEER GROUP 4 | 24,349 | NA | 22,541 | NA | |
| Cases with the Following Infections | 165 | 6.8 | 153 | 6.8 | |
| Urinary Tract | 75 | 3.1 | 68 | 3.0 | |
| Pneumonia | 42 | 1.7 | 45 | 2.0 | |
| Bloodstream | 10 | 0.4 | 16 | 0.7 | |
| Surgical Site | 26 | 6.4 | 10 | 2.6 | |
| Multiple | 12 | 0.5 | 14 | 0.6 | |

NA Not applicable.

PENNSYLVANIA HEALTH CARE COST CONTAINMENT COUNCIL