

Hospital Performance Report

31 Common Medical Procedures and Treatments

Federal Fiscal Year 2006 • October 1, 2005 - September 30, 2006



Pennsylvania Health Care Cost Containment Council

September 2007



**Counties included
in this Report**

- Adams
- Bradford
- Centre
- Clinton
- Columbia
- Cumberland
- Dauphin
- Franklin
- Fulton
- Huntingdon
- Juniata
- Lackawanna
- Lancaster
- Lebanon
- Luzerne
- Lycoming
- Mifflin
- Monroe
- Montour
- Northumberland
- Perry
- Pike
- Snyder
- Sullivan
- Susquehanna
- Tioga
- Union
- Wayne
- Wyoming
- York

Table of Contents

Key Findings 1

Understanding this Report..... 2

Descriptions 6

Diagnoses

- Abnormal Heartbeat..... 8
- Blood Clot in Extremities..... 10
- Blood Clot in Lung..... 12
- Chronic Obstructive Pulmonary Disease (COPD)..... 14
- Congestive Heart Failure (CHF) 16
- Diabetes with Amputation..... 18
- Diabetes – Medical Management..... 20
- Heart Attack – Medical Management..... 22
- Intestinal Obstruction..... 24
- Kidney Failure..... 26
- Kidney and Urinary Tract Infections 28
- Pneumonia – Aspiration 30
- Pneumonia – Infectious 32
- Respiratory Failure with Mechanical Ventilation..... 34
- Respiratory Failure without Mechanical Ventilation..... 36
- Septicemia..... 38
- Stomach and Intestinal Bleeding 40
- Stroke – Hemorrhagic..... 42
- Stroke – Non-Hemorrhagic 44

Procedures

- Abdominal Aortic Aneurysm Repair – Endovascular..... 46
- Abdominal Aortic Aneurysm Repair – Open 48
- Colorectal Procedures 50
- Gallbladder Removal – Laparoscopic 52
- Gallbladder Removal – Open 54
- Heart Attack – Angioplasty/Stent..... 56
- Hip Fracture – Surgical Repair..... 58
- Hysterectomy – Abdominal..... 60
- Hysterectomy – Vaginal..... 62
- Prostatectomy – Radical 64
- Prostatectomy – Transurethral..... 66
- Removal of Blockage of Neck Vessels..... 68



Key Findings

- The overall mortality rate for conditions reported for both 2004 and 2006 decreased significantly, from 4.7% in 2004 to 4.4% in 2006.
- Patient mortality decreased significantly in 18 of the 26 treatment categories between 2004 and 2006 (in categories where three years of mortality data were available). The largest decline was in Respiratory Failure without Mechanical Ventilation, where the mortality rate decreased from 17.0% in 2004 to 13.5% in 2006.
- Among the conditions reported, Respiratory Failure with Mechanical Ventilation had the highest mortality rate at 29.1%, and Removal of Blockage of Neck Vessels had the lowest rate at 0.2%.
- The average length of stay decreased significantly for 18 of the 30 treatment categories between 2004 and 2006. The largest decline was in Respiratory Failure with Mechanical Ventilation, where the average length of stay decreased from 10.5 days in 2004 to 9.7 days in 2006.
- There was wide variation in length of stay among hospitals. The condition with the most variation was Respiratory Failure with Mechanical Ventilation, where hospitals' average length of stay ranged from 4.1 to 16.1 days after taking patient risk factors into account.
- The overall readmission rate for conditions reported for both 2004 and 2006 increased significantly, rising from 18.7% in 2004 to 19.1% in 2006. The largest increase was in Respiratory Failure without Mechanical Ventilation, where the readmission rate increased from 24.3% in 2004 to 26.2% in 2006.
- There were 57,993 readmissions for any reason in 2006 (for the categories covered in the report). These readmissions amounted to approximately \$2.3 billion in charges and 352,000 hospital days.
- Among the conditions reported, Respiratory Failure with Mechanical Ventilation had the highest readmission rate at 27.6%, and Hysterectomy - Vaginal had the lowest rate at 3.3%.
- There were 15,057 readmissions for complication or infection in 2006 (for the categories covered in the report). These readmissions amounted to approximately \$734 million in charges and 111,000 hospital days.
- The condition with the highest readmission rate for complication or infection was Respiratory Failure without Mechanical Ventilation (12.7%). The condition with the lowest rate was Hysterectomy - Vaginal (2.1%).
- There was wide variation in charges among hospitals. The condition with the most variation was Respiratory Failure with Mechanical Ventilation, where hospitals' average charges ranged from \$10,956 to \$261,899.



Understanding this Report

Foreword

The Pennsylvania Health Care Cost Containment Council (PHC4) was established as an independent state agency by the General Assembly and the Governor of the Commonwealth of Pennsylvania in 1986. To help improve the quality and restrain the cost of health care, PHC4 promotes health care competition through the collection, analysis and public dissemination of uniform cost and quality-related information. Thanks to the vision of its General Assembly, Pennsylvania has begun to build a new health care marketplace where purchasers, consumers, providers, payors, and policymakers can make more informed decisions about the delivery of health care. This Hospital Performance Report is one of a series of public reports designed to achieve this goal. Information about additional treatment and surgical categories is posted on the PHC4 Web site at www.phc4.org.

What is the purpose of the report?

Before we make a major purchase, we normally familiarize ourselves with as much information as we can gather about the available products or services. By comparing what we can learn about the quality of the product as well as what will be charged for it, we decide on what we believe is the best quality product for the best possible price. It should be the same with health care services. Unfortunately, the information available to consumers and purchasers to make such decisions is limited and often not widely accessible. PHC4's Hospital Performance Report can help to fill that vacuum of information and assist consumers and purchasers in making more informed health care decisions. This report can also serve as an aid to providers in highlighting additional opportunities for quality improvement and cost containment. It should not be used in emergency situations.

About this report

- This report includes 31 conditions based on ICD-9-CM (International Classification of Diseases, Ninth Revision, Clinical Modification) codes, which specify the clinical reason(s) for a patient's hospitalization. Of the 31 code-based conditions, there are 19 diagnoses and 12 procedures. Descriptions of these conditions are on pages 6 and 7.
- This report covers inpatient hospital discharges during Federal Fiscal Year (FFY) 2006, which includes data from October 1, 2005 through September 30, 2006.
- This report is divided into three regional versions and is hospital-specific.
- All Pennsylvania general acute care and most specialty general acute care hospitals, regardless of size, are included.
- The hospital names have been shortened in many cases for formatting purposes. Hospital names may be different today than during the time period covered in this report due to mergers and name changes. A list of changes can be found on the PHC4 Web site at www.phc4.org.

Where does the data come from?

Pennsylvania hospitals are required by law to submit certain information to PHC4. The data compiled for the purpose of this publication is reported as it was submitted to PHC4 by Pennsylvania hospitals. The data was subject to standard verification processes by PHC4. In addition, hospitals are required to submit data indicating, in simple terms, "how sick the patient was" or, in technical jargon, a "severity score." The data is then risk-adjusted.



Accounting for high-risk patients

Even though two patients may be admitted to the hospital with the same illness, there may be differences in the seriousness of their conditions. In order to report fair comparisons among hospitals, PHC4 uses a complex mathematical formula to “risk-adjust” the mortality, length of stay and readmission data, meaning that hospitals receive “extra credit” for treating patients that are more seriously ill or at a greater risk than others. Risk-adjusting the data is important because sicker patients may be more likely to die, stay in the hospital longer, or be readmitted.

A sophisticated patient risk classification system called Atlas Outcomes™ is used to collect clinical information about hospital patients and to predict each patient’s chance of mortality and expected length of stay. Atlas Outcomes™ is a clinical information system developed by MediQual Systems, Inc.®, a business of Cardinal Health. This system is based on electronically available admit/discharge/transfer and laboratory data, as well as selected clinical data abstracted from the patient record, including EKG readings, vital signs, medical history, imaging, pathology and operative results. PHC4 also independently adjusts for other risk factors, such as poverty rate or the presence of cancer in the patient population included in this report.

A comprehensive description of the risk-adjustment techniques used for this report can be found in the *Technical Notes* on PHC4’s Web site at www.phc4.org.

What is measured in the report and why is it important?

PHC4’s mission is to provide the public with information that will help to improve the quality of health care services while also providing opportunities to restrain costs. The measurement of quality in health care is not an exact science. There may be a number of ways to define quality; however, for the purposes of this report, six measures are suggested. With the exception of volume of cases, each of these measures has been adjust-

ed for patient risk. (For more information, see the previous section titled, Accounting for high-risk patients.)

- **Volume of Cases** – For each hospital, the number of cases for each condition, after exclusions, is reported. This can give a patient or a purchaser an idea of the experience each facility has in treating such patients. Studies have suggested that, in at least some areas, the volume of cases treated by a physician or hospital can be a factor in the success of the treatment. The number of cases represents separate hospital admissions, not individual patients. A patient readmitted several times would be included each time in the number of cases. Outcome data are not reported for hospitals that had fewer than five cases evaluated for a measure; such low volume cannot be considered meaningful and, as such, the outcome data are not displayed. Not Reported (NR) appears in the table when this occurs.

Note: Small or specialty hospitals may report low volume due to the unique patient population they serve or geographic location.

- **Risk-Adjusted Mortality** – PHC4 has used risk-adjusted mortality statistics as a measure of quality since it began publishing reports in 1989. To determine the mortality rating, PHC4 compares the number of patients one could reasonably expect to die in a given hospital in a given condition with the actual number of deaths.
- **Risk-Adjusted Length of Stay** – The length of time a patient stays in the hospital can reflect how successful the hospital is in providing treatment and has an impact on the resources used in delivering treatment.
- **Risk-Adjusted Length of Stay Outliers** – Length of stay “outliers” are abnormally short or long hospitalizations – those individual hospitalizations where the difference between the actual and expected length of stay was in the top (long length of stay outliers) or bottom (short length of stay outliers) 5% of all statewide hospitalizations. They are the



hospitalizations where the difference between the actual and expected length of stay was above or below the normal range for all hospitalizations in the state. For any one hospital, the outlier rate is the number of outliers divided by the total number of hospitalizations. Length of stay may be an important quality of care indicator; however, many factors affect length of stay, some of which are beyond the hospital's control. Abnormally short or long hospital stays may result from factors, such as payor expectations, complications, clinical treatment advancements, or avoidable admissions due to inadequate health and social support in the community. Reported ratings should be interpreted cautiously and do not necessarily indicate high or low quality care.

- **Risk-Adjusted Readmissions** – A readmission is defined as a subsequent acute care hospitalization, for any reason in any Pennsylvania hospital, where the admit date is within 30 days of the discharge date of the original hospitalization. To determine the risk-adjusted readmission rating, PHC4 compares the number of patients one could reasonably expect to be readmitted in a given hospital in a given condition with the actual number of readmissions. The methodology was designed to limit planned readmissions; however, some may still be included. While some re-hospitalizations can be expected, high quality care may lessen the need for subsequent hospitalizations.
- **Risk-Adjusted Readmissions for Complication/Infection** – The risk-adjusted readmission rating (discussed above) takes into consideration all subsequent hospitalizations within 30 days of the discharge date of the original hospitalization. However, this measure includes only readmissions with a principal diagnosis

of a complication/infection (see the *Technical Notes* on the PHC4 Web site, www.phc4.org, for a detailed description).

Other data issues

- **Do Not Resuscitate Cases** – The mortality analysis includes Do Not Resuscitate (DNR) cases. Since DNR is defined and utilized differently across Pennsylvania hospitals, such records are retained in the analysis to avoid potential biases in mortality ratings.
- Not all data is reported for all measures. For example, readmission rates are not reported for Heart Attack – Medical Management because subsequent admissions are often planned.

Hospital charges

This report also includes the average hospital charge for each of the 31 code-based conditions. While charges are what the hospital reports on the billing form, they may not accurately represent the amount a hospital receives in payment for the services it delivers. Hospitals usually receive less in actual payments than the listed charge.

A look at the financial data submitted by hospitals to PHC4 can shed some light on the relationship between the amount hospitals charge or bill for inpatient services, and the amount they receive in Net Patient Revenue (NPR). Pennsylvania hospitals received, on average statewide, \$.27 in NPR for every dollar that they charged in Fiscal Year 2006 (7/1/05 through 6/30/06).

Within the geographic area covered in this report, hospitals received, on average, \$.42 in NPR for every dollar charged. Broken down even further, hospitals within Northcentral Pennsylvania received, on average, \$.37 in NPR for every dollar charged, Southcentral Pennsylvania hospitals received

Understanding the Symbols

Symbols representing ratings for risk-adjusted mortality, readmissions, and length of stay outliers are displayed in the report. These symbols reflect a comparison of a hospital's actual rate and what is expected.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.



an average of \$.46 on the dollar, and hospitals in Northeastern Pennsylvania received an average of \$.37 on the dollar.

These regional figures are aggregate only and cannot be applied to individual hospitals or individual average charges for conditions to calculate actual payment figures. This is due to substantial variation in hospital charges from hospital to hospital and from insurance product line to product line. There is also substantial variation in actual payments that hospitals receive for specific services. Actual payments to hospitals are imposed by Medicare and Medicaid, or result from negotiations with insurance companies, other third-party payors, and even individual patients.

How to use the report

- **Patients/Consumers** can use this report as an aid in making decisions about where to seek treatment for the conditions detailed in this report. As with any health care decision, PHC4 urges the reader to use this report in conjunction with a physician or other health care provider when making a health care decision.
- **Group Benefits Purchasers/Insurers** can use this report as part of a process in determining where employees, subscribers, members, or participants should go for their health care.
- **Health Care Providers** can use this report as an aid in identifying opportunities for quality improvement and cost containment.
- **Policymakers/Public Officials** can use this report to enhance their understanding of health care issues, to ask provocative questions, to raise public awareness of important issues and to help constituents identify quality health care options.
- **All of the previously mentioned groups** can use this information to raise important questions about why differences exist in the quality and efficiency of care.

This report can be used as a tool. It should not be used to generalize about the overall quality of care at a hospital, but instead to examine hospital performance in

specific treatment categories. The measurement of quality is highly complex, and the information used to capture such measures is limited. A hospital death is frequently an unavoidable consequence of a patient's medical condition. Hospitals and physicians may do everything right, and the patient can still die. However, the statistical methods used eliminate many of the clinical and medical differences among the patients in different hospitals, thereby allowing us to explore the real differences in the measures presented in this report. The pursuit of these issues can play an important and constructive role in raising the quality while restraining the cost of health care in the Commonwealth of Pennsylvania.

Non-compliant hospitals

Hospitals are required under Pennsylvania law (Act 14) to submit timely, accurate health care data to PHC4. PHC4, acting upon the advice of its Technical Advisory Group, a panel of physicians and other health care experts, has determined that hospitals missing the required UB-92 data or patient severity scores in excess of or equal to 10% of all records for which severity scores are required to be reported are non-compliant with state law and are excluded from this report. These hospitals are listed below. Although hospitalization data specific to non-compliant hospitals is not shown in this report, these records have been included in the overall analysis for the measures included in this report (unless noted otherwise), and thus are reflected in the statewide and regional totals.

Hospitals excluded from this report due to non-compliance

- Bloomsburg

Hospitals excluded from this report due to data errors

- Memorial York: All records from this facility have been excluded from the charges analyses due to errors in revenue data. This facility is reported as non-compliant (NC) under the charges columns of the report.



Code-Based Diagnosis Descriptions

Abnormal Heartbeat: Abnormal heart rate or rhythm including tachycardia, bradycardia, fibrillation, flutter and heart block. Does not include heart attack, congenital heart defects, or heart valve disorders.

Blood Clot in Extremities: Inflammation of a blood vessel with the formation of a thrombus (blood clot) in a deep or superficial vein involving the legs, arms, and other parts of the body. Includes deep vein thrombosis (DVT).

Blood Clot in Lung: The formation of a thrombus (blood clot) and/or infarction (damage or death) of the lung tissue. Often called pulmonary embolism or pulmonary infarct.

Chronic Obstructive Pulmonary Disease (COPD): Chronic lung disease where breathing is difficult due to airway narrowing, excess mucus production or inflammation. It is caused most frequently by bronchitis, asthma, or emphysema.

Congestive Heart Failure (CHF): Heart failure occurs when the heart loses its ability to pump enough blood through the body. Heart failure usually worsens over time as the heart gradually loses its pumping ability and works less efficiently, resulting in high blood pressure and fluid collection in the lungs.

Diabetes with Amputation: Includes patients who have diabetes and undergo an amputation of the arm, leg, or toe.

Diabetes – Medical Management: Includes patients hospitalized for control of blood sugar. Conditions include coma, high blood sugar crisis, and fluid imbalances. Kidney, eye, nerve, or blood vessel damage related to diabetes are included.

Heart Attack – Medical Management: A heart attack (myocardial infarction) occurs when there is blockage or obstruction in the blood vessels that supply oxygen to the heart muscle causing an infarction (damage or death) to an area of the heart. Included are heart attack patients who were treated without a balloon (angioplasty) procedure or open heart surgery.

Intestinal Obstruction: Partial or complete blockage of the intestine often caused by scar tissue, tumors, twisting and kinking, or decreased blood supply that prevents the contents in the intestine from passing beyond the blockage.

Kidney Failure: Short and long-term kidney (renal) failure due to high blood pressure, heart disease, or damage to kidney tissue. Does not include dialysis or transplants.

Kidney and Urinary Tract Infections: Acute and chronic infections of the kidney and urinary tract. Does not include urinary stone or urinary symptoms, such as frequency, bleeding, or pain.

Pneumonia – Aspiration: Inflammation of the lungs and bronchial tubes caused by inhaling foreign material, such as food, drink, vomit, or secretions from the mouth into the lungs. Does not include infectious pneumonia.

Pneumonia – Infectious: Simple pneumonia (inflammation of the lung) includes viral and bacterial pneumonia, as well as pleurisy, an inflammation of the membrane surrounding the lungs.

Respiratory Failure with Mechanical Ventilation: Failure of the lungs to support the exchange of essential gases (oxygen and carbon dioxide), making the use of mechanical ventilation necessary. A mechanical ventilator (“breathing machine”) delivers oxygen through a tube placed in the mouth or nose into the trachea (windpipe). The breathing machine can be set to help or completely control breathing.

Respiratory Failure without Mechanical Ventilation: Inability of the lungs to support the exchange of essential gases (oxygen and carbon dioxide) without the need for mechanical ventilation.

Stomach and Intestinal Bleeding: Bleeding from ulcers or areas of inflammation in the stomach, small or large intestine, rectum, or esophagus (muscular tube that connects the mouth to the stomach).

Septicemia: Also known as blood poisoning, is a system-wide infection of the patient’s blood. Does not include post-operative or post-injury infections.

Stroke – Hemorrhagic: Stroke is a cardiovascular disease that affects the blood vessels supplying blood to the brain. In hemorrhagic strokes, a blood vessel in the brain breaks or ruptures and causes bleeding (hemorrhage) within or around the brain.

Stroke – Non-hemorrhagic: In ischemic (non-hemorrhagic) strokes, a blood clot blocks a blood vessel in the brain or an artery leading to the brain. This is the most common type of stroke. Transient ischemic attack (temporary stroke symptoms) is not included.



Code-Based Procedure Descriptions

Abdominal Aortic Aneurysm Repair – Endovascular (EVAR):

An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This procedure repairs the aneurysm in a minimally invasive manner. A covered stent (mesh tube) or 'endograft' is inserted through small incisions in the groin and advanced through the blood vessels to the weakened or bulging area of the abdominal aorta using X-rays to guide the placement. This endograft reinforces the weakened area of the aorta and prevents rupture of the aneurysm.

Abdominal Aortic Aneurysm Repair – Open: An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This 'open' procedure is performed through an incision in the abdomen. A synthetic graft is sutured (sewn) into the aorta to replace the weakened section.

Colorectal Procedures: The majority of colorectal procedures are performed in relation to the presence of cancer or diverticulitis (inflammation of part of the lower digestive tract). Does not include patients with abdominal trauma.

Gallbladder Removal – Laparoscopic: Cholecystectomy is the operation for removal of the gallbladder. Included are patients who underwent this type of surgery carried out with a laparoscope (microscopic camera) through 3 or 4 small incisions.

Gallbladder Removal – Open: Traditional gallbladder removal surgery that is carried out through an incision in the right side of the upper abdomen.

Heart Attack – Angioplasty/Stent: Treatment (called percutaneous transluminal coronary angioplasty or PTCA) of a heart attack using special balloons to open up obstructed arteries and increase blood flow to the heart. Often, a stent (a mesh tube) is inserted in the blocked or narrowed artery to open it wider and prevent re-narrowing or recurring blockage. Does not include coronary artery bypass graft surgery (CABG).

Hip Fracture – Surgical Repair: Fracture ("broken bone") of the hip involves the top portion of the femur (thigh bone). Surgical repair includes inserting a pin, rod or screw into the bone to hold the fracture together for healing or may also include a partial or total hip joint replacement.

Hysterectomy – Abdominal: An operation, performed through an abdominal incision, to remove the uterus (womb) and sometimes the ovaries and fallopian tubes. This type of surgery is performed when vaginal or laparoscopic approaches are deemed inappropriate for a variety of conditions, including female cancers, uterine fibroids, endometriosis, pelvic trauma, and uterine or vaginal prolapse.

Hysterectomy – Vaginal: Includes hysterectomy through a vaginal approach and those laparoscopically (use of microscopic camera) assisted. Includes hysterectomy performed for a variety of conditions such as female cancers, pelvic trauma, uterine fibroids, and endometriosis.

Prostatectomy – Radical: Radical prostatectomy is the surgical removal of the entire prostate. This type of surgery is usually performed when localized cancer is present.

Prostatectomy – Transurethral: This type of surgery involves the surgical removal of part of the prostate gland and is usually done to relieve urinary symptoms caused by benign (non-cancerous) enlargement of the prostate.

Removal of Blockage of Neck Vessels: This procedure, also known as a carotid endarterectomy, is performed to prevent strokes. It involves removal of blockages, complete or partial, in the two arteries (carotid arteries) that supply the brain with blood and oxygen.

Information about additional treatment and surgical categories is posted on the Web site at www.phc4.org



Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	25	⊙	3.2	4.0	⊙	4.0	⊙	⊙	⊙	\$10,972
Berwick	81	⊙	2.8	1.3	⊙	2.5	⊙	⊙	⊙	\$21,539
Bucktail	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	139	⊙	3.4	2.2	⊙	2.9	⊙	⊙	⊙	\$23,479
Chambersburg	313	⊙	3.3	6.4	⊙	5.5	⊙	⊙	⊙	\$17,719
Community/Scranton	268	⊙	3.4	5.2	⊙	6.0	⊙	⊙	⊙	\$17,104
Ephrata Community	187	⊙	3.2	3.8	⊙	3.2	⊙	⊙	⊙	\$14,162
Evangelical Community	160	⊙	2.9	8.9	●	3.2	⊙	⊙	⊙	\$9,470
Fulton County	28	⊙	3.2	3.6	⊙	0.0	⊙	⊙	⊙	\$12,435
Geisinger Wyoming Valley	230	⊙	2.9	7.4	⊙	1.7	○	⊙	⊙	\$22,264
Geisinger/Danville	341	⊙	2.2	14.7	●	0.6	○	○	⊙	\$18,109
Gettysburg	102	⊙	3.4	5.9	⊙	3.9	⊙	⊙	⊙	\$14,799
Good Samaritan/Lebanon	236	⊙	3.0	6.0	⊙	3.0	⊙	⊙	⊙	\$16,516
Hanover	131	⊙	3.2	5.4	⊙	5.4	⊙	⊙	⊙	\$9,980
Hazleton General	159	⊙	3.7	2.5	⊙	5.7	⊙	⊙	⊙	\$22,157
Heart of Lancaster	45	⊙	3.5	6.7	⊙	4.4	⊙	⊙	⊙	\$21,844
Holy Spirit	431	⊙	3.6	3.8	⊙	6.4	⊙	⊙	⊙	\$15,837
J C Blair Memorial	46	⊙	3.2	2.2	⊙	4.3	⊙	⊙	⊙	\$9,727
Jersey Shore	30	⊙	3.2	7.1	⊙	0.0	⊙	⊙	⊙	\$10,243
Lancaster General	1,111	⊙	3.7	3.7	○	7.1	●	⊙	⊙	\$19,097
Lancaster Regional	142	⊙	3.8	4.9	⊙	7.7	⊙	⊙	⊙	\$23,206
Lewistown	149	⊙	2.6	2.7	⊙	2.0	⊙	⊙	⊙	\$10,539
Lock Haven	57	⊙	2.3	7.0	⊙	1.8	⊙	○	⊙	\$19,544
Marian Community	68	⊙	3.8	3.0	⊙	9.0	⊙	●	⊙	\$12,694

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	101	⊙	2.7	12.0	●	0.0	⊙	⊙	NC	
Memorial/Towanda	45	⊙	3.0	2.2	⊙	4.4	⊙	⊙	\$14,951	
Mercy/Scranton	347	⊙	3.1	5.8	⊙	2.9	⊙	⊙	\$21,766	
Mid-Valley	44	⊙	3.2	4.5	⊙	0.0	⊙	⊙	\$12,526	
Milton S Hershey	271	⊙	2.8	9.4	●	2.6	⊙	⊙	\$13,167	
Montrose General	25	⊙	2.5	4.0	⊙	0.0	⊙	⊙	\$7,098	
Moses Taylor	152	⊙	3.8	4.0	⊙	10.1	●	⊙	\$16,860	
Mount Nittany	212	⊙	3.1	3.4	⊙	5.3	⊙	⊙	\$13,208	
Muncy Valley	20	⊙	2.6	5.0	⊙	0.0	⊙	⊙	\$9,631	
Pinnacle Health	536	⊙	3.7	4.7	⊙	7.3	●	⊙	\$20,383	
Pocono	291	⊙	2.9	6.3	⊙	3.1	⊙	⊙	\$18,346	
Robert Packer	459	⊙	2.5	6.1	⊙	1.3	⊙	⊙	\$12,191	
Shamokin Area Community	93	⊙	3.4	2.2	⊙	2.2	⊙	⊙	\$7,635	
Soldiers & Sailors	42	⊙	2.5	4.9	⊙	0.0	⊙	⊙	\$13,142	
Sunbury Community	62	⊙	2.9	4.8	⊙	3.2	⊙	●	\$12,046	
Troy Community	13	⊙	2.8	7.7	⊙	0.0	⊙	⊙	\$7,848	
Tyler Memorial	59	⊙	3.5	1.8	⊙	5.3	⊙	●	\$14,280	
Wayne Memorial	85	⊙	3.5	3.5	⊙	5.9	⊙	⊙	\$12,943	
Waynesboro	86	⊙	2.7	14.0	●	3.5	⊙	⊙	\$15,476	
Williamsport	296	⊙	2.5	9.2	●	0.7	⊙	⊙	\$16,212	
WVHCS	436	⊙	3.5	4.6	⊙	6.2	⊙	⊙	\$17,220	
York	433	⊙	2.9	7.0	⊙	3.5	⊙	⊙	\$13,120	
Central & Northeastern	8,750		3.2	5.7		4.4			\$16,848	
TOTAL: Statewide	38,651		3.3	5.0		5.0			\$26,132	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Barnes Kasson County	3	NR	NR	NR	NR	NR	NR	NR
Berwick	21	⊖	5.5	4.8	⊖	4.8	⊖	\$13,443
Bucktail	0	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	24	⊖	4.4	4.2	⊖	4.2	⊖	\$8,856
Chambersburg	73	⊖	4.5	4.2	⊖	2.8	⊖	\$9,461
Community/Scranton	63	⊖	4.5	4.8	⊖	1.6	⊖	\$11,088
Ephrata Community	40	⊖	4.0	5.0	⊖	5.0	⊖	\$10,303
Evangelical Community	24	⊖	3.8	12.5	⊖	4.2	⊖	\$6,670
Fulton County	10	⊖	4.8	0.0	⊖	0.0	⊖	\$7,803
Geisinger Wyoming Valley	21	⊖	3.6	23.8	●	4.8	⊖	\$12,130
Geisinger/Danville	23	⊖	3.1	21.7	●	4.3	⊖	\$15,235
Gettysburg	34	⊖	4.5	5.9	⊖	5.9	⊖	\$8,062
Good Samaritan/Lebanon	41	⊖	3.7	4.9	⊖	0.0	⊖	\$9,936
Hanover	42	⊖	4.9	0.0	⊖	7.1	⊖	\$5,639
Hazleton General	44	⊖	3.6	4.5	⊖	6.8	⊖	\$8,971
Heart of Lancaster	17	⊖	4.0	6.3	⊖	0.0	⊖	\$11,482
Holy Spirit	75	⊖	3.9	5.4	⊖	2.7	⊖	\$10,066
J C Blair Memorial	9	⊖	4.1	0.0	⊖	0.0	⊖	\$6,032
Jersey Shore	6	⊖	3.8	0.0	⊖	0.0	⊖	\$4,647
Lancaster General	101	⊖	4.3	5.0	⊖	3.0	⊖	\$10,071
Lancaster Regional	19	⊖	4.5	5.3	⊖	5.3	⊖	\$9,974
Lewistown	33	⊖	4.4	3.0	⊖	3.0	⊖	\$7,116
Lock Haven	5	⊖	4.9	0.0	⊖	0.0	⊖	\$12,042
Marian Community	14	⊖	3.9	7.1	⊖	0.0	⊖	\$5,494

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Memorial York	47	⊖	3.7	2.1	⊖	0.0	⊖	NC
Memorial/Towanda	6	⊖	4.1	0.0	⊖	0.0	⊖	\$7,068
Mercy/Scranton	64	⊖	4.2	10.9	⊖	4.7	⊖	\$10,668
Mid-Valley	12	⊖	3.7	0.0	⊖	0.0	⊖	\$7,908
Milton S Hershey	50	⊖	4.1	6.1	⊖	10.2	⊖	\$9,799
Montrose General	9	⊖	4.0	0.0	⊖	0.0	⊖	\$5,729
Moses Taylor	63	⊖	5.0	3.2	⊖	4.8	⊖	\$9,011
Mount Nittany	50	⊖	3.8	10.0	⊖	4.0	⊖	\$7,250
Muncy Valley	2	NR	NR	NR	NR	NR	NR	NR
Pinnacle Health	120	⊖	4.7	2.5	⊖	10.1	●	\$13,096
Pocono	53	⊖	3.3	7.5	⊖	1.9	⊖	\$12,856
Robert Packer	13	⊖	4.5	0.0	⊖	0.0	⊖	\$8,991
Shamokin Area Community	67	●	4.3	4.6	⊖	1.5	⊖	\$5,752
Soldiers & Sailors	14	⊖	4.6	0.0	⊖	0.0	⊖	\$8,820
Sunbury Community	14	●	3.9	0.0	⊖	0.0	⊖	\$6,500
Troy Community	10	⊖	3.8	0.0	⊖	0.0	⊖	\$4,929
Tyler Memorial	14	⊖	4.3	0.0	⊖	14.3	⊖	\$9,430
Wayne Memorial	15	⊖	5.1	0.0	⊖	0.0	⊖	\$6,205
Waynesboro	36	⊖	4.4	2.8	⊖	0.0	⊖	\$8,087
Williamsport	39	⊖	3.5	5.1	⊖	2.6	⊖	\$8,141
WVHCS	80	⊖	5.1	2.5	⊖	8.9	⊖	\$11,573
York	104	⊖	4.4	8.7	⊖	6.8	⊖	\$6,557
Central & Northeastern	1,675		4.3	5.2		4.4		\$9,405
TOTAL: Statewide	7,674		4.3	5.0		5.0		\$15,987

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Barnes Kasson County	1	NR	NR	NR	NR	NR	NR	NR
Berwick	5	⊙	NR	NR	NR	NR	NR	\$25,461
Bucktail	0	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	35	⊙	5.2	5.9	⊙	2.9	⊙	\$15,776
Chambersburg	50	⊙	5.4	4.0	⊙	2.0	⊙	\$16,072
Community/Scranton	40	⊙	5.6	0.0	⊙	5.0	⊙	\$19,833
Ephrata Community	28	⊙	4.3	18.5	●	3.7	⊙	\$17,950
Evangelical Community	53	⊙	4.1	11.8	●	0.0	⊙	\$8,904
Fulton County	10	⊙	5.3	0.0	⊙	11.1	⊙	\$13,659
Geisinger Wyoming Valley	20	⊙	5.3	5.3	⊙	0.0	⊙	\$27,280
Geisinger/Danville	89	⊙	3.3	25.9	●	0.0	⊙	\$21,447
Gettysburg	27	⊙	5.6	0.0	⊙	11.5	⊙	\$14,526
Good Samaritan/Lebanon	85	⊙	5.6	1.2	⊙	2.4	⊙	\$18,850
Hanover	38	⊙	5.2	2.6	⊙	2.6	⊙	\$8,945
Hazleton General	31	⊙	4.2	12.9	⊙	0.0	⊙	\$21,192
Heart of Lancaster	16	⊙	4.6	12.5	⊙	6.3	⊙	\$16,699
Holy Spirit	104	⊙	6.0	4.9	⊙	6.9	⊙	\$18,545
J C Blair Memorial	6	⊙	5.8	0.0	⊙	0.0	⊙	\$9,176
Jersey Shore	4	NR	NR	NR	NR	NR	NR	NR
Lancaster General	141	⊙	5.5	3.6	⊙	5.0	⊙	\$16,124
Lancaster Regional	8	⊙	4.0	12.5	⊙	0.0	⊙	\$18,872
Lewistown	27	⊙	4.6	3.7	⊙	0.0	⊙	\$11,023
Lock Haven	13	⊙	4.7	7.7	⊙	0.0	⊙	\$19,403
Marian Community	4	NR	NR	NR	NR	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Memorial York	45	⊖	5.0	2.2	⊖	0.0	⊖	NC
Memorial/Towanda	2	NR	NR	NR	NR	NR	NR	NR
Mercy/Scranton	37	⊖	6.4	5.6	⊖	8.3	⊖	\$21,212
Mid-Valley	6	⊖	5.9	0.0	⊖	0.0	⊖	\$19,828
Milton S Hershey	83	●	4.6	10.3	⊖	6.4	⊖	\$14,153
Montrose General	1	NR	NR	NR	NR	NR	NR	NR
Moses Taylor	29	⊖	6.5	0.0	⊖	6.9	⊖	\$16,484
Mount Nittany	66	⊖	5.5	0.0	⊖	1.6	⊖	\$13,304
Muncy Valley	3	NR	NR	NR	NR	NR	NR	NR
Pinnacle Health	116	⊖	5.9	3.5	⊖	8.8	⊖	\$21,117
Pocono	35	⊖	4.7	2.9	⊖	2.9	⊖	\$21,722
Robert Packer	59	⊖	5.4	3.5	⊖	3.5	⊖	\$14,993
Shamokin Area Community	22	⊖	5.0	4.5	⊖	0.0	⊖	\$8,969
Soldiers & Sailors	11	⊖	6.1	0.0	⊖	9.1	⊖	\$12,873
Sunbury Community	18	⊖	4.9	0.0	⊖	0.0	⊖	\$15,899
Troy Community	0	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	3	NR	NR	NR	NR	NR	NR	NR
Wayne Memorial	13	⊖	4.9	7.7	⊖	0.0	⊖	\$12,364
Waynesboro	21	⊖	5.5	0.0	⊖	0.0	⊖	\$16,305
Williamsport	67	⊖	4.7	9.2	⊖	0.0	⊖	\$16,390
WVHCS	46	⊖	6.2	0.0	⊖	4.5	⊖	\$17,483
York	116	⊖	5.6	5.3	⊖	3.5	⊖	\$10,401
Central & Northeastern	1,666		5.2	5.7		3.6		\$16,328
TOTAL: Statewide	6,397		5.5	5.0		5.0		\$26,313

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	72	⊙	4.3	0.0	⊙	1.4	⊙	⊙	⊙	\$7,144
Berwick	130	⊙	4.2	1.6	⊙	1.6	⊙	⊙	⊙	\$17,352
Bucktail	12	⊙	3.4	0.0	⊙	0.0	⊙	⊙	⊙	\$8,198
Carlisle Regional	145	⊙	4.7	4.2	⊙	7.0	⊙	⊙	⊙	\$15,694
Chambersburg	242	⊙	3.8	6.2	⊙	2.5	⊙	⊙	⊙	\$11,462
Community/Scranton	203	⊙	4.9	1.5	⊙	4.9	⊙	●	●	\$12,906
Ephrata Community	170	⊙	4.0	6.0	⊙	6.0	⊙	⊙	⊙	\$12,696
Evangelical Community	68	⊙	2.9	13.6	●	0.0	⊙	⊙	●	\$6,009
Fulton County	36	⊙	3.6	2.8	⊙	2.8	⊙	⊙	⊙	\$7,181
Geisinger Wyoming Valley	210	⊙	4.1	4.3	⊙	4.8	⊙	⊙	⊙	\$15,738
Geisinger/Danville	80	⊙	2.6	25.6	●	0.0	⊙	⊙	⊙	\$16,094
Gettysburg	46	⊙	4.1	4.5	⊙	2.3	⊙	⊙	⊙	\$11,102
Good Samaritan/Lebanon	239	⊙	4.4	6.8	⊙	5.5	⊙	⊙	⊙	\$14,666
Hanover	146	⊙	4.4	7.0	⊙	2.1	⊙	⊙	⊙	\$8,713
Hazleton General	163	⊙	4.4	3.8	⊙	3.1	⊙	⊙	⊙	\$15,441
Heart of Lancaster	34	⊙	4.5	12.1	⊙	15.2	●	⊙	⊙	\$13,690
Holy Spirit	233	⊙	4.6	4.4	⊙	3.1	⊙	⊙	⊙	\$15,931
J C Blair Memorial	45	●	4.6	4.8	⊙	7.1	⊙	⊙	⊙	\$7,532
Jersey Shore	67	⊙	3.7	6.2	⊙	0.0	⊙	⊙	⊙	\$6,253
Lancaster General	330	⊙	4.8	5.2	⊙	8.3	●	⊙	⊙	\$14,512
Lancaster Regional	152	⊙	4.9	4.0	⊙	6.7	⊙	⊙	⊙	\$15,750
Lewistown	228	⊙	3.8	4.9	⊙	4.0	⊙	⊙	⊙	\$8,452
Lock Haven	75	⊙	4.0	1.4	⊙	0.0	⊙	⊙	⊙	\$13,913
Marian Community	92	⊙	4.5	1.1	⊙	5.4	⊙	⊙	⊙	\$8,941

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	117	⊙	4.1	4.3	⊙	5.1	⊙	⊙	⊙	NC
Memorial/Towanda	54	⊙	4.8	1.9	⊙	5.7	⊙	⊙	⊙	\$12,995
Mercy/Scranton	144	⊙	4.0	3.5	⊙	2.1	⊙	⊙	⊙	\$13,802
Mid-Valley	19	⊙	3.9	5.3	⊙	5.3	⊙	⊙	⊙	\$10,307
Milton S Hershey	78	⊙	3.6	13.2	●	5.3	⊙	⊙	⊙	\$11,610
Montrose General	82	⊙	4.6	0.0	○	3.7	⊙	⊙	⊙	\$6,617
Moses Taylor	186	⊙	5.2	3.3	⊙	8.7	●	⊙	⊙	\$9,832
Mount Nittany	193	⊙	4.7	4.1	⊙	2.6	⊙	⊙	⊙	\$12,251
Muncy Valley	18	⊙	4.3	0.0	⊙	5.6	⊙	⊙	⊙	\$7,234
Pinnacle Health	220	⊙	4.7	8.2	●	7.8	⊙	⊙	⊙	\$17,560
Pocono	260	⊙	4.1	7.8	⊙	4.3	⊙	⊙	●	\$15,660
Robert Packer	125	⊙	4.1	12.2	●	6.5	⊙	⊙	⊙	\$12,910
Shamokin Area Community	122	⊙	4.4	1.7	⊙	1.7	⊙	⊙	⊙	\$7,256
Soldiers & Sailors	99	⊙	4.0	7.1	⊙	2.0	⊙	⊙	⊙	\$10,165
Sunbury Community	133	⊙	4.3	2.3	⊙	0.0	○	⊙	⊙	\$11,164
Troy Community	17	⊙	3.5	5.9	⊙	0.0	⊙	⊙	⊙	\$5,994
Tyler Memorial	96	⊙	4.1	0.0	○	3.1	⊙	⊙	⊙	\$7,764
Wayne Memorial	57	⊙	4.3	14.0	●	5.3	⊙	⊙	○	\$10,698
Waynesboro	85	⊙	4.4	8.4	⊙	2.4	⊙	⊙	⊙	\$14,009
Williamsport	117	⊙	3.7	6.8	⊙	1.7	⊙	○	⊙	\$11,968
WVHCS	316	⊙	5.1	1.6	○	6.1	⊙	⊙	⊙	\$15,377
York	297	⊙	3.6	11.9	●	0.7	○	⊙	○	\$8,447
Central & Northeastern	6,246		4.3	5.5		4.2				\$12,513
TOTAL: Statewide	27,958		4.4	5.0		5.0				\$19,697

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	78	⊖	4.6	0.0	⊖	1.3	⊖	⊖	⊖	\$6,946
Berwick	158	⊖	4.4	0.6	⊖	0.6	⊖	⊖	⊖	\$18,437
Bucktail	7	⊖	3.7	0.0	⊖	0.0	⊖	⊖	⊖	\$6,059
Carlisle Regional	277	⊖	4.4	3.4	⊖	5.3	⊖	⊖	⊖	\$15,721
Chambersburg	382	⊖	4.6	6.9	⊖	4.0	⊖	⊖	⊖	\$16,655
Community/Scranton	335	⊖	5.4	2.2	⊖	7.1	⊖	⊖	⊖	\$14,990
Ephrata Community	182	⊖	4.5	9.5	●	3.4	⊖	⊖	⊖	\$15,071
Evangelical Community	209	⊖	3.5	13.2	●	0.0	⊖	⊖	⊖	\$7,601
Fulton County	44	⊖	4.6	0.0	⊖	0.0	⊖	⊖	⊖	\$8,629
Geisinger Wyoming Valley	256	⊖	4.9	10.3	●	5.9	⊖	⊖	⊖	\$20,238
Geisinger/Danville	418	⊖	3.3	25.6	●	1.8	⊖	⊖	⊖	\$18,395
Gettysburg	153	⊖	4.7	4.6	⊖	4.0	⊖	⊖	⊖	\$12,232
Good Samaritan/Lebanon	392	⊖	4.8	4.9	⊖	3.3	⊖	⊖	⊖	\$15,835
Hanover	260	⊖	5.0	4.4	⊖	3.6	⊖	⊖	⊖	\$9,923
Hazleton General	291	⊖	4.8	4.2	⊖	3.9	⊖	⊖	●	\$19,184
Heart of Lancaster	107	⊖	4.6	10.7	●	6.8	⊖	⊖	⊖	\$18,260
Holy Spirit	553	⊖	5.4	5.3	⊖	7.4	●	⊖	⊖	\$17,161
J C Blair Memorial	100	⊖	5.3	2.1	⊖	6.2	⊖	⊖	⊖	\$8,103
Jersey Shore	55	⊖	4.4	1.9	⊖	3.7	⊖	⊖	⊖	\$7,673
Lancaster General	666	⊖	5.8	4.9	⊖	10.5	●	⊖	⊖	\$18,430
Lancaster Regional	228	⊖	5.9	3.6	⊖	10.0	●	⊖	⊖	\$19,555
Lewistown	406	⊖	4.2	5.6	⊖	3.0	⊖	●	⊖	\$9,203
Lock Haven	97	⊖	3.6	3.1	⊖	1.0	⊖	⊖	⊖	\$15,236
Marian Community	151	⊖	5.1	2.8	⊖	4.3	⊖	⊖	⊖	\$10,457

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	282	⊙	4.4	2.9	⊙	4.0	⊙	⊙	⊙	NC
Memorial/Towanda	78	●	4.3	1.4	⊙	2.7	⊙	●	⊙	\$12,073
Mercy/Scranton	465	⊙	4.8	5.5	⊙	4.0	⊙	○	⊙	\$17,026
Mid-Valley	74	⊙	4.6	4.1	⊙	1.4	⊙	○	⊙	\$9,368
Milton S Hershey	452	⊙	4.6	8.3	●	5.5	⊙	⊙	⊙	\$12,821
Montrose General	36	●	4.3	0.0	⊙	0.0	⊙	⊙	⊙	\$5,994
Moses Taylor	322	⊙	5.3	1.3	○	4.2	⊙	⊙	⊙	\$12,514
Mount Nittany	287	⊙	5.2	4.8	⊙	5.9	⊙	○	○	\$12,688
Muncy Valley	53	⊙	4.1	1.9	⊙	0.0	⊙	⊙	⊙	\$7,923
Pinnacle Health	760	⊙	5.0	6.4	⊙	7.1	●	⊙	●	\$17,555
Pocono	397	⊙	4.2	6.2	⊙	2.3	○	⊙	⊙	\$18,075
Robert Packer	312	⊙	3.8	14.7	●	2.9	⊙	●	⊙	\$12,025
Shamokin Area Community	195	●	4.9	0.0	○	0.5	○	⊙	⊙	\$6,461
Soldiers & Sailors	137	⊙	4.1	8.3	⊙	0.8	○	○	⊙	\$10,305
Sunbury Community	183	⊙	4.1	6.3	⊙	1.1	○	⊙	⊙	\$11,797
Troy Community	35	⊙	3.3	5.9	⊙	0.0	⊙	⊙	⊙	\$4,693
Tyler Memorial	83	⊙	4.8	1.2	⊙	4.9	⊙	⊙	⊙	\$10,106
Wayne Memorial	123	⊙	4.8	4.1	⊙	2.5	⊙	⊙	⊙	\$10,488
Waynesboro	124	⊙	4.7	9.9	●	1.7	⊙	⊙	⊙	\$17,427
Williamsport	244	⊙	4.5	4.8	⊙	2.2	○	○	⊙	\$14,683
WVHCS	599	⊙	5.8	4.5	⊙	6.3	⊙	⊙	⊙	\$17,501
York	852	⊙	4.0	7.1	●	2.9	○	○	○	\$10,188
Central & Northeastern	12,225		4.7	6.1		4.4				\$14,596
TOTAL: Statewide	53,542		4.9	5.0		5.0				\$24,138

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	1	NR	NR	NR	NR	NR
Berwick	7	⊙	9.3	⊙	⊙	\$31,871
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	19	⊙	6.3	⊙	⊙	\$31,600
Chambersburg	20	⊙	9.1	⊙	⊙	\$22,276
Community/Scranton	34	⊙	10.6	⊙	⊙	\$41,744
Ephrata Community	15	⊙	8.8	⊙	⊙	\$44,126
Evangelical Community	4	NR	NR	NR	NR	NR
Fulton County	0	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	8	⊙	14.8	⊙	⊙	\$48,986
Geisinger/Danville	8	⊙	5.9	⊙	⊙	NR
Gettysburg	10	⊙	10.8	⊙	⊙	\$24,556
Good Samaritan/Lebanon	16	⊙	11.4	⊙	⊙	\$34,692
Hanover	1	NR	NR	NR	NR	NR
Hazleton General	11	⊙	8.8	⊙	⊙	\$29,127
Heart of Lancaster	5	⊙	7.2	⊙	⊙	\$31,913
Holy Spirit	13	⊙	9.4	⊙	⊙	\$32,105
J C Blair Memorial	0	NR	NR	NR	NR	NR
Jersey Shore	0	NR	NR	NR	NR	NR
Lancaster General	59	⊙	9.3	⊙	⊙	\$33,680
Lancaster Regional	12	⊙	11.1	⊙	⊙	\$38,076
Lewistown	5	⊙	9.6	⊙	⊙	NR
Lock Haven	1	NR	NR	NR	NR	NR
Marian Community	8	⊙	10.8	⊙	⊙	\$21,395

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	12	⊖	8.7	⊖	⊖	NC
Memorial/Towanda	0	NR	NR	NR	NR	NR
Mercy/Scranton	12	⊖	8.7	⊖	⊖	\$33,866
Mid-Valley	4	NR	NR	NR	NR	NR
Milton S Hershey	31	⊖	11.4	⊖	⊖	\$32,984
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	11	⊖	13.5	⊖	⊖	\$29,924
Mount Nittany	3	NR	NR	NR	NR	NR
Muncy Valley	2	NR	NR	NR	NR	NR
Pinnacle Health	37	●	8.0	⊖	⊖	\$31,407
Pocono	12	⊖	10.7	⊖	⊖	\$41,686
Robert Packer	27	⊖	6.1	⊖	⊖	\$20,246
Shamokin Area Community	5	⊖	7.8	⊖	⊖	NR
Soldiers & Sailors	0	NR	NR	NR	NR	NR
Sunbury Community	2	NR	NR	NR	NR	NR
Troy Community	0	NR	NR	NR	NR	NR
Tyler Memorial	1	NR	NR	NR	NR	NR
Wayne Memorial	4	NR	NR	NR	NR	NR
Waynesboro	5	⊖	12.2	⊖	⊖	\$26,992
Williamsport	14	⊖	11.0	⊖	⊖	\$32,012
WVHCS	16	⊖	9.2	⊖	⊖	\$31,274
York	48	⊖	8.2	⊖	⊖	\$17,365
Central & Northeastern	510		9.3			\$30,538
TOTAL: Statewide	2,206		9.9			\$61,311

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	19	○	2.9	5.3	○	0.0	○	○	○	\$4,502
Berwick	61	○	4.1	0.0	○	3.3	○	○	○	\$13,281
Bucktail	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	76	○	4.2	2.7	○	13.3	●	○	○	\$13,946
Chambersburg	121	○	3.5	7.6	○	2.5	○	○	○	\$10,648
Community/Scranton	87	○	4.2	4.6	○	4.6	○	○	○	\$11,480
Ephrata Community	116	○	3.7	12.1	●	3.4	○	○	○	\$12,039
Evangelical Community	64	○	3.1	7.8	○	0.0	○	○	○	\$6,080
Fulton County	8	○	3.6	12.5	○	0.0	○	○	○	\$6,866
Geisinger Wyoming Valley	72	○	4.0	6.9	○	5.6	○	○	○	\$17,977
Geisinger/Danville	85	○	3.0	11.9	●	4.8	○	○	○	\$18,573
Gettysburg	33	○	4.0	3.0	○	6.1	○	○	○	\$9,127
Good Samaritan/Lebanon	101	○	3.9	5.0	○	7.9	○	○	○	\$11,092
Hanover	46	○	3.9	4.3	○	2.2	○	○	○	\$7,455
Hazleton General	82	○	4.4	3.7	○	7.3	○	○	○	\$14,189
Heart of Lancaster	31	○	3.4	6.5	○	3.2	○	●	○	\$10,845
Holy Spirit	126	○	3.6	4.8	○	4.0	○	○	○	\$12,939
J C Blair Memorial	21	○	4.0	0.0	○	9.5	○	○	○	\$7,094
Jersey Shore	15	○	3.1	0.0	○	0.0	○	○	○	\$5,306
Lancaster General	264	○	4.1	6.9	○	11.9	●	○	○	\$12,690
Lancaster Regional	61	○	3.9	1.6	○	4.9	○	○	○	\$12,030
Lewistown	81	○	3.3	8.8	○	2.5	○	○	○	\$7,708
Lock Haven	29	○	3.2	6.9	○	3.4	○	○	○	\$11,272
Marian Community	33	○	3.9	6.3	○	9.4	○	○	○	\$7,258

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	69	⊙	4.0	4.4	⊙	2.9	⊙	○	○	NC
Memorial/Towanda	23	⊙	3.5	0.0	⊙	4.3	⊙	⊙	⊙	\$8,700
Mercy/Scranton	91	⊙	4.2	4.4	⊙	3.3	⊙	⊙	⊙	\$13,339
Mid-Valley	9	⊙	2.5	0.0	⊙	0.0	⊙	⊙	⊙	\$6,827
Milton S Hershey	87	⊙	3.9	3.4	⊙	6.9	⊙	⊙	⊙	\$11,940
Montrose General	10	⊙	4.5	0.0	⊙	10.0	⊙	⊙	⊙	\$8,196
Moses Taylor	92	⊙	4.2	4.3	⊙	4.3	⊙	⊙	⊙	\$10,402
Mount Nittany	81	⊙	4.2	4.9	⊙	6.2	⊙	○	⊙	\$10,291
Muncy Valley	7	⊙	3.2	0.0	⊙	0.0	⊙	⊙	⊙	\$4,136
Pinnacle Health	203	⊙	4.1	3.5	⊙	7.5	⊙	⊙	⊙	\$13,940
Pocono	123	⊙	3.9	3.3	⊙	4.1	⊙	⊙	⊙	\$15,921
Robert Packer	68	⊙	3.4	18.5	●	6.2	⊙	⊙	⊙	\$11,017
Shamokin Area Community	41	⊙	3.6	0.0	⊙	0.0	⊙	⊙	⊙	\$5,864
Soldiers & Sailors	30	⊙	4.1	0.0	⊙	0.0	⊙	⊙	⊙	\$9,464
Sunbury Community	28	⊙	3.1	3.6	⊙	0.0	⊙	⊙	⊙	\$7,579
Troy Community	11	⊙	4.0	0.0	⊙	9.1	⊙	⊙	⊙	\$6,977
Tyler Memorial	21	⊙	3.1	4.8	⊙	4.8	⊙	⊙	⊙	\$8,132
Wayne Memorial	35	⊙	4.5	5.7	⊙	11.4	⊙	⊙	⊙	\$9,302
Waynesboro	26	⊙	4.0	19.2	●	11.5	⊙	⊙	⊙	\$10,231
Williamsport	79	⊙	4.0	0.0	○	3.8	⊙	⊙	⊙	\$10,240
WVHCS	194	⊙	4.2	2.6	⊙	4.2	⊙	⊙	⊙	\$12,182
York	231	⊙	3.4	7.0	⊙	4.3	⊙	⊙	⊙	\$8,291
Central & Northeastern	3,287		3.8	5.5		5.4				\$11,508
TOTAL: Statewide	16,251		3.8	5.0		5.0				\$18,845

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating	%	Rating	
Barnes Kasson County	2	NR	NR	NR	NR	NR	NR	NR	NR
Berwick	37	45.9	⊖	6.6	0.0	⊖	9.1	⊖	\$31,038
Bucktail	0	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	42	62.1	●	6.3	3.2	⊖	9.7	⊖	\$21,277
Chambersburg*	142	27.6	⊖	5.5	9.5	●	4.0	⊖	\$22,858
Community/Scranton*	57	6.9	⊖	5.5	3.8	⊖	3.8	⊖	\$17,050
Ephrata Community	53	49.0	⊖	5.0	10.0	⊖	0.0	⊖	\$22,504
Evangelical Community	97	36.5	⊖	3.8	9.2	⊖	1.1	⊖	\$9,116
Fulton County	4	NR	NR	NR	NR	NR	NR	NR	NR
Geisinger Wyoming Valley*	54	2.0	⊖	4.2	12.5	●	0.0	⊖	\$25,845
Geisinger/Danville*	257	0.9	⊖	4.3	12.6	●	1.3	⊖	\$31,012
Gettysburg	47	55.2	⊖	5.3	4.7	⊖	0.0	⊖	\$14,736
Good Samaritan/Lebanon*	134	9.4	⊖	5.3	2.6	⊖	4.3	⊖	\$20,488
Hanover	81	55.2	⊖	5.5	4.7	⊖	1.6	⊖	\$12,945
Hazleton General	42	57.5	⊖	6.7	0.0	⊖	12.9	⊖	\$22,588
Heart of Lancaster	8	38.5	⊖	5.3	0.0	⊖	12.5	⊖	\$18,755
Holy Spirit*	121	4.3	⊖	5.7	4.6	⊖	1.9	⊖	\$19,813
J C Blair Memorial	17	78.7	⊖	4.8	0.0	⊖	0.0	⊖	\$8,018
Jersey Shore	21	34.5	⊖	4.6	0.0	⊖	0.0	⊖	\$8,307
Lancaster General*	282	0.8	⊖	5.7	3.6	⊖	7.1	⊖	\$22,444
Lancaster Regional*	48	2.3	⊖	6.0	9.5	⊖	7.1	⊖	\$25,001
Lewistown	124	38.7	⊖	4.8	2.7	⊖	1.8	⊖	\$11,613
Lock Haven	24	39.5	⊖	4.3	8.7	⊖	4.3	⊖	\$20,364
Marian Community	25	53.5	⊖	6.1	0.0	⊖	5.0	⊖	\$13,579

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊙ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating	%	Rating	
Memorial York	44	54.4	⊙	5.4	5.6	⊙	5.6	⊙	NC
Memorial/Towanda	4	NR	NR	NR	NR	NR	NR	NR	NR
Mercy/Scranton*	120	0.0	⊙	4.8	12.8	●	2.8	⊙	\$23,452
Mid-Valley	22	51.3	⊙	4.4	15.8	⊙	0.0	⊙	\$11,442
Milton S Hershey*	171	0.7	⊙	4.0	8.6	⊙	1.3	⊙	\$16,296
Montrose General	10	61.9	⊙	5.6	0.0	⊙	0.0	⊙	\$7,334
Moses Taylor	59	49.0	⊙	5.6	4.1	⊙	4.1	⊙	\$15,234
Mount Nittany	58	46.0	⊙	6.6	2.1	⊙	10.6	⊙	\$16,390
Muncy Valley	11	33.3	⊙	3.3	20.0	⊙	0.0	⊙	\$7,667
Pinnacle Health*	301	3.3	⊙	5.7	3.1	⊙	4.6	⊙	\$24,829
Pocono	66	67.6	⊙	5.4	5.5	⊙	3.6	⊙	\$23,608
Robert Packer*	140	2.4	⊙	4.1	22.1	●	2.5	⊙	\$15,630
Shamokin Area Community	106	30.7	⊙	5.3	0.0	⊙	2.1	⊙	\$8,189
Soldiers & Sailors	16	45.8	⊙	3.4	7.7	⊙	0.0	⊙	\$11,559
Sunbury Community	43	36.2	⊙	5.0	8.1	⊙	0.0	⊙	\$17,481
Troy Community	1	NR	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	10	46.2	⊙	6.7	0.0	⊙	14.3	⊙	\$11,824
Wayne Memorial	40	51.5	⊙	5.7	3.1	⊙	3.1	⊙	\$12,591
Waynesboro	13	75.0	⊙	6.3	9.1	⊙	9.1	⊙	\$18,040
Williamsport*	140	0.8	⊙	4.5	3.9	⊙	2.3	⊙	\$18,099
WVHCS*	179	2.4	⊙	6.2	3.1	⊙	6.3	⊙	\$20,770
York*	313	1.4	⊙	4.7	7.9	●	2.5	⊙	\$13,716
Central & Northeastern	3,721	25.4		5.1	6.6		3.5		\$19,250
TOTAL: Statewide	12,732	25.5		5.4	5.0		5.0		\$31,537

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Barnes Kasson County	14	⊖	3.5	0.0	⊖	0.0	⊖	\$5,734
Berwick	18	⊖	5.2	0.0	⊖	11.1	⊖	\$18,222
Bucktail	2	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	33	⊖	3.9	6.3	⊖	0.0	⊖	\$13,858
Chambersburg	78	⊖	4.7	3.8	⊖	5.1	⊖	\$9,262
Community/Scranton	45	⊖	4.3	0.0	⊖	4.5	⊖	\$13,096
Ephrata Community	46	●	4.2	9.5	⊖	7.1	⊖	\$11,507
Evangelical Community	58	⊖	4.4	5.4	⊖	3.6	⊖	\$6,789
Fulton County	5	⊖	4.1	20.0	⊖	0.0	⊖	\$7,688
Geisinger Wyoming Valley	45	⊖	4.0	11.4	⊖	4.5	⊖	\$15,461
Geisinger/Danville	92	⊖	3.6	7.7	⊖	3.3	⊖	\$16,333
Gettysburg	32	⊖	3.6	0.0	⊖	3.2	⊖	\$7,875
Good Samaritan/Lebanon	51	⊖	5.0	8.2	⊖	6.1	⊖	\$13,653
Hanover	55	⊖	3.9	3.7	⊖	3.7	⊖	\$7,228
Hazleton General	48	⊖	4.8	2.2	⊖	2.2	⊖	\$16,884
Heart of Lancaster	16	⊖	4.7	0.0	⊖	6.3	⊖	\$11,227
Holy Spirit	95	⊖	4.2	6.6	⊖	3.3	⊖	\$12,846
J C Blair Memorial	31	⊖	3.9	0.0	⊖	0.0	⊖	\$7,926
Jersey Shore	18	●	2.7	0.0	⊖	0.0	⊖	\$5,348
Lancaster General	117	⊖	5.0	3.6	⊖	7.1	⊖	\$11,024
Lancaster Regional	32	⊖	4.5	6.5	⊖	6.5	⊖	\$12,059
Lewistown	40	⊖	3.9	10.5	⊖	0.0	⊖	\$7,810
Lock Haven	15	⊖	3.4	6.7	⊖	0.0	⊖	\$12,627
Marian Community	15	⊖	4.3	6.7	⊖	6.7	⊖	\$7,855

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Memorial York	30	⊖	4.0	3.6	⊖	7.1	⊖	NC
Memorial/Towanda	12	⊖	3.3	0.0	⊖	0.0	⊖	\$9,346
Mercy/Scranton	62	⊖	4.2	6.8	⊖	1.7	⊖	\$14,085
Mid-Valley	12	⊖	3.6	0.0	⊖	0.0	⊖	\$8,705
Milton S Hershey	72	⊖	3.8	7.2	⊖	2.9	⊖	\$10,108
Montrose General	22	⊖	3.6	4.5	⊖	4.5	⊖	\$5,430
Moses Taylor	66	⊖	5.0	1.5	⊖	7.7	⊖	\$10,513
Mount Nittany	86	⊖	4.5	3.7	⊖	3.7	⊖	\$10,482
Muncy Valley	7	⊖	6.5	0.0	⊖	14.3	⊖	\$10,333
Pinnacle Health	131	⊖	4.0	7.8	⊖	3.9	⊖	\$12,101
Pocono	77	⊖	3.7	6.6	⊖	1.3	⊖	\$14,130
Robert Packer	82	⊖	3.9	9.8	⊖	6.1	⊖	\$10,421
Shamokin Area Community	20	⊖	4.1	0.0	⊖	0.0	⊖	\$6,187
Soldiers & Sailors	18	⊖	2.4	11.8	⊖	0.0	⊖	\$6,365
Sunbury Community	35	⊖	3.6	11.8	⊖	0.0	⊖	\$7,452
Troy Community	9	⊖	3.8	0.0	⊖	0.0	⊖	\$5,107
Tyler Memorial	7	●	4.5	0.0	⊖	0.0	⊖	\$12,245
Wayne Memorial	13	⊖	5.5	0.0	⊖	0.0	⊖	\$12,617
Waynesboro	27	●	2.9	0.0	⊖	0.0	⊖	\$8,496
Williamsport	55	⊖	4.4	3.7	⊖	1.9	⊖	\$10,252
WVHCS	88	⊖	5.0	6.9	⊖	5.7	⊖	\$12,918
York	156	⊖	4.1	5.8	⊖	3.2	⊖	\$8,038
Central & Northeastern	2,132		4.2	5.5		3.8		\$10,990
TOTAL: Statewide	8,797		4.3	5.0		5.0		\$18,944

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Kidney Failure

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	2	NR	NR	NR	NR	NR
Berwick	22	●	5.4	⊙	⊙	\$21,028
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	104	●	5.9	⊙	⊙	\$19,151
Chambersburg	194	⊙	5.1	○	○	\$13,852
Community/Scranton	85	⊙	6.6	⊙	⊙	\$19,129
Ephrata Community	78	⊙	4.3	⊙	⊙	\$16,660
Evangelical Community	40	⊙	4.1	⊙	⊙	\$7,491
Fulton County	2	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	111	⊙	6.0	⊙	⊙	\$24,057
Geisinger/Danville	276	⊙	4.7	⊙	⊙	\$24,492
Gettysburg	51	⊙	5.4	⊙	⊙	\$12,978
Good Samaritan/Lebanon	127	⊙	6.4	⊙	⊙	\$17,778
Hanover	53	⊙	5.8	⊙	⊙	\$10,171
Hazleton General	132	●	5.9	⊙	⊙	\$20,988
Heart of Lancaster	63	⊙	5.1	⊙	⊙	\$16,118
Holy Spirit	155	⊙	6.4	○	○	\$19,526
J C Blair Memorial	10	⊙	4.7	⊙	⊙	\$8,512
Jersey Shore	5	⊙	4.0	⊙	⊙	\$7,346
Lancaster General	315	⊙	6.0	⊙	⊙	\$16,769
Lancaster Regional	129	⊙	5.8	⊙	⊙	\$17,851
Lewistown	52	⊙	4.9	⊙	⊙	\$9,949
Lock Haven	31	⊙	4.7	⊙	⊙	\$16,466
Marian Community	73	⊙	6.1	⊙	⊙	\$13,317

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Kidney Failure

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	100	⊖	5.4	⊖	⊖	NC
Memorial/Towanda	6	⊖	7.3	NR	NR	\$12,128
Mercy/Scranton	109	⊖	5.7	⊖	⊖	\$21,974
Mid-Valley	27	⊖	4.6	⊖	⊖	\$9,549
Milton S Hershey	264	⊖	5.5	⊖	⊖	\$16,387
Montrose General	6	⊖	3.8	NR	NR	\$5,027
Moses Taylor	132	⊖	5.6	⊖	⊖	\$15,498
Mount Nittany	48	●	7.4	⊖	⊖	\$14,839
Muncy Valley	4	NR	NR	NR	NR	NR
Pinnacle Health	415	⊖	6.2	⊖	⊖	\$20,748
Pocono	172	⊖	5.5	⊖	⊖	\$24,615
Robert Packer	161	⊖	4.3	⊖	⊖	\$14,194
Shamokin Area Community	47	⊖	5.1	⊖	⊖	\$6,658
Soldiers & Sailors	29	⊖	4.6	⊖	⊖	\$9,310
Sunbury Community	33	⊖	4.2	⊖	⊖	\$9,914
Troy Community	5	⊖	4.6	NR	NR	\$5,344
Tyler Memorial	15	⊖	4.0	⊖	⊖	\$7,841
Wayne Memorial	42	⊖	5.2	⊖	⊖	\$12,466
Waynesboro	50	⊖	5.0	⊖	⊖	\$13,059
Williamsport	175	⊖	5.1	⊖	⊖	\$14,832
WVHCS	151	⊖	7.1	⊖	⊖	\$22,279
York	406	⊖	5.2	⊖	⊖	\$12,070
Central & Northeastern	4,588		5.6			\$17,192
TOTAL: Statewide	20,685		5.7			\$27,879

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	21	⊙	4.1	0.0	⊙	0.0	⊙	⊙	\$5,630	
Berwick	68	⊙	4.2	4.4	⊙	4.4	⊙	⊙	\$15,011	
Bucktail	5	⊙	3.2	0.0	⊙	0.0	⊙	⊙	\$6,118	
Carlisle Regional	85	⊙	3.7	4.7	⊙	1.2	⊙	⊙	\$12,240	
Chambersburg	144	⊙	3.8	4.9	⊙	2.8	⊙	⊙	\$10,069	
Community/Scranton	157	⊙	4.6	3.8	⊙	5.1	⊙	⊙	\$13,573	
Ephrata Community	119	⊙	3.7	5.0	⊙	1.7	⊙	⊙	\$11,269	
Evangelical Community	40	⊙	3.5	2.5	⊙	0.0	⊙	⊙	\$6,262	
Fulton County	29	⊙	4.6	3.4	⊙	3.4	⊙	⊙	\$7,409	
Geisinger Wyoming Valley	62	⊙	4.4	0.0	⊙	1.7	⊙	⊙	\$12,838	
Geisinger/Danville	153	⊙	3.3	16.6	●	3.3	⊙	⊙	\$15,719	
Gettysburg	58	⊙	4.2	3.4	⊙	3.4	⊙	⊙	\$9,259	
Good Samaritan/Lebanon	111	⊙	4.7	3.6	⊙	4.5	⊙	⊙	\$12,481	
Hanover	39	⊙	4.7	2.7	⊙	10.8	⊙	⊙	\$9,055	
Hazleton General	92	⊙	4.0	2.2	⊙	2.2	⊙	⊙	\$13,740	
Heart of Lancaster	59	⊙	4.4	0.0	⊙	3.5	⊙	⊙	\$12,927	
Holy Spirit	213	⊙	4.4	2.4	⊙	4.3	⊙	⊙	\$12,963	
J C Blair Memorial	48	⊙	4.3	0.0	⊙	4.2	⊙	⊙	\$6,281	
Jersey Shore	36	⊙	3.4	2.8	⊙	2.8	⊙	⊙	\$5,963	
Lancaster General	291	⊙	5.1	5.9	⊙	12.8	●	⊙	\$13,305	
Lancaster Regional	108	⊙	5.2	0.9	⊙	7.5	⊙	⊙	\$13,825	
Lewistown	139	⊙	4.1	5.2	⊙	3.0	⊙	⊙	\$8,161	
Lock Haven	54	⊙	3.4	1.9	⊙	0.0	⊙	⊙	\$11,359	
Marian Community	75	⊙	4.4	0.0	⊙	1.3	⊙	⊙	\$7,207	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	69	⊖	3.6	7.2	⊖	2.9	⊖	⊖	⊖	NC
Memorial/Towanda	48	⊖	4.0	2.1	⊖	4.2	⊖	⊖	⊖	\$8,446
Mercy/Scranton	167	⊖	4.3	4.8	⊖	4.2	⊖	⊖	⊖	\$13,239
Mid-Valley	41	⊖	3.6	2.6	⊖	0.0	⊖	⊖	⊖	\$6,715
Milton S Hershey	153	⊖	4.2	7.8	⊖	5.9	⊖	●	⊖	\$10,960
Montrose General	23	⊖	3.5	4.5	⊖	0.0	⊖	⊖	⊖	\$5,865
Moses Taylor	93	⊖	4.2	5.4	⊖	6.5	⊖	⊖	⊖	\$9,647
Mount Nittany	145	⊖	4.4	4.9	⊖	6.3	⊖	⊖	⊖	\$10,008
Muncy Valley	14	⊖	4.3	0.0	⊖	0.0	⊖	⊖	⊖	\$7,671
Pinnacle Health	254	⊖	4.8	4.8	⊖	9.5	●	⊖	⊖	\$14,122
Pocono	141	⊖	4.3	5.8	⊖	4.3	⊖	⊖	⊖	\$15,129
Robert Packer	67	⊖	3.1	11.9	●	1.5	⊖	⊖	⊖	\$10,179
Shamokin Area Community	79	⊖	4.7	0.0	○	2.6	⊖	○	⊖	\$6,510
Soldiers & Sailors	24	⊖	3.9	8.3	⊖	0.0	⊖	⊖	⊖	\$9,283
Sunbury Community	43	⊖	4.0	2.4	⊖	0.0	⊖	⊖	⊖	\$9,225
Troy Community	28	⊖	3.2	7.4	⊖	0.0	⊖	⊖	⊖	\$4,871
Tyler Memorial	44	⊖	5.0	6.8	⊖	9.1	⊖	⊖	⊖	\$10,793
Wayne Memorial	58	⊖	4.5	5.2	⊖	3.4	⊖	⊖	⊖	\$9,059
Waynesboro	48	⊖	4.0	4.2	⊖	0.0	⊖	⊖	⊖	\$9,760
Williamsport	81	⊖	3.8	3.7	⊖	0.0	○	○	⊖	\$9,492
WVHCS	196	⊖	5.1	3.6	⊖	9.3	●	⊖	⊖	\$13,146
York	272	●	3.8	7.1	⊖	2.3	○	⊖	⊖	\$7,546
Central & Northeastern	4,445		4.3	4.8		4.7				\$11,289
TOTAL: Statewide	22,205		4.2	5.0		5.0				\$18,818

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Berwick	51	⊖	6.1	0.0	⊖	2.0	⊖	⊖	⊖	\$21,996
Bucktail	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	26	⊖	4.9	18.2	●	0.0	⊖	⊖	⊖	\$16,354
Chambersburg	73	⊖	5.6	8.2	⊖	0.0	⊖	⊖	⊖	\$16,281
Community/Scranton	18	⊖	5.8	6.7	⊖	0.0	⊖	⊖	⊖	\$19,225
Ephrata Community	61	⊖	5.6	8.6	⊖	3.4	⊖	⊖	⊖	\$18,451
Evangelical Community	51	●	5.3	12.5	●	0.0	⊖	⊖	⊖	\$8,583
Fulton County	11	⊖	4.5	0.0	⊖	0.0	⊖	⊖	⊖	\$11,719
Geisinger Wyoming Valley	27	⊖	6.9	4.0	⊖	8.0	⊖	⊖	⊖	\$24,647
Geisinger/Danville	99	⊖	4.6	18.2	●	2.3	⊖	⊖	⊖	\$23,779
Gettysburg	36	⊖	5.8	5.7	⊖	2.9	⊖	⊖	⊖	\$13,015
Good Samaritan/Lebanon	32	⊖	7.7	3.6	⊖	10.7	⊖	⊖	⊖	\$20,988
Hanover	35	⊖	6.1	3.3	⊖	3.3	⊖	⊖	⊖	\$11,208
Hazleton General	31	⊖	7.9	0.0	⊖	3.6	⊖	⊖	⊖	\$26,768
Heart of Lancaster	43	⊖	6.5	0.0	⊖	3.0	⊖	⊖	⊖	\$20,115
Holy Spirit	52	⊖	7.6	2.4	⊖	2.4	⊖	⊖	⊖	\$25,509
J C Blair Memorial	11	⊖	8.3	0.0	⊖	20.0	⊖	⊖	●	\$11,797
Jersey Shore	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lancaster General	140	⊖	7.7	2.4	⊖	5.7	⊖	⊖	⊖	\$22,851
Lancaster Regional	45	⊖	7.7	5.1	⊖	10.3	⊖	⊖	⊖	\$24,169
Lewistown	30	⊖	6.5	0.0	⊖	4.0	⊖	⊖	⊖	\$11,673
Lock Haven	7	⊖	4.3	16.7	⊖	0.0	⊖	⊖	⊖	\$22,172
Marian Community	10	⊖	6.0	14.3	⊖	0.0	⊖	⊖	⊖	\$10,571

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	29	⊙	6.7	0.0	⊙	4.0	⊙	⊙	⊙	NC
Memorial/Towanda	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mercy/Scranton	36	⊙	6.8	8.8	⊙	2.9	⊙	⊙	⊙	\$19,226
Mid-Valley	5	⊙	4.9	0.0	⊙	0.0	⊙	NR	NR	\$12,715
Milton S Hershey	59	⊙	6.0	12.0	●	0.0	⊙	⊙	⊙	\$17,522
Montrose General	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Moses Taylor	48	⊙	6.3	2.2	⊙	4.4	⊙	⊙	●	\$13,698
Mount Nittany	39	⊙	7.7	2.9	⊙	8.6	⊙	⊙	⊙	\$20,165
Muncy Valley	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pinnacle Health	111	⊙	7.5	4.0	⊙	6.9	⊙	⊙	⊙	\$27,303
Pocono	177	⊙	6.7	5.4	⊙	6.6	⊙	⊙	⊙	\$27,191
Robert Packer	67	⊙	4.3	27.6	●	0.0	⊙	⊙	⊙	\$12,298
Shamokin Area Community	8	⊙	4.1	0.0	⊙	0.0	⊙	⊙	⊙	\$7,958
Soldiers & Sailors	15	⊙	5.2	8.3	⊙	0.0	⊙	⊙	⊙	\$13,506
Sunbury Community	37	⊙	5.7	0.0	⊙	0.0	⊙	●	●	\$13,958
Troy Community	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	10	⊙	7.8	0.0	⊙	0.0	⊙	⊙	⊙	\$12,798
Wayne Memorial	10	⊙	6.6	0.0	⊙	0.0	⊙	⊙	⊙	\$12,935
Waynesboro	19	⊙	6.3	5.6	⊙	0.0	⊙	⊙	⊙	\$17,209
Williamsport	29	⊙	5.8	11.5	⊙	3.8	⊙	⊙	⊙	\$19,519
WVHCS	69	⊙	8.2	5.4	⊙	3.6	⊙	⊙	⊙	\$22,233
York	103	⊙	6.5	8.7	⊙	4.3	⊙	⊙	⊙	\$13,474
Central & Northeastern	1,830		6.4	6.7		3.8				\$19,669
TOTAL: Statewide	8,681		6.8	5.0		5.0				\$30,766

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	95	⊙	4.5	1.1	⊙	0.0	○	⊙	⊙	\$8,074
Berwick	98	⊙	5.3	3.1	⊙	4.2	⊙	⊙	⊙	\$21,329
Bucktail	7	⊙	3.7	0.0	⊙	0.0	⊙	⊙	⊙	\$9,447
Carlisle Regional	187	⊙	5.5	2.8	⊙	8.4	⊙	⊙	⊙	\$18,286
Chambersburg	336	⊙	4.8	5.2	⊙	4.6	⊙	⊙	○	\$14,104
Community/Scranton	213	⊙	5.2	3.3	⊙	5.7	⊙	⊙	⊙	\$15,496
Ephrata Community	224	⊙	4.3	5.5	⊙	3.2	⊙	⊙	⊙	\$13,986
Evangelical Community	241	⊙	3.5	19.8	●	0.9	○	○	⊙	\$6,966
Fulton County	57	⊙	4.8	1.8	⊙	1.8	⊙	⊙	⊙	\$10,154
Geisinger Wyoming Valley	183	⊙	5.2	5.6	⊙	5.0	⊙	⊙	⊙	\$20,529
Geisinger/Danville	299	⊙	3.5	21.6	●	4.5	⊙	⊙	⊙	\$18,897
Gettysburg	138	⊙	5.8	5.9	⊙	8.1	⊙	⊙	⊙	\$14,438
Good Samaritan/Lebanon	282	⊙	4.8	6.0	⊙	4.1	⊙	○	○	\$16,281
Hanover	155	⊙	5.2	3.4	⊙	3.4	⊙	⊙	⊙	\$10,183
Hazleton General	278	⊙	5.4	3.3	⊙	3.0	⊙	⊙	⊙	\$19,572
Heart of Lancaster	85	⊙	4.3	6.0	⊙	1.2	⊙	⊙	⊙	\$15,522
Holy Spirit	394	⊙	5.8	3.7	⊙	8.4	●	○	⊙	\$19,160
J C Blair Memorial	125	⊙	5.1	6.6	⊙	7.4	⊙	⊙	⊙	\$8,061
Jersey Shore	74	⊙	4.3	9.6	⊙	2.7	⊙	⊙	⊙	\$7,596
Lancaster General	541	⊙	5.7	6.1	⊙	10.6	●	○	⊙	\$17,796
Lancaster Regional	176	⊙	5.7	1.2	○	5.3	⊙	⊙	⊙	\$20,640
Lewistown	259	⊙	4.4	8.0	●	2.4	⊙	⊙	⊙	\$10,109
Lock Haven	95	⊙	4.2	7.4	⊙	2.1	⊙	⊙	⊙	\$15,100
Marian Community	149	⊙	5.1	7.0	⊙	4.2	⊙	⊙	⊙	\$10,002

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	210	⊖	4.7	6.7	⊖	5.3	⊖	⊖	⊖	NC
Memorial/Towanda	115	⊖	5.2	6.3	⊖	6.3	⊖	⊖	⊖	\$14,710
Mercy/Scranton	306	⊖	4.9	7.0	⊖	1.7	⊖	⊖	⊖	\$16,199
Mid-Valley	49	⊖	4.8	4.2	⊖	2.1	⊖	⊖	⊖	\$10,511
Milton S Hershey	296	⊖	4.4	10.2	●	3.9	⊖	⊖	⊖	\$12,791
Montrose General	52	⊖	5.5	4.1	⊖	0.0	⊖	⊖	⊖	\$7,875
Moses Taylor	282	⊖	5.7	3.3	⊖	7.3	⊖	⊖	⊖	\$12,010
Mount Nittany	245	⊖	5.8	4.3	⊖	5.6	⊖	⊖	⊖	\$14,696
Muncy Valley	49	⊖	4.8	2.1	⊖	0.0	⊖	⊖	⊖	\$9,236
Pinnacle Health	420	⊖	5.4	2.7	⊖	6.3	⊖	⊖	⊖	\$19,342
Pocono	625	⊖	5.3	4.2	⊖	7.7	●	●	●	\$20,042
Robert Packer	309	⊖	4.2	11.6	●	2.3	⊖	⊖	⊖	\$13,033
Shamokin Area Community	210	●	5.0	0.5	⊖	3.0	⊖	⊖	⊖	\$7,315
Soldiers & Sailors	114	⊖	4.1	8.1	⊖	0.0	⊖	⊖	⊖	\$10,500
Sunbury Community	223	⊖	4.8	3.2	⊖	2.3	⊖	●	●	\$12,907
Troy Community	86	⊖	3.5	11.0	●	0.0	⊖	⊖	⊖	\$5,627
Tyler Memorial	232	●	5.2	4.6	⊖	4.6	⊖	⊖	⊖	\$11,817
Wayne Memorial	158	⊖	5.0	6.8	⊖	2.7	⊖	⊖	⊖	\$11,152
Waynesboro	138	⊖	5.0	6.1	⊖	2.3	⊖	⊖	⊖	\$13,944
Williamsport	199	⊖	4.3	7.8	⊖	1.0	⊖	⊖	⊖	\$13,682
WVHCS	479	⊖	5.7	3.2	⊖	5.8	⊖	⊖	⊖	\$17,555
York	513	⊖	4.4	8.2	●	3.6	⊖	⊖	⊖	\$9,486
Central & Northeastern	10,322		5.0	6.1		4.7				\$14,699
TOTAL: Statewide	41,423		5.1	5.0		5.0				\$22,300

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Berwick	7	⊖	NR	NR	NR	NR	NR	NR	NR	\$52,192
Bucktail	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	18	⊖	8.5	8.3	⊖	0.0	⊖	⊖	⊖	\$57,447
Chambersburg	32	⊖	9.2	5.0	⊖	0.0	⊖	⊖	⊖	\$38,840
Community/Scranton	88	⊖	10.5	3.8	⊖	8.8	⊖	⊖	⊖	\$46,898
Ephrata Community	10	⊖	8.6	0.0	⊖	0.0	⊖	⊖	⊖	\$50,993
Evangelical Community	6	⊖	5.5	20.0	⊖	0.0	⊖	⊖	⊖	\$15,047
Fulton County	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	44	⊖	9.5	5.4	⊖	8.1	⊖	⊖	⊖	\$52,922
Geisinger/Danville	64	⊖	8.6	14.3	●	0.0	⊖	⊖	⊖	\$79,070
Gettysburg	22	⊖	9.1	5.3	⊖	5.3	⊖	⊖	⊖	\$33,882
Good Samaritan/Lebanon	17	⊖	6.2	8.3	⊖	0.0	⊖	⊖	⊖	\$30,535
Hanover	14	⊖	11.7	0.0	⊖	18.2	⊖	⊖	⊖	\$31,079
Hazleton General	56	⊖	11.8	2.6	⊖	7.9	⊖	⊖	⊖	\$66,101
Heart of Lancaster	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Holy Spirit	46	●	12.7	0.0	⊖	6.3	⊖	⊖	⊖	\$64,412
J C Blair Memorial	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jersey Shore	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lancaster General	102	⊖	10.9	3.7	⊖	3.7	⊖	⊖	⊖	\$52,756
Lancaster Regional	13	⊖	11.3	0.0	⊖	0.0	⊖	⊖	⊖	\$58,346
Lewistown	11	⊖	4.8	42.9	●	0.0	⊖	⊖	⊖	\$19,975
Lock Haven	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Marian Community	21	⊖	10.4	0.0	⊖	5.9	⊖	⊖	⊖	\$38,968

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	24	⊙	9.7	0.0	⊙	0.0	⊙	⊙	⊙	NC
Memorial/Towanda	6	⊙	8.8	0.0	⊙	0.0	⊙	⊙	⊙	\$33,144
Mercy/Scranton	54	⊙	10.2	5.0	⊙	2.5	⊙	⊙	⊙	\$56,036
Mid-Valley	8	⊙	5.7	20.0	⊙	0.0	⊙	NR	NR	\$24,924
Milton S Hershey	85	⊙	13.1	3.4	⊙	13.6	●	⊙	⊙	\$56,359
Montrose General	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Moses Taylor	51	⊙	11.3	2.1	⊙	2.1	⊙	⊙	⊙	\$44,589
Mount Nittany	22	⊙	12.3	0.0	⊙	14.3	⊙	⊙	⊙	\$41,489
Muncy Valley	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pinnacle Health	116	⊙	8.3	6.9	⊙	2.3	⊙	⊙	⊙	\$49,713
Pocono	61	⊙	8.7	4.3	⊙	4.3	⊙	⊙	⊙	\$59,053
Robert Packer	36	⊙	9.6	6.7	⊙	0.0	⊙	⊙	⊙	\$43,986
Shamokin Area Community	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Soldiers & Sailors	8	⊙	NR	NR	NR	NR	NR	NR	NR	\$28,185
Sunbury Community	6	⊙	NR	NR	NR	NR	NR	NR	NR	\$30,050
Troy Community	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Wayne Memorial	17	⊙	8.9	15.4	⊙	7.7	⊙	⊙	⊙	\$28,804
Waynesboro	10	⊙	7.8	0.0	⊙	0.0	⊙	⊙	⊙	\$51,135
Williamsport	36	⊙	8.2	0.0	⊙	0.0	⊙	⊙	⊙	\$48,077
WVHCS	87	⊙	9.9	6.8	⊙	5.1	⊙	⊙	⊙	\$39,669
York	107	⊙	9.5	0.0	⊙	2.7	⊙	⊙	⊙	\$29,093
Central & Northeastern	1,361		9.8	4.9		4.3				\$48,033
TOTAL: Statewide	6,712		9.7	5.0		5.0				\$69,425

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Berwick	13	⊖	4.7	0.0	⊖	0.0	⊖	⊖	⊖	\$21,085
Bucktail	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	29	⊖	6.2	4.3	⊖	0.0	⊖	⊖	⊖	\$18,994
Chambersburg	113	⊖	6.2	2.9	⊖	3.9	⊖	⊖	⊖	\$19,864
Community/Scranton	84	⊖	6.6	3.8	⊖	3.8	⊖	⊖	⊖	\$20,885
Ephrata Community	44	⊖	5.5	5.1	⊖	2.6	⊖	⊖	⊖	\$17,010
Evangelical Community	103	⊖	4.2	12.1	●	0.0	⊖	⊖	⊖	\$8,215
Fulton County	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	69	⊖	5.3	6.5	⊖	1.6	⊖	⊖	⊖	\$22,119
Geisinger/Danville	53	⊖	4.7	17.8	●	4.4	⊖	⊖	⊖	\$29,701
Gettysburg	57	⊖	6.8	9.6	⊖	5.8	⊖	⊖	⊖	\$18,502
Good Samaritan/Lebanon	25	⊖	4.8	11.8	⊖	0.0	⊖	⊖	⊖	\$16,613
Hanover	46	⊖	7.7	2.6	⊖	5.1	⊖	⊖	⊖	\$15,152
Hazleton General	206	⊖	6.1	4.0	⊖	5.1	⊖	⊖	⊖	\$23,813
Heart of Lancaster	21	⊖	6.0	9.5	⊖	4.8	⊖	⊖	⊖	\$21,918
Holy Spirit	105	⊖	6.7	6.8	⊖	6.8	⊖	⊖	●	\$25,849
J C Blair Memorial	38	●	6.2	0.0	⊖	0.0	⊖	⊖	⊖	\$11,489
Jersey Shore	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lancaster General	77	⊖	6.8	3.2	⊖	9.5	⊖	⊖	⊖	\$25,252
Lancaster Regional	45	⊖	6.3	7.7	⊖	7.7	⊖	⊖	⊖	\$28,920
Lewistown	32	⊖	5.3	4.2	⊖	4.2	⊖	⊖	⊖	\$13,507
Lock Haven	16	⊖	4.4	6.3	⊖	0.0	⊖	⊖	⊖	\$23,032
Marian Community	19	⊖	5.6	0.0	⊖	0.0	⊖	⊖	⊖	\$14,351

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	48	⊖	7.5	2.3	⊖	6.8	⊖	⊖	⊖	NC
Memorial/Towanda	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Mercy/Scranton	62	⊖	6.1	7.4	⊖	0.0	⊖	⊖	⊖	\$19,511
Mid-Valley	21	⊖	5.4	0.0	⊖	0.0	⊖	⊖	⊖	\$13,708
Milton S Hershey	32	⊖	5.5	12.0	⊖	0.0	⊖	⊖	⊖	\$21,820
Montrose General	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Moses Taylor	103	⊖	6.7	1.1	⊖	3.2	⊖	⊖	⊖	\$14,352
Mount Nittany	55	⊖	8.2	4.5	⊖	9.1	⊖	⊖	⊖	\$18,658
Muncy Valley	5	⊖	NR	NR	NR	NR	NR	NR	NR	\$7,593
Pinnacle Health	174	⊖	6.7	2.4	⊖	7.3	⊖	⊖	⊖	\$26,472
Pocono	54	⊖	6.9	8.7	⊖	6.5	⊖	⊖	⊖	\$26,345
Robert Packer	52	⊖	5.3	18.2	●	4.5	⊖	⊖	⊖	\$18,402
Shamokin Area Community	14	⊖	5.9	0.0	⊖	8.3	⊖	⊖	⊖	\$9,299
Soldiers & Sailors	26	⊖	4.9	4.0	⊖	8.0	⊖	⊖	⊖	\$12,532
Sunbury Community	6	⊖	NR	NR	NR	NR	NR	NR	NR	\$12,859
Troy Community	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	5	⊖	7.1	0.0	⊖	0.0	⊖	●	●	\$14,463
Wayne Memorial	48	⊖	5.6	10.0	⊖	5.0	⊖	⊖	⊖	\$13,834
Waynesboro	22	⊖	5.6	11.8	⊖	0.0	⊖	⊖	⊖	\$22,230
Williamsport	162	⊖	5.6	5.5	⊖	2.1	⊖	⊖	⊖	\$18,285
WVHCS	81	⊖	6.4	4.3	⊖	2.9	⊖	⊖	⊖	\$19,777
York	40	●	6.5	14.3	●	3.6	⊖	⊖	⊖	\$13,620
Central & Northeastern	2,251		6.1	5.9		4.2				\$19,981
TOTAL: Statewide	7,660		6.4	5.0		5.0				\$28,348

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Barnes Kasson County	6	⊙	5.0	0.0	⊙	0.0	⊙	\$7,587
Berwick	34	⊙	5.2	0.0	⊙	0.0	⊙	\$23,353
Bucktail	1	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	149	●	7.3	7.1	⊙	2.7	⊙	\$24,188
Chambersburg	249	⊙	6.0	4.6	⊙	2.8	⊙	\$17,404
Community/Scranton	123	○	8.5	4.5	⊙	8.1	⊙	\$26,706
Ephrata Community	70	⊙	6.7	4.6	⊙	3.1	⊙	\$23,900
Evangelical Community	228	⊙	5.0	8.9	●	1.5	○	\$8,587
Fulton County	3	NR	NR	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	196	○	7.3	2.8	⊙	3.9	⊙	\$24,311
Geisinger/Danville	342	⊙	5.3	13.0	●	1.4	○	\$32,200
Gettysburg	76	⊙	6.7	2.9	⊙	1.5	⊙	\$15,285
Good Samaritan/Lebanon	184	⊙	7.2	2.6	⊙	3.2	⊙	\$20,930
Hanover	196	⊙	6.9	2.3	⊙	2.9	⊙	\$13,309
Hazleton General	303	⊙	6.9	6.9	⊙	4.6	⊙	\$26,692
Heart of Lancaster	37	⊙	8.7	7.4	⊙	14.8	●	\$24,605
Holy Spirit	300	⊙	7.3	3.7	⊙	4.9	⊙	\$22,906
J C Blair Memorial	41	⊙	6.8	0.0	⊙	2.8	⊙	\$9,502
Jersey Shore	6	⊙	4.4	0.0	⊙	0.0	⊙	\$5,657
Lancaster General	149	⊙	8.3	6.1	⊙	4.3	⊙	\$28,132
Lancaster Regional	76	⊙	9.6	1.6	⊙	8.1	⊙	\$33,393
Lewistown	66	⊙	6.2	3.3	⊙	1.7	⊙	\$13,097
Lock Haven	30	⊙	5.5	0.0	⊙	0.0	⊙	\$19,131
Marian Community	73	⊙	7.1	1.6	⊙	0.0	⊙	\$12,556

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Memorial York	57	⊖	5.6	2.1	⊖	0.0	⊖	NC
Memorial/Towanda	28	⊖	5.1	0.0	⊖	0.0	⊖	\$11,288
Mercy/Scranton	182	⊖	6.8	6.5	⊖	2.9	⊖	\$23,565
Mid-Valley	19	⊖	5.5	5.9	⊖	5.9	⊖	\$9,416
Milton S Hershey	267	●	7.1	4.1	⊖	7.4	⊖	\$23,258
Montrose General	4	NR	NR	NR	NR	NR	NR	NR
Moses Taylor	216	⊖	7.5	4.4	⊖	4.4	⊖	\$21,367
Mount Nittany	92	⊖	7.4	2.5	⊖	8.8	⊖	\$19,014
Muncy Valley	11	⊖	6.1	0.0	⊖	0.0	⊖	\$7,585
Pinnacle Health	557	⊖	7.8	4.3	⊖	6.7	⊖	\$26,076
Pocono	180	⊖	7.5	4.1	⊖	2.7	⊖	\$32,497
Robert Packer	189	⊖	6.2	12.0	●	4.8	⊖	\$19,966
Shamokin Area Community	33	⊖	5.7	0.0	⊖	0.0	⊖	\$8,511
Soldiers & Sailors	60	⊖	5.3	5.6	⊖	1.9	⊖	\$12,546
Sunbury Community	43	⊖	6.0	5.6	⊖	0.0	⊖	\$16,953
Troy Community	7	⊖	NR	NR	NR	NR	NR	\$4,428
Tyler Memorial	25	⊖	8.7	0.0	⊖	9.5	⊖	\$19,587
Wayne Memorial	71	⊖	7.2	3.4	⊖	5.2	⊖	\$16,744
Waynesboro	94	⊖	6.6	6.4	⊖	1.3	⊖	\$16,542
Williamsport	130	⊖	6.5	3.7	⊖	1.8	⊖	\$20,391
WVHCS	163	⊖	7.9	5.5	⊖	9.4	●	\$24,136
York	512	⊖	6.4	8.6	●	1.6	⊖	\$16,715
Central & Northeastern	5,979		6.8	5.5		3.8		\$21,568
TOTAL: Statewide	22,089		7.2	5.0		5.0		\$33,875

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	30	●	3.8	3.6	○	3.6	○	○	○	\$9,099
Berwick	49	○	4.9	4.3	○	10.6	○	○	○	\$21,870
Bucktail	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	140	●	4.1	3.0	○	3.8	○	○	○	\$19,002
Chambersburg	176	○	4.0	12.0	●	1.7	○	○	○	\$13,259
Community/Scranton	145	○	4.9	2.8	○	5.6	○	○	○	\$15,880
Ephrata Community	103	○	3.7	3.9	○	2.0	○	○	○	\$14,055
Evangelical Community	105	○	3.5	5.8	○	1.0	○	○	○	\$7,935
Fulton County	10	○	5.1	0.0	○	10.0	○	○	○	\$9,906
Geisinger Wyoming Valley	166	○	3.9	8.0	○	3.1	○	○	○	\$15,489
Geisinger/Danville	138	○	3.3	22.1	●	1.5	○	○	○	\$23,647
Gettysburg	62	○	5.2	0.0	○	8.3	○	○	○	\$12,996
Good Samaritan/Lebanon	116	○	4.7	4.3	○	7.0	○	○	○	\$17,027
Hanover	119	○	4.5	1.7	○	5.1	○	○	○	\$9,783
Hazleton General	182	○	4.3	4.4	○	2.8	○	○	●	\$16,614
Heart of Lancaster	34	○	4.4	2.9	○	5.9	○	○	○	\$17,413
Holy Spirit	242	○	4.2	4.7	○	3.4	○	○	○	\$14,700
J C Blair Memorial	24	○	4.5	0.0	○	0.0	○	○	○	\$11,593
Jersey Shore	24	○	4.2	0.0	○	0.0	○	○	○	\$8,809
Lancaster General	385	○	4.6	4.7	○	9.7	●	○	○	\$17,278
Lancaster Regional	82	○	4.6	6.3	○	7.5	○	○	○	\$17,489
Lewistown	105	○	4.4	4.9	○	8.8	○	○	○	\$10,454
Lock Haven	26	○	4.2	0.0	○	7.7	○	○	○	\$14,637
Marian Community	68	○	4.3	3.0	○	1.5	○	○	○	\$9,453

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	112	⊖	4.2	2.7	⊖	4.5	⊖	⊖	⊖	NC
Memorial/Towanda	30	⊖	3.5	6.7	⊖	0.0	⊖	⊖	⊖	\$11,291
Mercy/Scranton	196	⊖	4.6	7.9	⊖	5.3	⊖	⊖	⊖	\$16,044
Mid-Valley	37	⊖	4.2	0.0	⊖	0.0	⊖	⊖	⊖	\$8,510
Milton S Hershey	148	⊖	4.4	6.3	⊖	6.3	⊖	⊖	⊖	\$13,715
Montrose General	22	⊖	3.2	9.1	⊖	4.5	⊖	⊖	⊖	\$5,477
Moses Taylor	159	⊖	4.8	3.8	⊖	7.0	⊖	⊖	⊖	\$11,610
Mount Nittany	125	⊖	4.2	2.5	⊖	5.7	⊖	⊖	⊖	\$11,572
Muncy Valley	24	⊖	3.8	8.3	⊖	4.2	⊖	⊖	⊖	\$7,090
Pinnacle Health	316	⊖	4.7	2.6	⊖	6.5	⊖	⊖	⊖	\$18,080
Pocono	159	⊖	3.8	7.1	⊖	4.5	⊖	⊖	⊖	\$18,965
Robert Packer	141	⊖	3.4	14.6	●	2.9	⊖	⊖	⊖	\$11,904
Shamokin Area Community	59	⊖	3.9	1.8	⊖	3.5	⊖	⊖	⊖	\$7,637
Soldiers & Sailors	70	⊖	3.0	13.0	●	0.0	⊖	⊖	⊖	\$11,623
Sunbury Community	58	⊖	3.8	8.8	⊖	0.0	⊖	⊖	●	\$11,570
Troy Community	15	⊖	3.5	0.0	⊖	0.0	⊖	⊖	⊖	\$5,279
Tyler Memorial	45	⊖	3.9	2.2	⊖	2.2	⊖	⊖	⊖	\$11,517
Wayne Memorial	84	⊖	4.3	2.4	⊖	3.6	⊖	⊖	⊖	\$9,269
Waynesboro	69	⊖	3.7	7.2	⊖	4.3	⊖	⊖	⊖	\$11,437
Williamsport	153	⊖	3.9	7.9	⊖	2.0	⊖	⊖	⊖	\$12,558
WVHCS	270	⊖	4.7	5.0	⊖	7.3	⊖	⊖	⊖	\$14,632
York	289	⊖	3.9	6.7	⊖	4.2	⊖	⊖	⊖	\$9,735
Central & Northeastern	5,267		4.2	5.8		4.7				\$14,201
TOTAL: Statewide	20,929		4.3	5.0		5.0				\$22,191

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Berwick	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	7	⊖	4.8	0.0	⊖	0.0	⊖	⊖	⊖	\$9,992
Chambersburg	24	⊖	5.6	0.0	⊖	6.7	⊖	⊖	⊖	\$14,013
Community/Scranton	21	⊖	5.6	11.8	⊖	5.9	⊖	⊖	⊖	\$19,114
Ephrata Community	11	⊖	1.8	22.2	⊖	0.0	⊖	NR	NR	\$13,538
Evangelical Community	15	⊖	4.9	8.3	⊖	0.0	⊖	⊖	⊖	\$9,527
Fulton County	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	21	⊖	4.2	20.0	●	6.7	⊖	⊖	⊖	\$26,848
Geisinger/Danville	104	⊖	6.8	2.9	⊖	7.1	⊖	⊖	⊖	\$37,770
Gettysburg	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Good Samaritan/Lebanon	7	⊖	8.5	16.7	⊖	0.0	⊖	●	⊖	\$22,771
Hanover	15	⊖	4.5	10.0	⊖	0.0	⊖	⊖	⊖	\$8,336
Hazleton General	6	⊖	NR	NR	NR	NR	NR	NR	NR	\$11,666
Heart of Lancaster	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Holy Spirit	28	⊖	5.5	9.1	⊖	0.0	⊖	⊖	⊖	\$20,521
J C Blair Memorial	6	⊖	NR	NR	NR	NR	NR	NR	NR	\$4,747
Jersey Shore	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lancaster General	98	⊖	6.9	8.2	⊖	5.5	⊖	⊖	⊖	\$23,701
Lancaster Regional	11	⊖	5.5	0.0	⊖	0.0	⊖	⊖	⊖	\$22,836
Lewistown	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lock Haven	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Marian Community	9	⊖	NR	NR	NR	NR	NR	NR	NR	\$14,061

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	9	⊖	5.1	0.0	⊖	0.0	⊖	⊖	NC	
Memorial/Towanda	3	NR	NR	NR	NR	NR	NR	NR	NR	
Mercy/Scranton	43	⊖	4.3	18.2	●	0.0	⊖	⊖	\$15,190	
Mid-Valley	5	⊖	NR	NR	NR	NR	NR	NR	\$16,295	
Milton S Hershey	103	⊖	7.8	2.7	⊖	5.3	⊖	⊖	\$24,851	
Montrose General	2	NR	NR	NR	NR	NR	NR	NR	NR	
Moses Taylor	24	⊖	5.2	0.0	⊖	0.0	⊖	⊖	\$13,315	
Mount Nittany	9	⊖	7.7	0.0	⊖	14.3	⊖	⊖	\$18,426	
Muncy Valley	0	NR	NR	NR	NR	NR	NR	NR	NR	
Pinnacle Health	60	⊖	5.6	7.9	⊖	2.6	⊖	⊖	\$20,338	
Pocono	5	⊖	NR	NR	NR	NR	NR	NR	\$12,062	
Robert Packer	26	⊖	5.1	5.9	⊖	0.0	⊖	⊖	\$15,854	
Shamokin Area Community	3	NR	NR	NR	NR	NR	NR	NR	NR	
Soldiers & Sailors	3	NR	NR	NR	NR	NR	NR	NR	NR	
Sunbury Community	6	⊖	NR	NR	NR	NR	NR	NR	\$15,220	
Troy Community	2	NR	NR	NR	NR	NR	NR	NR	NR	
Tyler Memorial	2	NR	NR	NR	NR	NR	NR	NR	NR	
Wayne Memorial	9	⊖	5.4	16.7	⊖	0.0	⊖	⊖	\$12,228	
Waynesboro	4	NR	NR	NR	NR	NR	NR	NR	NR	
Williamsport	28	⊖	4.1	8.7	⊖	0.0	⊖	⊖	\$11,910	
WVHCS	27	⊖	8.1	0.0	⊖	9.5	⊖	⊖	\$18,975	
York	78	⊖	6.7	0.0	⊖	12.3	●	⊖	\$15,907	
Central & Northeastern	857		6.0	5.9		4.6			\$20,304	
TOTAL: Statewide	3,683		6.3	5.0		5.0			\$39,573	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Berwick	44	⊙	4.7	4.7	⊙	0.0	⊙	⊙	⊙	\$26,751
Bucktail	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	108	●	5.0	4.1	⊙	4.1	⊙	⊙	⊙	\$17,225
Chambersburg	175	⊙	4.4	8.6	●	0.0	○	⊙	⊙	\$17,183
Community/Scranton	134	⊙	5.8	1.6	⊙	5.6	⊙	⊙	⊙	\$18,976
Ephrata Community	106	⊙	4.7	5.0	⊙	4.0	⊙	⊙	⊙	\$18,400
Evangelical Community	131	⊙	3.8	11.0	●	0.0	○	⊙	⊙	\$10,766
Fulton County	15	⊙	6.9	0.0	⊙	26.7	●	⊙	⊙	\$17,548
Geisinger Wyoming Valley	130	⊙	4.7	8.8	⊙	5.6	⊙	⊙	⊙	\$22,625
Geisinger/Danville	294	⊙	4.7	7.2	⊙	4.7	⊙	⊙	⊙	\$29,365
Gettysburg	52	⊙	5.2	4.3	⊙	4.3	⊙	⊙	⊙	\$11,564
Good Samaritan/Lebanon	98	⊙	5.5	2.1	⊙	2.1	⊙	⊙	⊙	\$16,255
Hanover	134	⊙	4.7	6.5	⊙	2.4	⊙	⊙	⊙	\$10,422
Hazleton General	128	⊙	4.9	3.4	⊙	4.2	⊙	⊙	⊙	\$20,106
Heart of Lancaster	37	⊙	5.4	2.9	⊙	2.9	⊙	⊙	⊙	\$16,450
Holy Spirit	212	⊙	4.6	6.0	⊙	2.0	⊙	⊙	⊙	\$16,439
J C Blair Memorial	37	⊙	4.9	5.9	⊙	5.9	⊙	○	⊙	\$9,544
Jersey Shore	28	⊙	3.5	4.0	⊙	0.0	⊙	⊙	⊙	\$6,099
Lancaster General	331	⊙	5.4	5.9	⊙	8.0	●	○	⊙	\$17,924
Lancaster Regional	94	⊙	5.0	2.2	⊙	5.6	⊙	⊙	⊙	\$18,668
Lewistown	106	⊙	4.0	6.1	⊙	1.0	⊙	⊙	⊙	\$11,601
Lock Haven	24	⊙	3.1	22.7	●	0.0	⊙	⊙	⊙	\$17,292
Marian Community	43	⊙	5.4	4.9	⊙	2.4	⊙	●	●	\$12,549

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Memorial York	89	⊖	4.1	5.9	⊖	2.4	⊖	⊖	⊖	NC
Memorial/Towanda	14	⊖	4.1	7.7	⊖	0.0	⊖	⊖	⊖	\$10,294
Mercy/Scranton	153	⊖	4.6	8.1	⊖	2.0	⊖	⊖	⊖	\$19,469
Mid-Valley	15	⊖	5.1	7.1	⊖	0.0	⊖	⊖	⊖	\$13,215
Milton S Hershey	252	⊖	5.7	4.2	⊖	8.4	●	⊖	⊖	\$20,700
Montrose General	11	⊖	6.0	0.0	⊖	10.0	⊖	⊖	⊖	\$12,039
Moses Taylor	136	⊖	5.8	3.8	⊖	9.9	●	⊖	⊖	\$16,807
Mount Nittany	130	●	4.9	2.6	⊖	5.2	⊖	⊖	⊖	\$15,320
Muncy Valley	14	⊖	4.2	8.3	⊖	0.0	⊖	⊖	⊖	\$9,397
Pinnacle Health	325	●	4.6	7.0	⊖	2.7	⊖	⊖	⊖	\$20,157
Pocono	150	⊖	5.1	5.5	⊖	4.8	⊖	⊖	⊖	\$21,697
Robert Packer	96	⊖	4.3	9.0	⊖	0.0	⊖	⊖	⊖	\$15,507
Shamokin Area Community	53	⊖	4.0	2.0	⊖	0.0	⊖	⊖	⊖	\$5,659
Soldiers & Sailors	34	⊖	4.2	9.1	⊖	0.0	⊖	⊖	⊖	\$11,032
Sunbury Community	41	⊖	4.1	0.0	⊖	0.0	⊖	⊖	⊖	\$11,127
Troy Community	7	●	2.9	0.0	⊖	0.0	⊖	⊖	⊖	\$5,244
Tyler Memorial	30	⊖	5.3	3.3	⊖	6.7	⊖	⊖	⊖	\$15,213
Wayne Memorial	70	⊖	5.3	6.0	⊖	7.5	⊖	⊖	⊖	\$14,179
Waynesboro	63	⊖	4.8	6.8	⊖	0.0	⊖	⊖	⊖	\$15,899
Williamsport	133	⊖	4.1	12.8	●	0.0	⊖	⊖	⊖	\$13,014
WVHCS	231	⊖	5.8	5.0	⊖	7.7	⊖	⊖	⊖	\$18,256
York	328	⊖	4.4	10.0	●	4.5	⊖	⊖	⊖	\$13,576
Central & Northeastern	4,942		4.9	6.1		4.1				\$17,453
TOTAL: Statewide	19,682		5.0	5.0		5.0				\$28,841

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Abdominal Aortic Aneurysm Repair - Endovascular

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (endovascular) during the report period.

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
Carlisle Regional	1	NR	NR	NR	NR
Chambersburg	6	2.2	⊖	⊖	\$38,796
Community/Scranton	14	3.1	⊖	⊖	\$80,991
Evangelical Community	11	3.2	⊖	⊖	\$33,197
Geisinger Wyoming Valley	8	2.3	⊖	⊖	\$89,072
Geisinger/Danville	32	1.4	⊖	●	\$95,416
Hazleton General	4	NR	NR	NR	NR
Holy Spirit	67	2.3	⊖	⊖	\$56,731
Lancaster General	20	2.8	⊖	⊖	\$52,271
Marian Community	1	NR	NR	NR	NR
Mercy/Scranton	6	2.2	⊖	⊖	\$88,748
Milton S Hershey	19	2.8	⊖	⊖	\$55,946
Pinnacle Health	21	2.3	⊖	⊖	\$58,661
Pocono	19	2.5	⊖	⊖	\$52,980
Robert Packer	12	3.2	⊖	⊖	\$72,956
Williamsport	3	NR	NR	NR	NR
WVHCS	19	3.4	⊖	⊖	\$65,985
York	28	1.9	⊖	⊖	\$43,265
Central & Northeastern	299	2.5			\$61,150
TOTAL: Statewide	1,471	2.9			\$86,757

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.

PROCEDURES



This page is intentionally left blank.



Abdominal Aortic Aneurysm Repair - Open

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (open) during the report period.

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Carlisle Regional	5	⊖	7.4	⊖	⊖	\$72,646
Chambersburg	2	NR	NR	NR	NR	NR
Community/Scranton	4	NR	NR	NR	NR	NR
Ephrata Community	4	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	1	NR	NR	NR	NR	NR
Geisinger/Danville	44	⊖	6.0	⊖	⊖	\$62,526
Good Samaritan/Lebanon	8	⊖	8.2	⊖	⊖	\$73,455
Hazleton General	4	NR	NR	NR	NR	NR
Holy Spirit	8	⊖	10.1	⊖	⊖	\$55,380
Lancaster General	32	⊖	7.6	⊖	⊖	\$42,799
Lancaster Regional	4	NR	NR	NR	NR	NR
Lewistown	4	NR	NR	NR	NR	NR
Mercy/Scranton	5	⊖	8.5	⊖	●	NR
Milton S Hershey	25	⊖	7.6	⊖	⊖	\$47,501
Moses Taylor	1	NR	NR	NR	NR	NR
Mount Nittany	1	NR	NR	NR	NR	NR
Pinnacle Health	1	NR	NR	NR	NR	NR
Pocono	3	NR	NR	NR	NR	NR
Robert Packer	2	NR	NR	NR	NR	NR
Sunbury Community	1	NR	NR	NR	NR	NR
Williamsport	7	⊖	7.2	⊖	⊖	\$33,004

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Abdominal Aortic Aneurysm Repair - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
WVHCS	3	NR	NR	NR	NR	NR
York	31	⊙	7.7	⊙	⊙	\$42,151
Central & Northeastern	201		7.4			\$52,674
TOTAL: Statewide	691		7.7			\$78,404

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Barnes Kasson County	3	NR	NR	NR
Berwick	15	⊙	11.1	\$93,102
Bucktail	0	NR	NR	NR
Carlisle Regional	61	●	8.8	\$61,043
Chambersburg	117	⊙	11.0	\$32,271
Community/Scranton	109	⊙	9.3	\$36,351
Ephrata Community	89	⊙	6.5	\$31,531
Evangelical Community	86	⊙	8.5	\$20,487
Fulton County	0	NR	NR	NR
Geisinger Wyoming Valley	81	⊙	8.8	\$44,622
Geisinger/Danville	235	⊙	7.7	\$53,401
Gettysburg	72	⊙	7.8	\$30,760
Good Samaritan/Lebanon	127	⊙	10.2	\$45,841
Hanover	84	⊙	9.0	\$27,270
Hazleton General	67	⊙	10.0	\$53,953
Heart of Lancaster	42	⊙	9.6	\$48,573
Holy Spirit	155	⊙	9.7	\$34,131
J C Blair Memorial	18	●	12.7	\$31,868
Jersey Shore	24	⊙	6.3	\$15,691
Lancaster General	355	⊙	9.6	\$34,681
Lancaster Regional	41	⊙	10.1	\$50,697
Lewistown	73	⊙	7.9	\$24,565
Lock Haven	8	⊙	8.0	\$34,061
Marian Community	22	⊙	8.0	\$26,933

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Memorial York	74	⊙	7.9	NC
Memorial/Towanda	3	NR	NR	NR
Mercy/Scranton	150	⊙	7.2	\$33,268
Mid-Valley	1	NR	NR	NR
Milton S Hershey	301	⊙	8.5	\$28,993
Montrose General	0	NR	NR	NR
Moses Taylor	90	⊙	10.5	\$31,049
Mount Nittany	85	⊙	8.1	\$27,433
Muncy Valley	5	⊙	NR	\$19,316
Pinnacle Health	302	⊙	8.9	\$38,093
Pocono	95	⊙	8.6	\$40,983
Robert Packer	129	⊙	7.5	\$31,567
Shamokin Area Community	19	⊙	5.9	\$14,368
Soldiers & Sailors	29	⊙	6.9	\$26,580
Sunbury Community	17	⊙	7.5	\$26,047
Troy Community	10	⊙	5.1	\$18,213
Tyler Memorial	20	⊙	7.5	\$32,997
Wayne Memorial	37	⊙	10.5	\$32,748
Waynesboro	37	⊙	8.5	\$24,890
Williamsport	120	⊙	8.8	\$31,055
WVHCS	218	⊙	10.0	\$36,582
York	274	⊙	7.7	\$26,404
Central & Northeastern	3,983		8.8	\$34,934
TOTAL: Statewide	15,045		8.8	\$56,614

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	7	⊙	3.4	⊙	⊙	\$15,023
Berwick	49	⊙	3.9	⊙	⊙	\$40,235
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	74	⊙	4.0	⊙	⊙	\$34,608
Chambersburg	230	⊙	3.4	⊙	⊙	\$16,360
Community/Scranton	110	⊙	4.0	⊙	⊙	\$23,999
Ephrata Community	73	⊙	3.1	⊙	⊙	\$20,534
Evangelical Community	59	⊙	3.1	⊙	⊙	\$9,862
Fulton County	0	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	54	⊙	4.0	⊙	⊙	\$28,885
Geisinger/Danville	69	⊙	3.0	⊙	⊙	\$28,935
Gettysburg	60	⊙	3.5	⊙	⊙	\$19,163
Good Samaritan/Lebanon	107	⊙	4.4	⊙	⊙	\$22,805
Hanover	43	⊙	3.5	⊙	⊙	\$14,674
Hazleton General	87	⊙	4.7	⊙	⊙	\$28,642
Heart of Lancaster	46	⊙	3.0	⊙	⊙	\$24,875
Holy Spirit	133	●	3.4	⊙	⊙	\$21,027
J C Blair Memorial	30	⊙	3.6	⊙	⊙	\$17,257
Jersey Shore	19	⊙	3.4	⊙	⊙	\$10,937
Lancaster General	318	⊙	3.9	⊙	⊙	\$19,110
Lancaster Regional	43	⊙	4.1	⊙	⊙	\$32,883
Lewistown	97	⊙	3.1	●	●	\$14,179
Lock Haven	0	NR	NR	NR	NR	NR
Marian Community	21	⊙	3.8	⊙	⊙	\$14,916

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	66	⊙	3.0	⊙	⊙	NC
Memorial/Towanda	10	⊙	4.1	⊙	⊙	\$26,553
Mercy/Scranton	104	⊙	4.1	⊙	⊙	\$23,822
Mid-Valley	0	NR	NR	NR	NR	NR
Milton S Hershey	91	⊙	3.8	⊙	⊙	\$17,129
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	82	⊙	4.7	⊙	⊙	\$21,564
Mount Nittany	104	⊙	3.5	⊙	⊙	\$17,174
Muncy Valley	0	NR	NR	NR	NR	NR
Pinnacle Health	191	⊙	3.3	⊙	⊙	\$19,786
Pocono	126	⊙	3.3	⊙	⊙	\$23,434
Robert Packer	54	⊙	2.8	⊙	⊙	\$16,510
Shamokin Area Community	48	⊙	3.0	⊙	⊙	\$11,003
Soldiers & Sailors	16	⊙	2.8	⊙	⊙	\$21,554
Sunbury Community	26	⊙	3.3	⊙	⊙	\$20,518
Troy Community	7	⊙	3.7	⊙	⊙	\$14,703
Tyler Memorial	10	⊙	4.4	⊙	⊙	\$19,818
Wayne Memorial	42	⊙	4.4	⊙	⊙	\$18,161
Waynesboro	21	⊙	2.9	⊙	⊙	\$15,629
Williamsport	64	⊙	3.7	⊙	⊙	\$20,115
WVHCS	120	⊙	4.2	⊙	⊙	\$21,570
York	241	⊙	3.4	●	⊙	\$13,332
Central & Northeastern	3,207		3.6			\$20,137
TOTAL: Statewide	13,773		3.6			\$28,460

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	4	NR	NR	NR	NR	NR
Berwick	4	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	19	⊙	7.3	⊙	⊙	\$44,493
Chambersburg	24	⊙	8.4	⊙	⊙	\$31,013
Community/Scranton	16	⊙	8.7	⊙	⊙	\$36,784
Ephrata Community	10	⊙	7.1	⊙	⊙	\$49,295
Evangelical Community	15	⊙	5.3	⊙	⊙	\$10,932
Fulton County	0	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	15	⊙	6.6	⊙	⊙	\$37,842
Geisinger/Danville	40	⊙	6.4	⊙	⊙	\$40,633
Gettysburg	1	NR	NR	NR	NR	NR
Good Samaritan/Lebanon	32	⊙	7.4	⊙	⊙	\$34,272
Hanover	15	⊙	6.1	⊙	⊙	\$19,026
Hazleton General	25	⊙	8.1	⊙	⊙	\$43,145
Heart of Lancaster	30	⊙	4.7	⊙	⊙	\$30,403
Holy Spirit	26	⊙	6.8	⊙	⊙	\$27,880
J C Blair Memorial	15	⊙	6.8	⊙	⊙	\$22,083
Jersey Shore	2	NR	NR	NR	NR	NR
Lancaster General	74	⊙	7.5	⊙	⊙	\$30,324
Lancaster Regional	18	⊙	7.7	⊙	⊙	\$46,884
Lewistown	10	⊙	5.8	⊙	⊙	\$21,268
Lock Haven	2	NR	NR	NR	NR	NR
Marian Community	3	NR	NR	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	5	⊖	8.8	⊖	⊖	NC
Memorial/Towanda	3	NR	NR	NR	NR	NR
Mercy/Scranton	19	⊖	7.2	⊖	⊖	\$35,122
Mid-Valley	0	NR	NR	NR	NR	NR
Milton S Hershey	40	⊖	5.8	⊖	●	\$22,513
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	19	⊖	7.1	⊖	⊖	\$22,244
Mount Nittany	10	⊖	6.6	⊖	⊖	\$26,878
Muncy Valley	1	NR	NR	NR	NR	NR
Pinnacle Health	36	⊖	6.9	⊖	⊖	\$29,500
Pocono	25	⊖	6.5	⊖	⊖	\$39,246
Robert Packer	37	⊖	5.5	⊖	⊖	\$22,160
Shamokin Area Community	3	NR	NR	NR	NR	NR
Soldiers & Sailors	4	NR	NR	NR	NR	NR
Sunbury Community	0	NR	NR	NR	NR	NR
Troy Community	3	NR	NR	NR	NR	NR
Tyler Memorial	2	NR	NR	NR	NR	NR
Wayne Memorial	15	⊖	6.3	⊖	⊖	\$25,005
Waynesboro	6	⊖	5.0	NR	NR	\$18,624
Williamsport	9	⊖	7.3	⊖	⊖	\$34,946
WVHCS	42	⊖	6.7	⊖	⊖	\$23,901
York	50	⊖	5.2	⊖	⊖	\$16,134
Central & Northeastern	751		6.7			\$29,119
TOTAL: Statewide	2,640		6.7			\$47,406

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Heart Attack - Angioplasty/Stent

The facilities listed below are those that provided advanced cardiac services (angioplasty/stent for heart attack) during the report period.

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Chambersburg	203	⊙	3.6	6.4	⊙	3.4	⊙	\$38,357
Community/Scranton	88	⊙	4.2	3.4	⊙	8.0	⊙	\$40,782
Geisinger Wyoming Valley	82	⊙	3.0	12.5	●	2.5	⊙	\$59,501
Geisinger/Danville	412	⊙	2.9	10.5	●	0.5	○	\$63,981
Good Samaritan/Lebanon	115	⊙	3.8	1.8	⊙	1.8	⊙	\$52,011
Holy Spirit	192	⊙	4.0	3.7	⊙	5.3	⊙	\$38,086
Lancaster General	431	⊙	3.9	6.3	⊙	5.6	⊙	\$44,258
Lancaster Regional	69	⊙	4.4	5.9	⊙	5.9	⊙	\$76,261
Mercy/Scranton	250	⊙	3.8	4.8	⊙	3.6	⊙	\$57,439
Milton S Hershey	192	⊙	3.3	7.6	⊙	1.6	○	\$31,467
Pinnacle Health	384	⊙	3.8	4.5	⊙	4.2	⊙	\$49,185
Robert Packer	179	⊙	3.2	14.2	●	0.6	○	\$29,236
Williamsport	140	⊙	3.4	5.7	⊙	0.7	○	\$38,902
WVHCS	125	⊙	4.1	2.4	⊙	5.7	⊙	\$52,247
York	287	⊙	3.9	2.4	○	3.5	⊙	\$36,169
Central & Northeastern	3,181		3.6	6.2		3.4		\$46,559
TOTAL: Statewide	12,419		3.8	5.0		5.0		\$68,217

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.

PROCEDURES



This page is intentionally left blank.



Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	0	NR	NR	NR	NR	NR
Berwick	26	⊖	6.1	⊖	⊖	\$53,900
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	90	⊖	5.3	⊖	⊖	\$41,500
Chambersburg	146	⊖	5.8	⊖	⊖	\$22,863
Community/Scranton	80	⊖	6.4	⊖	⊖	\$33,027
Ephrata Community	68	⊖	5.8	⊖	⊖	\$20,108
Evangelical Community	115	⊖	5.0	⊖	⊖	\$13,478
Fulton County	0	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	69	⊖	6.5	⊖	⊖	\$33,705
Geisinger/Danville	118	⊖	4.5	⊖	⊖	\$40,259
Gettysburg	46	⊖	6.2	⊖	⊖	\$25,374
Good Samaritan/Lebanon	126	●	7.6	⊖	⊖	\$27,471
Hanover	90	⊖	5.1	⊖	⊖	\$16,835
Hazleton General	79	⊖	5.2	⊖	●	\$32,955
Heart of Lancaster	47	⊖	6.4	⊖	⊖	\$38,598
Holy Spirit	168	⊖	5.1	⊖	⊖	\$23,773
J C Blair Memorial	0	NR	NR	NR	NR	NR
Jersey Shore	14	⊖	5.0	⊖	⊖	\$10,316
Lancaster General	285	⊖	6.3	⊖	⊖	\$28,162
Lancaster Regional	72	⊖	6.8	⊖	⊖	\$40,868
Lewistown	56	⊖	4.6	⊖	⊖	\$19,242
Lock Haven	8	⊖	5.7	⊖	⊖	\$29,786
Marian Community	66	⊖	5.4	⊖	⊖	\$18,833

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	80	⊖	5.5	⊖	⊖	NC
Memorial/Towanda	3	NR	NR	NR	NR	NR
Mercy/Scranton	90	⊖	5.0	⊖	⊖	\$27,127
Mid-Valley	19	⊖	4.9	⊖	⊖	\$18,842
Milton S Hershey	106	⊖	5.9	⊖	⊖	\$26,159
Montrose General	9	⊖	6.2	⊖	⊖	\$15,256
Moses Taylor	140	⊖	6.3	⊖	⊖	\$21,488
Mount Nittany	92	⊖	5.4	⊖	⊖	\$22,813
Muncy Valley	0	NR	NR	NR	NR	NR
Pinnacle Health	229	⊖	5.2	⊖	⊖	\$25,901
Pocono	96	⊖	5.5	⊖	⊖	\$29,268
Robert Packer	84	⊖	5.3	⊖	⊖	\$25,182
Shamokin Area Community	60	⊖	6.0	⊖	⊖	\$13,833
Soldiers & Sailors	17	⊖	4.3	⊖	⊖	\$20,273
Sunbury Community	11	⊖	6.0	⊖	⊖	\$36,222
Troy Community	0	NR	NR	NR	NR	NR
Tyler Memorial	8	⊖	8.4	⊖	⊖	\$31,633
Wayne Memorial	58	⊖	6.9	⊖	⊖	\$23,833
Waynesboro	45	⊖	5.9	⊖	⊖	\$22,221
Williamsport	121	●	5.1	⊖	⊖	\$21,900
WVHCS	161	⊖	6.0	⊖	⊖	\$28,196
York	225	⊖	5.4	⊖	⊖	\$17,643
Central & Northeastern	3,512		5.7			\$25,753
TOTAL: Statewide	13,227		6.0			\$38,111

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Hysterectomy - Abdominal

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating	%	Rating	
Barnes Kasson County	5	4.4	0.0	⊖	20.0	⊖	\$9,298
Berwick	13	3.1	0.0	⊖	0.0	⊖	\$22,322
Bucktail	0	NR	NR	NR	NR	NR	NR
Carlisle Regional	58	2.2	0.0	⊖	0.0	⊖	\$23,791
Chambersburg	125	2.5	1.6	⊖	1.6	⊖	\$10,324
Community/Scranton	44	3.1	2.3	⊖	9.1	⊖	\$12,134
Ephrata Community	89	2.9	4.4	⊖	4.4	⊖	\$14,091
Evangelical Community	78	1.8	7.7	⊖	0.0	⊖	\$6,617
Fulton County	0	NR	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	78	2.9	1.3	⊖	2.6	⊖	\$14,623
Geisinger/Danville	233	2.1	16.5	●	2.5	⊖	\$16,717
Gettysburg	105	3.0	0.0	⊖	3.8	⊖	\$13,337
Good Samaritan/Lebanon	147	2.8	1.4	⊖	0.7	⊖	\$13,379
Hanover	108	2.6	1.9	⊖	0.9	⊖	\$10,215
Hazleton General	83	3.0	1.2	⊖	3.6	⊖	\$12,513
Heart of Lancaster	48	2.5	4.2	⊖	0.0	⊖	\$22,612
Holy Spirit	66	2.6	4.5	⊖	3.0	⊖	\$12,094
J C Blair Memorial	51	2.3	5.9	⊖	0.0	⊖	\$10,929
Jersey Shore	0	NR	NR	NR	NR	NR	NR
Lancaster General	490	2.5	6.5	⊖	2.2	⊖	\$11,483
Lancaster Regional	51	2.7	7.8	⊖	7.8	⊖	\$19,079
Lewistown	71	2.4	0.0	⊖	0.0	⊖	\$9,358
Lock Haven	26	2.8	0.0	⊖	0.0	⊖	\$11,369
Marian Community	0	NR	NR	NR	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Hysterectomy - Abdominal

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating	%	Rating	
Memorial York	130	2.9	1.5	⊖	3.8	⊖	NC
Memorial/Towanda	37	2.1	2.7	⊖	5.4	⊖	\$19,098
Mercy/Scranton	26	3.5	3.7	⊖	11.1	⊖	\$13,324
Mid-Valley	0	NR	NR	NR	NR	NR	NR
Milton S Hershey	367	2.1	15.8	●	1.6	⊖	\$10,176
Montrose General	0	NR	NR	NR	NR	NR	NR
Moses Taylor	178	3.2	1.7	⊖	5.6	⊖	\$10,309
Mount Nittany	151	2.4	3.3	⊖	1.3	⊖	\$9,707
Muncy Valley	1	NR	NR	NR	NR	NR	NR
Pinnacle Health	515	2.8	3.3	⊖	3.5	⊖	\$13,629
Pocono	34	2.8	5.7	⊖	2.9	⊖	\$15,075
Robert Packer	74	2.0	12.2	●	0.0	⊖	\$12,101
Shamokin Area Community	5	2.6	0.0	⊖	20.0	⊖	\$10,737
Soldiers & Sailors	38	2.9	0.0	⊖	5.3	⊖	\$10,860
Sunbury Community	8	2.2	0.0	⊖	0.0	⊖	\$9,744
Troy Community	2	NR	NR	NR	NR	NR	NR
Tyler Memorial	27	2.3	3.7	⊖	0.0	⊖	\$10,184
Wayne Memorial	83	3.1	2.4	⊖	1.2	⊖	\$11,924
Waynesboro	30	2.7	0.0	⊖	0.0	⊖	\$9,875
Williamsport	195	3.2	1.0	⊖	5.6	⊖	\$10,396
WVHCS	187	2.8	8.0	⊖	3.7	⊖	\$9,973
York	505	2.9	3.1	⊖	5.9	⊖	\$9,914
Central & Northeastern	4,652	2.7	5.1		3.1		\$11,863
TOTAL: Statewide	16,150	2.8	5.0		5.0		\$22,519

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Hysterectomy - Vaginal

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
Barnes Kasson County	0	NR	NR	NR	NR
Berwick	2	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR
Carlisle Regional	51	1.5	⊖	⊖	\$23,441
Chambersburg	114	1.3	⊖	⊖	\$8,009
Community/Scranton	17	2.2	⊖	⊖	\$14,361
Ephrata Community	40	1.5	⊖	⊖	\$13,289
Evangelical Community	180	1.2	⊖	⊖	\$5,518
Fulton County	0	NR	NR	NR	NR
Geisinger Wyoming Valley	22	1.5	⊖	⊖	\$16,620
Geisinger/Danville	55	1.4	⊖	⊖	\$20,473
Gettysburg	57	2.1	⊖	⊖	\$11,248
Good Samaritan/Lebanon	24	2.0	⊖	⊖	\$12,508
Hanover	46	1.8	⊖	⊖	\$11,092
Hazleton General	33	1.7	⊖	⊖	\$13,959
Heart of Lancaster	8	1.7	⊖	⊖	\$20,512
Holy Spirit	48	1.8	⊖	⊖	\$11,097
J C Blair Memorial	66	1.1	⊖	⊖	\$9,860
Jersey Shore	11	1.4	⊖	⊖	\$6,098
Lancaster General	166	1.7	⊖	⊖	\$12,226
Lancaster Regional	12	1.7	⊖	⊖	\$20,942
Lewistown	44	1.3	⊖	⊖	\$12,117
Lock Haven	19	1.5	⊖	⊖	\$6,045
Marian Community	0	NR	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Hysterectomy - Vaginal

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
Memorial York	39	1.6	⊖	⊖	NC
Memorial/Towanda	37	2.0	⊖	⊖	\$12,593
Mercy/Scranton	18	1.9	⊖	⊖	\$10,583
Mid-Valley	0	NR	NR	NR	NR
Milton S Hershey	140	1.4	⊖	⊖	\$8,770
Montrose General	0	NR	NR	NR	NR
Moses Taylor	38	2.3	●	⊖	\$11,956
Mount Nittany	17	1.5	⊖	⊖	\$11,693
Muncy Valley	0	NR	NR	NR	NR
Pinnacle Health	252	1.5	⊖	⊖	\$11,274
Pocono	35	1.6	⊖	⊖	\$12,886
Robert Packer	56	1.1	⊖	⊖	\$8,492
Shamokin Area Community	1	NR	NR	NR	NR
Soldiers & Sailors	23	1.4	⊖	⊖	\$18,023
Sunbury Community	3	NR	NR	NR	NR
Troy Community	0	NR	NR	NR	NR
Tyler Memorial	2	NR	NR	NR	NR
Wayne Memorial	15	2.0	⊖	⊖	\$10,001
Waynesboro	15	1.3	⊖	⊖	\$8,926
Williamsport	37	2.3	⊖	⊖	\$8,417
WVHCS	167	1.2	⊖	⊖	\$9,294
York	95	1.7	⊖	⊖	\$8,040
Central & Northeastern	2,026	1.5			\$10,747
TOTAL: Statewide	7,375	1.6			\$17,553

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Prostatectomy - Radical

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating	%	Rating	
Barnes Kasson County	0	NR	NR	NR	NR	NR	NR
Berwick	0	NR	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR	NR
Carlisle Regional	4	NR	NR	NR	NR	NR	NR
Chambersburg	51	2.4	3.9	⊖	0.0	⊖	\$13,038
Community/Scranton	6	2.8	0.0	⊖	0.0	⊖	\$14,808
Ephrata Community	9	3.5	0.0	⊖	11.1	⊖	\$16,890
Evangelical Community	26	3.3	0.0	⊖	3.8	⊖	\$8,376
Fulton County	0	NR	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	2	NR	NR	NR	NR	NR	NR
Geisinger/Danville	75	1.2	20.0	●	0.0	○	\$28,460
Gettysburg	2	NR	NR	NR	NR	NR	NR
Good Samaritan/Lebanon	33	3.2	0.0	⊖	5.9	⊖	\$23,673
Hanover	3	NR	NR	NR	NR	NR	NR
Hazleton General	3	NR	NR	NR	NR	NR	NR
Heart of Lancaster	11	2.6	9.1	⊖	0.0	⊖	\$33,715
Holy Spirit	22	3.5	0.0	⊖	13.0	⊖	\$16,524
J C Blair Memorial	0	NR	NR	NR	NR	NR	NR
Jersey Shore	0	NR	NR	NR	NR	NR	NR
Lancaster General	96	2.9	0.0	○	4.2	⊖	\$14,475
Lancaster Regional	51	1.6	11.8	●	0.0	⊖	\$42,639
Lewistown	4	NR	NR	NR	NR	NR	NR
Lock Haven	0	NR	NR	NR	NR	NR	NR
Marian Community	3	NR	NR	NR	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Prostatectomy - Radical

Outlier Cases

Hospital	Cases	Length of Stay	Short Length of Stay		Long Length of Stay		Average Charge
			%	Rating	%	Rating	
Memorial York	0	NR	NR	NR	NR	NR	NC
Memorial/Towanda	2	NR	NR	NR	NR	NR	NR
Mercy/Scranton	52	3.4	0.0	⊖	5.7	⊖	\$22,722
Mid-Valley	0	NR	NR	NR	NR	NR	NR
Milton S Hershey	40	2.8	0.0	⊖	9.8	⊖	\$18,638
Montrose General	0	NR	NR	NR	NR	NR	NR
Moses Taylor	18	3.2	5.6	⊖	5.6	⊖	\$11,946
Mount Nittany	22	2.7	0.0	⊖	4.5	⊖	\$18,095
Muncy Valley	0	NR	NR	NR	NR	NR	NR
Pinnacle Health	55	3.6	0.0	⊖	9.1	⊖	\$19,464
Pocono	8	4.0	0.0	⊖	12.5	⊖	\$22,697
Robert Packer	23	4.0	4.3	⊖	13.0	⊖	\$25,347
Shamokin Area Community	0	NR	NR	NR	NR	NR	NR
Soldiers & Sailors	0	NR	NR	NR	NR	NR	NR
Sunbury Community	0	NR	NR	NR	NR	NR	NR
Troy Community	0	NR	NR	NR	NR	NR	NR
Tyler Memorial	0	NR	NR	NR	NR	NR	NR
Wayne Memorial	0	NR	NR	NR	NR	NR	NR
Waynesboro	0	NR	NR	NR	NR	NR	NR
Williamsport	19	3.2	0.0	⊖	5.3	⊖	\$13,803
WVHCS	32	3.3	0.0	⊖	6.3	⊖	\$14,755
York	20	3.0	4.8	⊖	9.5	⊖	\$13,450
Central & Northeastern	704	2.8	3.8		5.2		\$20,439
TOTAL: Statewide	3,248	2.7	4.9		5.0		\$33,696

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Prostatectomy - Transurethral

Hospital	Cases	Length of Stay	Average Charge
Barnes Kasson County	0	NR	NR
Berwick	7	2.0	\$16,425
Bucktail	0	NR	NR
Carlisle Regional	20	2.5	\$17,893
Chambersburg	32	1.8	\$8,856
Community/Scranton	5	3.3	NR
Ephrata Community	17	2.2	\$9,514
Evangelical Community	21	2.2	\$5,628
Fulton County	0	NR	NR
Geisinger Wyoming Valley	4	NR	NR
Geisinger/Danville	63	1.2	\$15,358
Gettysburg	11	2.3	\$9,732
Good Samaritan/Lebanon	39	2.5	\$13,251
Hanover	13	1.7	\$7,819
Hazleton General	19	3.0	\$11,812
Heart of Lancaster	21	2.4	\$16,417
Holy Spirit	37	3.1	\$10,405
J C Blair Memorial	0	NR	NR
Jersey Shore	0	NR	NR
Lancaster General	44	2.6	\$11,184
Lancaster Regional	8	1.9	\$15,370
Lewistown	14	2.8	\$7,091
Lock Haven	9	2.2	\$9,216
Marian Community	3	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Prostatectomy - Transurethral

Hospital	Cases	Length of Stay	Average Charge
Memorial York	19	4.6	NC
Memorial/Towanda	0	NR	NR
Mercy/Scranton	9	3.2	\$10,679
Mid-Valley	0	NR	NR
Milton S Hershey	12	1.7	\$9,890
Montrose General	0	NR	NR
Moses Taylor	9	3.4	\$10,496
Mount Nittany	23	2.5	\$10,630
Muncy Valley	0	NR	NR
Pinnacle Health	63	2.6	\$10,711
Pocono	44	2.0	\$9,807
Robert Packer	24	1.6	\$7,641
Shamokin Area Community	11	2.8	\$5,825
Soldiers & Sailors	9	1.3	\$7,574
Sunbury Community	13	3.4	\$11,227
Troy Community	0	NR	NR
Tyler Memorial	0	NR	NR
Wayne Memorial	3	NR	NR
Waynesboro	0	NR	NR
Williamsport	44	2.5	\$10,816
WVHCS	21	3.1	\$9,511
York	115	2.3	\$7,507
Central & Northeastern	822	2.4	\$10,545
TOTAL: Statewide	3,948	2.6	\$16,836

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Removal of Blockage of Neck Vessels

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	0	NR	NR	NR	NR	NR
Berwick	0	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	47	⊖	3.0	⊖	⊖	\$34,871
Chambersburg	27	●	2.4	⊖	⊖	\$14,294
Community/Scranton	85	⊖	2.8	⊖	⊖	\$15,405
Ephrata Community	41	⊖	1.7	⊖	⊖	\$11,408
Evangelical Community	35	⊖	1.6	⊖	⊖	\$8,671
Fulton County	0	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	60	⊖	1.7	⊖	⊖	\$20,068
Geisinger/Danville	105	⊖	1.2	⊖	⊖	\$17,553
Gettysburg	0	NR	NR	NR	NR	NR
Good Samaritan/Lebanon	61	⊖	2.8	⊖	⊖	\$24,573
Hanover	21	⊖	2.2	⊖	⊖	\$13,516
Hazleton General	23	⊖	3.0	⊖	⊖	\$17,734
Heart of Lancaster	5	⊖	3.1	⊖	⊖	\$34,392
Holy Spirit	64	⊖	2.1	⊖	⊖	\$14,597
J C Blair Memorial	0	NR	NR	NR	NR	NR
Jersey Shore	0	NR	NR	NR	NR	NR
Lancaster General	128	⊖	2.4	⊖	⊖	\$15,492
Lancaster Regional	34	⊖	2.3	⊖	⊖	\$30,367
Lewistown	7	⊖	1.6	⊖	⊖	\$7,711
Lock Haven	0	NR	NR	NR	NR	NR
Marian Community	13	⊖	1.8	⊖	⊖	\$8,957

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Removal of Blockage of Neck Vessels

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Memorial York	0	NR	NR	NR	NR	NC
Memorial/Towanda	0	NR	NR	NR	NR	NR
Mercy/Scranton	58	⊙	1.8	⊙	⊙	\$17,005
Mid-Valley	0	NR	NR	NR	NR	NR
Milton S Hershey	53	⊙	2.1	⊙	⊙	\$23,361
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	12	⊙	2.8	⊙	⊙	\$18,288
Mount Nittany	28	⊙	2.2	⊙	⊙	\$12,713
Muncy Valley	0	NR	NR	NR	NR	NR
Pinnacle Health	37	⊙	2.6	⊙	⊙	\$15,954
Pocono	56	⊙	2.2	⊙	⊙	\$15,474
Robert Packer	49	⊙	1.8	⊙	⊙	\$15,216
Shamokin Area Community	0	NR	NR	NR	NR	NR
Soldiers & Sailors	0	NR	NR	NR	NR	NR
Sunbury Community	2	NR	NR	NR	NR	NR
Troy Community	0	NR	NR	NR	NR	NR
Tyler Memorial	0	NR	NR	NR	NR	NR
Wayne Memorial	1	NR	NR	NR	NR	NR
Waynesboro	3	NR	NR	NR	NR	NR
Williamsport	94	⊙	2.0	⊙	⊙	\$13,543
WVHCS	90	⊙	2.7	⊙	⊙	\$13,957
York	115	⊙	1.6	⊙	⊙	\$8,881
Central & Northeastern	1,395		2.1			\$16,537
TOTAL: Statewide	5,243		2.3			\$24,852

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Pennsylvania Health Care Cost Containment Council

Marc P. Volavka, Executive Director

225 Market Street, Suite 400, Harrisburg, PA 17101

Phone: 717-232-6787 • Fax: 717-232-3821

www.phc4.org

Hospitals may have commented on this report. Copies of their comments are available on the PHC4 Web site or by request.